

Virubi 30 Inch Bathroom Vanity

Virubi 30 Inch Bathroom Vanity with Ceramic Sink

Instruction Manual

1. SAFETY INFORMATION

Always follow the assembly instructions carefully. Use appropriate tools and safety gear when assembling the vanity. Be cautious of the soft-closing doors to avoid injury.

Ensure all connections are secure before use. Do not overload drawers or cabinet shelves. Keep small parts away from children during assembly.

2. PRODUCT OVERVIEW

The Virubi 30 Inch Bathroom Vanity is designed for modern bathrooms, combining style with practical storage. It features a solid wood frame and a waterproof finish for durability. The vanity includes a ceramic sink, soft-closing doors, and multiple drawers for organized storage.


Key features include textured door panels with a chevron pattern, a recessed plinth base, and high-quality hinges and DTC rails for soft closing and quiet operation.



Ample Storage Space



Solid Wood Frame



High-Quality MDF Board



Painted Finish

Image: Overview of the vanity's construction, highlighting ample storage space, solid wood frame, high-quality MDF board, and painted finish.



Image: Close-up of the glossy ceramic sink, showing the anti-spill hole and the 4-inch centerset faucet configuration.

3. PACKAGE CONTENTS

Before beginning assembly, ensure all parts are present and undamaged. If any parts are missing or damaged, contact customer service.

- Vanity Cabinet (pre-assembled components)
- Ceramic Sink Top
- Hardware Pack (screws, hinges, drawer slides, handles)
- Assembly Instructions Manual

Note: Faucet and drain assembly are not included and must be purchased separately.

4. SETUP AND ASSEMBLY

The Virubi bathroom vanity is designed for straightforward assembly. The product comes with labeled wood components, numbered screws, and detailed instructions to guide you through the process.

4.1 Tools Required (Not Included)

- Phillips Head Screwdriver
- Adjustable Wrench (for plumbing connections)
- Level
- Safety Glasses

4.2 Assembly Steps

1. **Unpack and Identify Parts:** Carefully remove all components from the packaging. Refer to the parts list in the included manual and match them with the labeled wood pieces and numbered hardware.
2. **Assemble Cabinet Frame:** Follow the step-by-step diagrams to connect the main cabinet panels using the provided screws and connectors. Ensure all connections are tight and the frame is stable.
3. **Install Drawer Slides:** Attach the drawer slides to the cabinet interior and to the drawer boxes as indicated in the instructions. Ensure they are level and aligned for smooth operation.
4. **Assemble Drawers:** Construct the drawer boxes and attach the front panels. Insert the assembled drawers into the cabinet, ensuring they slide smoothly.
5. **Attach Cabinet Doors:** Mount the soft-closing hinges to the cabinet frame and doors. Attach the doors to the cabinet, adjusting them for proper alignment and gap.
6. **Place Ceramic Sink Top:** Carefully place the ceramic sink top onto the vanity cabinet. Apply a bead of silicone sealant (not included) around the edges to secure it and prevent water leakage.
7. **Install Handles:** Attach the handles to the drawer fronts and cabinet doors using the provided screws.
8. **Connect Plumbing:** Once the vanity is in its final position, connect the faucet and drain according to the manufacturer's instructions. Ensure all plumbing connections are watertight.




Image: Internal view of the vanity cabinet, showing the structure for drawers and the open cabinet space, useful for understanding assembly points.

Size:inch




Image: Detailed dimensional drawing of the 30-inch vanity, including measurements for the overall unit, sink, and internal drawer compartments.

5. OPERATING INSTRUCTIONS

5.1 Drawers

The vanity features smooth-gliding drawers with soft-closing mechanisms. To open, gently pull the handle. To close, push the drawer inward; the soft-close mechanism will engage to ensure a quiet and gentle closure.



Image: Close-up of an open drawer, showing internal dividers for organized storage of toiletries and small items.

5.2 Cabinet Doors

The cabinet doors are equipped with soft-closing hinges. Open by pulling the handles. When closing, gently push the door; the soft-close feature will prevent slamming and reduce noise.



Image: Close-up of the gold-finished handles on the cabinet doors, highlighting the chevron pattern.

5.3 Ceramic Sink

The integrated ceramic sink features a pre-installed 4-inch three-hole configuration for faucet installation and an overflow hole to prevent accidental spills. Ensure the faucet is properly installed and sealed to prevent leaks.

6. MAINTENANCE

Regular maintenance will help preserve the appearance and functionality of your Virubi bathroom vanity.

- **Cleaning the Cabinet:** Wipe the cabinet surfaces with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals, as these can damage the waterproof finish.
- **Cleaning the Ceramic Sink:** The smooth ceramic surface is easy to clean. Use a mild soap and water solution with a soft sponge or cloth. Rinse thoroughly and dry to prevent water spots. Do not use abrasive pads or cleaners that could scratch the surface.
- **Hardware Care:** Periodically check and tighten any loose screws on handles, hinges, or drawer slides. Clean metal hardware with a soft, dry cloth.
- **Spill Management:** Wipe up any water spills immediately to prevent moisture damage to the wood components.

PRODUCT FEATURES

The perfect blend of beauty and durability

- Soft-closing hinge effectively reduces noise



- Easy to Clean, Scratch Resistant



- Smooth Slide Rail



Image: Illustration of product features, including soft-closing hinges, easy-to-clean and scratch-resistant surfaces, and smooth slide rails, all contributing to ease of maintenance.

7. TROUBLESHOOTING

If you encounter any issues with your vanity, refer to the following common solutions:

- **Drawers do not close smoothly:** Check if the drawer slides are properly aligned and free from obstructions. Ensure all screws securing the slides are tight. Adjust the drawer front if necessary.
- **Cabinet doors are misaligned:** Adjust the screws on the soft-closing hinges to align the doors horizontally and vertically. Refer to the hinge manufacturer's instructions for specific adjustment procedures.
- **Water leaks from sink/faucet:** Ensure all plumbing connections are securely tightened. Check for proper application of plumber's putty or silicone sealant around the drain and faucet base.
- **Vanity wobbles:** Ensure the vanity is placed on a level surface. If necessary, use shims under the base to stabilize it. Verify all assembly screws are tightened.

For issues not covered here, please contact Virubi customer support.

8. SPECIFICATIONS

Feature	Detail
Brand	Virubi
Model	30 Inch Bathroom Vanity
Color	Green
Material	Engineered Wood, Solid Wood Frame
Top Material	Ceramic
Product Dimensions (D x W x H)	18"D x 30"W x 33"H
Number of Drawers	4
Number of Doors	2
Installation Type	Freestanding
Additional Features	Waterproof finish, Soft-closing doors and drawers

9. WARRANTY AND SUPPORT

For warranty information or technical support, please contact Virubi customer service through the retailer where the product was purchased. Please have your purchase receipt and product model number available when contacting support.

You can typically find contact information on the retailer's website or within your purchase documentation.