

Herture KH02MRW

Herture Mini Fridge Cabinet KH02MRW Instruction Manual

Model: KH02MRW | Brand: Herture

1. INTRODUCTION

This manual provides comprehensive instructions for the assembly, installation, operation, and maintenance of your Herture Mini Fridge Cabinet, model KH02MRW. Please read this manual thoroughly before beginning assembly or use to ensure proper function and safety. Keep this manual for future reference.

2. SAFETY INFORMATION

WARNING: Failure to follow these safety instructions may result in injury or product damage.

- Always ensure proper ventilation for any mini fridge placed inside the cabinet. Do not block the back and top ventilation areas.
- Be cautious when moving the cabinet. It is heavy and may cause injury if not handled properly. It is recommended to have two or more people for moving and assembly.
- Secure the cabinet to the wall using the provided anti-tip kit to prevent accidental tipping, especially in households with children or pets.
- Do not overload shelves or cabinets. Distribute weight evenly.
- Ensure all electrical connections are secure and meet local electrical codes. Do not exceed the maximum wattage for the built-in power outlets.
- Keep liquids away from electrical outlets to prevent electric shock.

3. PACKAGE CONTENTS

Verify that all components are present before beginning assembly. If any parts are missing or damaged, contact Herture customer support.

- All necessary engineered wood panels for cabinet construction.
- Hardware kit (screws, dowels, hinges, handles, anti-tip kit).

- Built-in power panel with 4 AC outlets and switch.
- Assembly instructions manual.

4. ASSEMBLY INSTRUCTIONS

Assembly requires basic tools (e.g., screwdriver, hammer). Follow the numbered steps carefully. It is recommended to assemble the unit on a soft, clean surface to prevent scratches.

4.1 Component Identification and Dimensions

Before starting, familiarize yourself with the various parts and their dimensions.




Figure 1: Product Dimensions and Component Layout. The overall dimensions are 35.43" L x 22.04" W x 73.22" H. The dedicated fridge area has internal dimensions of 22.04" L x 22.04" W x 37.79" H.

4.2 Step-by-Step Assembly

1. **Unpack and Sort:** Carefully unpack all components and hardware. Sort them according to the parts list in your separate assembly guide.

2. **Assemble Base Frame:** Begin by connecting the base panels using the provided screws and dowels. Ensure all connections are tight and secure.
3. **Install Side Panels:** Attach the side panels to the base frame. Pay attention to the orientation of panels with pre-drilled holes for shelves and doors.
4. **Insert Fixed Shelves:** Secure any fixed shelves into their designated slots or with screws.
5. **Assemble Upper Cabinetry:** Construct the upper cabinet sections separately, including the double-door cabinets and the single-door storage cabinet.
6. **Attach Upper Section to Base:** Carefully lift and secure the assembled upper cabinetry onto the lower base unit. This step may require two people due to the size and weight.
7. **Install Doors:** Attach hinges to the doors and then to the cabinet frame. Adjust hinges as needed for proper door alignment. Install door handles.
8. **Install Power Panel:** Integrate the built-in power panel into its designated slot on the top surface of the cabinet. Ensure it is flush and secure.
9. **Attach Anti-Tip Kit:** Secure the anti-tip kit to the top rear of the cabinet and then to a wall stud using appropriate wall anchors. This is a critical safety step.

POWER SOCKET

4 AC sockets with a switch.



UPPER DOUBLE CABINETS PROVIDE MORE STORAGE SPACE

which makes it convenient for you to store tableware and utensils.



ANTI-TIP KIT

Secures the cabinet to the wall for a safer space.



Figure 2: Key Features. This image highlights the integrated power socket, the spacious upper double cabinets for storage, and the anti-tip kit for enhanced safety.

5. SETUP AND PLACEMENT

5.1 Location Selection

Choose a stable, level surface for the cabinet. Ensure adequate clearance around the unit, especially for the mini fridge compartment, to allow for proper ventilation. Avoid placing the cabinet in direct sunlight or near heat sources.

5.2 Mini Fridge Installation

The dedicated fridge area (22.04" L x 22.04" W x 37.79" H) is designed to accommodate most standard mini fridges or wine coolers. Carefully slide your appliance into the designated space. Ensure there is sufficient space at the back and top for air circulation to prevent overheating.

5.3 Power Connection

Plug the cabinet's power cord into a grounded electrical outlet. The built-in power panel provides 4 AC outlets with a switch for convenient use of small appliances like coffee makers, microwaves, or blenders. Use the switch to control power to these outlets.



Figure 3: Cabinet in Use. This image demonstrates the cabinet's functionality as a beverage station or coffee bar, accommodating a mini fridge and various small appliances.

6. OPERATING INSTRUCTIONS

6.1 Storage Utilization

The cabinet offers various storage options:

- **Open Shelves:** Use the three open shelves on the right side for frequently accessed items such as coffee mugs, barware, spice jars, or snacks.
- **Upper Double-Door Cabinets:** These provide enclosed storage for items like appliance accessories, tissues, or coffee beans, keeping them out of sight and organized.
- **Single-Door Storage Cabinet:** Located above the fridge compartment, this offers additional private storage space.

6.2 Power Outlet Usage

The integrated power panel allows you to plug in up to four small appliances. Use the red switch on the panel to turn the power to these outlets ON or OFF. Always ensure appliances are turned off before plugging or unplugging them.

7. MAINTENANCE

7.1 Cleaning

The cabinet's surface is scratch-resistant and easy to clean. Use a soft, damp cloth to wipe down surfaces. Avoid abrasive cleaners or harsh chemicals that could damage the finish. For stubborn spots, a mild soap solution can be used, followed by wiping with a clean, dry cloth.

7.2 General Care

- Periodically check all screws and connections to ensure they remain tight. Retighten if necessary.
- Ensure the anti-tip kit remains securely fastened to the wall.
- Avoid placing excessively hot items directly on the cabinet surface without protection.

8. TROUBLESHOOTING

- **Cabinet feels wobbly:**
 - Ensure the cabinet is on a level surface. Adjust any leveling feet if present.
 - Check all assembly screws and tighten any loose ones.
 - Verify the anti-tip kit is properly installed and secured to a wall stud.
- **Power outlets not working:**
 - Ensure the cabinet's main power cord is securely plugged into a functional wall outlet.
 - Check if the switch on the built-in power panel is in the 'ON' position.
 - Test the wall outlet with another appliance to confirm it has power.
- **Doors are misaligned:**
 - Adjust the hinges on the doors. Most hinges allow for minor adjustments to align doors properly. Refer to the specific hinge instructions if provided in the assembly guide.

9. SPECIFICATIONS

Feature	Specification
Model Number	KH02MRW

Brand	Herture
Overall Dimensions (L x W x H)	35.43" x 22.04" x 73.22"
Fridge Compartment Internal Dimensions (L x W x H)	22.04" x 22.04" x 37.79"
Material	Engineered Wood
Color	White
Item Weight	102 pounds
Power Outlets	4 AC outlets with switch
Assembly Required	Yes

10. WARRANTY AND SUPPORT

10.1 Warranty Information

Herture products are manufactured to high-quality standards. For specific warranty details, please refer to the warranty card included with your product or visit the official Herture website. Keep your proof of purchase for warranty claims.

10.2 Customer Support

If you have any questions, require assistance with assembly, or need to report missing/damaged parts, please contact Herture customer support. Contact information can typically be found on the product packaging or the official Herture website.