



Manuals.plus /

› GEERTOP /

› GEERTOP Large Car Side Camping Awning (Model 66-170-012) Instruction Manual

GEERTOP 66-170-012

GEERTOP Large Car Side Camping Awning (Model 66-170-012) Instruction Manual

Your guide to setting up and enjoying your outdoor shelter.

1. PRODUCT OVERVIEW

The GEERTOP Large Car Side Camping Awning is a versatile and generously sized shelter designed to provide shade and protection from the elements for various vehicles. Measuring approximately 19 ft x 11.5 ft, it offers a spacious area for outdoor activities.

Key Features:

- **Oversize Design:** Provides approximately 172 sq ft of sunshade, suitable for 4-6 people.
- **Sturdy Construction:** Includes 2 adjustable telescoping poles for stable support.
- **Easy & Quick Setup:** Features two large suction cups for tool-free attachment to your vehicle.
- **Compact & Lightweight:** Weighs approximately 9.53 lbs for easy transport and storage.
- **Heavy-Duty & Weather-Resistant:** Made from 210T ripstop polyester with orange binding, offering tear-resistance and a 3000mm water column rating for rain and UV protection.
- **Versatile Use:** Ideal for camping, overlanding, beach days, tailgating, road trips, and emergency shelter.

2. PACKAGE CONTENTS

Before beginning setup, ensure all components are present:

- 1 x Awning Tarp (19 ft x 11.5 ft)
- 2 x Adjustable Telescoping Poles (72 to 83 inches)
- 2 x Large Suction Cups
- 8 x Guy Ropes
- 8 x Tent Stakes
- 1 x Carrying Bag

3. SETUP INSTRUCTIONS

For optimal stability and ease of setup, it is recommended to have two people. A rubber mallet or hammer may be useful for securing stakes in hard ground.

Step-by-Step Guide:

1. **Prepare the Area:** Choose a flat, clear area next to your vehicle. Lay out the awning tarp on the ground, ensuring the side intended for the vehicle is aligned.
2. **Attach Suction Cups:** Clean the surface of your vehicle's roof where the suction cups will be placed. Attach the two large suction cups to the roof, ensuring they are firmly secured. These will serve as the primary attachment points for the awning to your vehicle.
3. **Connect Tarp to Vehicle:** Use the carabiners or straps provided to connect the vehicle-side edge of the tarp to the rings on the suction cups. Ensure a snug fit.
4. **Assemble and Position Poles:** Assemble the two telescoping poles. Extend them to your desired height (between 72 and 83 inches). Insert the pointed end of each pole into the grommets located at the outer corners of the awning, away from the vehicle.
5. **Secure with Guy Ropes and Stakes:** Attach the guy ropes to the designated loops on the awning's outer edges and poles. Extend the ropes outwards at an angle and secure them to the ground using the tent stakes. Ensure the ropes are taut to provide stability and prevent sagging. Adjust the tension as needed.
6. **Final Adjustments:** Check all attachment points, poles, and ropes for security and tension. The awning should be taut and stable.

172 ft² LARGE SHADE AREA

Spacious for 4-6 Person Camping



Image: Awning attached to a white SUV with suction cups on the roof, demonstrating easy setup.

Easy to Setup

Effortlessly secure the tarp to your vehicles with two strong, oversized suction cups



Image: Diagram illustrating the simple process of attaching the awning to a vehicle using suction cups.

Setup Demonstration Video:

Your browser does not support the video tag.

Video: A visual guide to setting up the GEERTOP Car Side Camping Awning.

4. OPERATING INSTRUCTIONS

Once your GEERTOP Car Side Camping Awning is set up, you can enjoy its benefits. The design allows for easy access to your vehicle while providing ample shade and shelter.

Adjusting Pole Height:

The telescoping poles can be adjusted to different heights, ranging from 72 to 83 inches. This allows you to customize the awning's angle and coverage based on sun position, wind conditions, or personal preference. Simply unlock the pole sections, extend or retract to the desired height, and lock them securely.




Image: Illustration of the adjustable pole height feature, ranging from 72 to 83 inches.

Vehicle Compatibility:

The awning is designed to be universal for most TRUCK, SUV, MPV, TRAILER, and VAN models. Its flexible attachment system allows it to fit various vehicle types, providing a seamless extension of your outdoor living space.



SUITABLE FOR VARIOUS VEHICLES

TRUCK



SUV



MPV



RV



JEEP



TRAILER



Image: The awning is shown compatible with a range of vehicles including trucks, SUVs, MPVs, RVs, Jeeps, and trailers.

5. MAINTENANCE

Proper care and maintenance will extend the lifespan of your GEERTOP Car Side Camping Awning.

Cleaning:

- Clean the tarp with mild soap and water. Avoid harsh chemicals or abrasive cleaners, as these can damage the waterproof coating.
- Rinse thoroughly with clean water and allow to air dry completely before packing away.

Storage:

- Ensure the tarp is completely dry before folding and storing to prevent mildew and odors.
- Store all components (tarp, poles, stakes, ropes, suction cups) in the provided carrying bag in a cool, dry place, away from direct sunlight.

Inspection:

- Periodically inspect the tarp for any tears, punctures, or damage to the seams. Repair minor damage promptly to prevent it from worsening.
- Check poles for bends or cracks, and ensure all ropes and stakes are in good condition.



Image: Close-up view of the awning's waterproof fabric, highlighting its 3000mm water column rating.

Waterproof Awning Tarp

No worries about rainy days, as the large awning tarp offers you full protection

6. TROUBLESHOOTING

Awning Sagging or Instability:

- **Check Pole Placement:** Ensure poles are firmly planted and extended to an appropriate height.
- **Tighten Guy Ropes:** Adjust the tension of all guy ropes to ensure they are taut. Ropes should be angled outwards from the awning for maximum stability.
- **Secure Stakes:** Make sure all tent stakes are fully driven into the ground. If the ground is soft, consider using longer or wider stakes (not included) for better grip.
- **Wind Conditions:** In strong winds, ensure all ropes are securely fastened and consider lowering the pole height to reduce wind resistance.

Suction Cups Detaching:

- **Clean Surface:** Ensure the vehicle's roof surface is clean, dry, and free of dust or debris before attaching suction cups.
- **Proper Application:** Press the suction cups firmly onto the surface and engage the locking mechanism completely.
- **Reapply if Needed:** If a suction cup detaches, clean the surface and reapply. In some cases, extreme temperature changes or prolonged exposure may affect suction.

7. SPECIFICATIONS

- **Model:** 66-170-012
- **Dimensions:** 19 ft x 11.5 ft (approx. 172 sq ft shade area)
- **Material:** 210T Ripstop Polyester
- **Waterproof Rating:** 3000mm Water Column
- **Item Weight:** 9.53 lbs
- **Pole Height:** Adjustable from 72 to 83 inches
- **Color:** Lunar Green

Oversized Camping Awning Tarp

It covers a large area, perfect for families or groups going camping



Image: Detailed dimensions of the awning, illustrating its large coverage area.



Image: Aerial view demonstrating the expansive 172 sq ft shade area provided by the awning.

8. WARRANTY AND SUPPORT

Specific warranty details for the GEERTOP Large Car Side Camping Awning (Model 66-170-012) are not provided in this manual. For warranty claims, product support, or inquiries, please refer to the retailer's return policy or contact GEERTOP customer service directly through their official channels.