

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Hipicute](#) /
- › [Hipicute PAC-M08 8000 BTU Portable Air Conditioner User Manual](#)

Hipicute PAC-M08

Hipicute PAC-M08 8000 BTU Portable Air Conditioner User Manual

Model: PAC-M08

1. INTRODUCTION AND OVERVIEW

Thank you for choosing the Hipicute PAC-M08 8000 BTU Portable Air Conditioner. This 3-in-1 unit provides efficient cooling, dehumidification, and fan functions for spaces up to 350 sq. ft. Designed for convenience, it features quiet operation, a 24-hour timer, and remote control. Please read this manual thoroughly before operation to ensure proper use, maintenance, and safety.



Image 1.1: The Hipicute PAC-M08 Portable Air Conditioner, a compact and versatile 3-in-1 unit.

2. SAFETY INFORMATION

To reduce the risk of fire, electrical shock, or injury, always follow these basic precautions:

- Read all instructions before using the appliance.
- Only connect the unit to a properly grounded power outlet.
- Do not operate the unit with a damaged cord or plug.
- Do not block air outlets or inlets.
- Keep the unit upright for at least 2 hours before first use.
- Do not insert objects into the air vents.
- Unplug the unit before cleaning or servicing.
- Do not use in wet areas like bathrooms or laundries.
- Keep children away from the appliance.
- For indoor use only.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged:

- Portable Air Conditioner Unit
- Remote Control
- Window Kit (adjustable panel)
- Exhaust Hose
- Hose Adapter (for unit)
- Window Kit Adapter (for exhaust hose)
- Drain Pipe
- User Manual (this document)



Image 3.1: The portable air conditioner unit with its exhaust hose and window kit components.

4. PRODUCT FEATURES

- **8000 BTU Cooling Power:** Effectively cools rooms up to 350 sq. ft.
- **3-in-1 Functionality:** Offers Cooling, Dehumidifier, and Fan modes.
- **Quiet Operation:** Operates at approximately 52dB, suitable for bedrooms and offices.
- **Sleep Mode:** Adjusts temperature and fan speed for comfortable, energy-efficient overnight cooling.
- **24-Hour Timer:** Program the unit to turn on or off automatically.
- **Remote Control:** Conveniently adjust settings from a distance.
- **Auto-Swing Vents:** Ensures even air distribution throughout the room.
- **Portability:** Equipped with 360° rotatable wheels and built-in handles for easy movement.
- **Washable Air Filter:** Detachable and easy to clean for optimal performance.

3-in-1 Function



Image 4.1: Visual representation of the 3-in-1 functionality: Cool, Dry (Dehumidify), and Fan modes.

LED Control Panel



Image 4.2: Detailed view of the LED control panel display with clearly labeled buttons for various functions.

5. SETUP AND INSTALLATION

Proper installation is crucial for efficient operation. Ensure the unit is placed on a flat, stable surface and has at least 20 inches of clearance from walls or furniture.

5.1 Exhaust Hose Assembly

1. Attach the hose adapter to one end of the exhaust hose by twisting it clockwise until secure.
2. Attach the window kit adapter to the other end of the exhaust hose.
3. Connect the hose adapter to the exhaust outlet on the back of the portable AC unit.

Multiple Setup Options

8000 BTU Cooling Power

3 modes make our portable air conditioners super versatile and keep your home super comfortable



Cooling Mode-Air Conditioning Mode



Fan Mode-Dry Mode



Dehumidifier: removes moisture from the air



Image 5.1: Illustration of connecting the exhaust hose to the rear of the air conditioner unit.

5.2 Window Kit Installation

1. Open the window and place the adjustable window kit panel into the window opening. Adjust the panel length to fit snugly.
2. Secure the window kit in place.
3. Insert the window kit adapter (attached to the exhaust hose) into the opening of the window kit panel.
4. Ensure all connections are sealed to prevent air leakage.



Image 5.2: The portable AC unit with its exhaust hose properly installed through a window using the window kit.

Your browser does not support the video tag.

Video 5.1: This video demonstrates the assembly of the exhaust hose and its connection to the window kit, providing a visual guide for installation.

6. OPERATION

The unit can be operated using the control panel on top of the unit or the included remote control.

6.1 Control Panel

The LED display shows the current temperature and settings. Buttons include:

- **POWER:** Turns the unit On/Off.
- **MODE:** Cycles through Cool, Dry (Dehumidify), and Fan modes.
- **SPEED:** Adjusts fan speed (Low/High).
- **TIMER:** Sets the auto On/Off timer (1-24 hours).
- **SWING:** Activates/deactivates the auto-swing function for the air vents.

- **SLEEP:** Engages Sleep Mode for quiet, energy-efficient operation.
- **Temperature Up/Down Arrows:** Adjusts the desired temperature.

Your browser does not support the video tag.

Video 6.1: This video demonstrates the use of the control panel buttons to adjust settings such as mode, temperature, and fan speed.

6.2 Remote Control

The remote control duplicates all functions available on the control panel, allowing for convenient adjustments from across the room.



Image 6.1: Operating the portable AC unit using the remote control for convenience.

7. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your air conditioner.

7.1 Cleaning the Air Filter

The air filter should be cleaned every two weeks or more frequently depending on usage and air quality.

1. Unplug the unit from the power outlet.
2. Locate the air filter panel on the side or back of the unit.
3. Gently pull to remove the filter screen.
4. Wash the filter screen under running water to remove dust and debris. For heavy dirt, use a mild detergent.
5. Allow the filter to air dry completely before reinserting it into the unit.
6. Ensure the filter is securely in place before operating the unit.



Image 7.1: Removing the detachable air filter for cleaning.

7.2 Draining Water

The unit has a self-evaporative system, but in high humidity conditions, the water tank may fill up. When the "FULL" indicator lights up, the unit will stop operating. Connect the drain pipe to the drain outlet and place the other end into a suitable container or floor drain to empty the water.

8. TROUBLESHOOTING

Before contacting customer support, refer to the following common issues and solutions:

Problem	Possible Cause	Solution
Unit does not turn on.	No power, power cord unplugged, "FULL" indicator lit.	Check power connection, plug in securely, drain water tank.
Unit blows warm air.	Air filter clogged, exhaust hose disconnected, room too large, doors/windows open.	Clean air filter, ensure exhaust hose is properly installed, close doors/windows, check room size.
Unit is noisy.	Unit not on a level surface, foreign object in fan.	Place on a flat surface, check for obstructions and remove if safe.
Remote control not working.	Batteries dead, obstruction between remote and unit.	Replace batteries, remove obstructions.

9. SPECIFICATIONS

Model Name	PAC-M08
Cooling Power	8000 BTUs
Coverage Area	Up to 350 sq. ft.
Noise Level	52 Decibels
Product Dimensions (D x W x H)	12.9" x 13.11" x 34.45"
Item Weight	50.2 Pounds
Voltage	115V
Capacity (Dehumidifier)	45 Pints/Day

10. WARRANTY AND SUPPORT

This Hipicute PAC-M08 Portable Air Conditioner comes with a **2-year warranty** from the date of purchase, covering manufacturing defects and malfunctions under normal use.

For technical support, warranty claims, or any questions regarding your product, please contact the seller, Qingyaxun, directly through your Amazon order page or visit their seller profile for contact information. Please have your purchase receipt and model number (PAC-M08) ready when contacting support.

Seller: [Qingyaxun](#)

