

Ganggend TC-SC-008

Ganggend Handheld Steam Cleaner User Manual

Model: TC-SC-008

Brand: Ganggend

1. INTRODUCTION

This manual provides essential information for the safe and effective operation of your Ganggend Handheld Steam Cleaner, Model TC-SC-008. Please read these instructions thoroughly before first use and retain for future reference. This steam cleaner is designed for various cleaning tasks around the home and for car detailing, utilizing high-pressure steam for effective cleaning without chemicals.

2. SAFETY INFORMATION

WARNING: Failure to follow these safety instructions could result in fire, electric shock, or other injury.

- Always ensure the steam cleaner is unplugged before filling or emptying the water tank, or when not in use.
- Do not direct steam at people, pets, or electrical appliances. Steam is extremely hot and can cause severe burns.
- The steam hose gets hot during use. Handle with care to avoid burns.
- Use only clean tap water or distilled water. Do not add cleaning solutions, perfumes, or other chemicals to the water tank, as this can damage the unit and void the warranty.
- Keep the appliance out of reach of children.
- Do not operate the steam cleaner if the power cord or plug is damaged.
- Ensure the water tank cap is securely tightened before operating.
- Allow the unit to cool completely before storing.

3. PACKAGE CONTENTS

Verify that all items are present in the package:

- Ganggend Handheld Steam Cleaner Unit (1.6L Water Tank)
- Steam Spray Gun with Hose (2.2 meters)
- Power Cord (2.5 meters)
- Nylon Brushes (2)
- Brass Brush (1)
- Nylon Nozzles (2)
- Flat Scrapers (2)
- Window Scraper with Towel Cover (1)
- Extended Nozzle (1)
- Gloves (2)
- Needle for Cleaning Scale (1)
- Wrench (1)
- Storage Bag (1)

Handheld Steam Cleaner



Image 3.1: Overview of the Ganggend Handheld Steam Cleaner and its 15-piece accessory kit. The main unit, spray gun, hose, power cord, gloves, storage bag, and various brushes and nozzles are visible.

4. PRODUCT OVERVIEW

The Ganggend Handheld Steam Cleaner features a compact design with a 1.6L water tank. It is equipped with a steam spray gun that allows for remote operation and adjustable steam levels. The unit heats up quickly to provide high-temperature, high-pressure steam for various cleaning applications.



Image 4.1: The Ganggend Handheld Steam Cleaner main unit, connected hose, and spray gun, surrounded by various accessories. The unit is green and black with a transparent water tank.

5. SETUP

Follow these steps for initial setup:

- 1. Insert Batteries:** Open the battery compartment on the steam spray gun and insert 2 AAA batteries (not included).

2. **Fill Water Tank:** Ensure the unit is unplugged. Unscrew the water tank cap and fill the 1.6L tank with cold water. Do not overfill. Securely close the cap.
3. **Attach Nozzle/Brush:** Select the appropriate nozzle or brush for your cleaning task. Attach it firmly to the steam spray gun. Refer to Image 5.1 for brush head installation methods.
4. **Connect Power:** Plug the power cord into a grounded electrical outlet. The display on the unit will show "0".



Image 5.1: A visual guide demonstrating the setup and initial operation steps, including battery insertion, water filling, nozzle attachment, and power connection.

2 Ways to Install Brush Heads



Image 5.2: Illustration of two methods for installing brush heads: directly for easy-to-access areas and with an extension rod for hard-to-reach areas. Note: Ensure the rubber ring is placed on the nozzle to prevent water leakage.

6. OPERATING INSTRUCTIONS

Once set up, follow these steps to operate your steam cleaner:

1. **Power On:** Long press the button on the steam spray gun to turn on the machine.
2. **Preheating:** The display will show "1". Wait approximately 10-15 seconds for the unit to preheat. It will reach up to 105°C (221°F) and deliver 3-bar steam pressure.
3. **Adjust Steam Level:** Short press the button on the spray gun to adjust the steam pressure level (1-3). Level 3 provides the highest pressure.
4. **Begin Cleaning:** Direct the steam towards the surface you wish to clean. Move the nozzle steadily across the area.
5. **Power Off:** Long press the button on the spray gun to turn off the unit. Unplug the power cord and allow the unit to cool before draining any remaining water.

3 Level Remote Handle Adjustment



1.6L
Water Tank



15s
Fast Heating



221°F
High Temperature



Image 6.1: A user demonstrating the 3-level remote handle adjustment feature on the steam spray gun. The display shows the current steam level, and the unit heats up in 15 seconds to 221°F.

Applications

The Ganggend Handheld Steam Cleaner is versatile for various cleaning tasks:

- **Home Cleaning:** Effective on couches, floors, windows, tiles, kitchen grease, gas stoves, and range hoods.
- **Car Detailing:** Suitable for cleaning windshields, car seats, wheels, car bodies, and engine compartments.
- **Bed Bugs:** The high temperature steam can be used to treat bed bugs on mattresses and furniture.



Image 6.2: Examples of home cleaning applications, including cleaning toilets with a bent nozzle, windows with a window scraper, fabric with a leather/fabric scraper, metal surfaces with a metal brush, and grout with small scrapers and nylon brushes.

Steam Cleaner for Car Detailing






Image 6.3: Examples of car detailing applications, such as cleaning windshields, car seats, wheels, car bodies, and engine components using the steam cleaner.

Steamer for Bed Bugs

100% Chemical free



Image 6.4: The steam cleaner being used to apply high-temperature steam to a mattress, illustrating its effectiveness against bed bugs.

Official Product Video

Your browser does not support the video tag.

Video 6.5: An official product video from Ganggend demonstrating the high-pressure steam cleaner in various cleaning scenarios, highlighting its effectiveness for home and car use.

7. MAINTENANCE

Regular maintenance ensures optimal performance and extends the lifespan of your steam cleaner.

- **Draining Water:** After each use, unplug the unit and allow it to cool. Carefully drain any remaining water from the tank.
- **Cleaning Accessories:** Clean all nozzles and brushes with water after use.
- **Descaling:** If you notice reduced steam output or mineral buildup, descale the unit using the provided needle or a suitable descaling solution as per manufacturer guidelines.

- **Storage:** Store the steam cleaner and its accessories in the provided storage bag in a cool, dry place.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
No steam or low steam output	Water tank empty; Unit not preheated; Mineral buildup in nozzle/heater.	Refill water tank; Allow adequate preheating time (10-15 seconds); Descale the unit and clean nozzles.
Water leakage from nozzle	Nozzle not properly attached; Missing or damaged rubber ring.	Ensure nozzle is securely attached; Check for and replace missing/damaged rubber rings.
Unit does not power on	Not plugged in; Power outlet malfunction; Unit fault.	Check power connection; Test outlet with another appliance; Contact customer support if problem persists.

9. SPECIFICATIONS

- **Model:** TC-SC-008
- **Power:** 2500W
- **Water Tank Capacity:** 1.6 Liters
- **Heat-up Time:** 10-15 seconds
- **Steam Pressure:** 3 Bar
- **Steam Temperature:** Up to 105°C (221°F)
- **Hose Length:** 2.2 meters
- **Power Cord Length:** 2.5 meters
- **Item Weight:** 2.6 Kilograms (5.72 pounds)
- **Dimensions:** 11.73 x 8.7 x 6.46 inches (Package)
- **Special Feature:** Handheld, Portable, 3 Levels Adjustable Handle

10. WARRANTY AND SUPPORT

This Ganggend Handheld Steam Cleaner comes with a hassle-free return and replacement policy. For any questions, concerns, or support needs, please contact our professional team. Our products are designed by professionals and laboratory-tested for safety and performance.