Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

DUMOS 8100DM2PBK

DUMOS Bar Stools User Manual

Model: 8100DM2PBK
Brand: DUMOS

Introduction

Thank you for choosing DUMOS Bar Stools. This manual provides essential information for the safe and proper assembly, operation, and maintenance of your new bar stools. Please read this manual thoroughly before assembly and retain it for future reference.

Safety Information

To ensure safe use of your DUMOS Bar Stools, please observe the following precautions:

- Do not exceed the maximum weight capacity of 330 pounds.
- Ensure all screws and bolts are securely tightened before use and periodically check for looseness.
- Keep children away from the assembly area. Small parts can be a choking hazard.
- Do not stand on the bar stool.
- Use on a flat, stable surface to prevent tipping.
- Avoid exposing the PU leather to direct sunlight or extreme temperatures to prevent damage.

Package Contents

Please verify that all components are present before beginning assembly. If any parts are missing or damaged, please contact DUMOS customer support.

- 2 x Seat Cushions with Backrests
- 2 x Gas Lift Cylinders
- 2 x Bases (Chrome Plated)
- 2 x Footrests
- Assembly Hardware (Screws, Washers, Allen Wrench)
- Installation Manual



Image: Two DUMOS Dark Black Bar Stools, showcasing the design and finish.

Setup and Assembly

Assembly is required. Please follow these steps carefully. An installation video is also available for reference.

1. **Unpack Components:** Carefully remove all parts from the packaging and lay them out on a clean, soft surface to prevent scratches.
2. **Attach Footrest to Gas Lift:** Slide the footrest onto the gas lift cylinder. Ensure it is oriented correctly.
3. **Insert Gas Lift into Base:** Place the chrome-plated base on the floor. Insert the narrow end of the gas lift cylinder into the hole in the center of the base.
4. **Attach Seat to Gas Lift:** Align the mounting plate on the underside of the seat cushion with the top of the gas lift cylinder. Secure the seat to the gas lift using the provided screws and Allen wrench. Ensure all screws are tightened firmly.
5. **Final Check:** Once assembled, gently test the stability of the stool before full use.



Image: Dimensional drawing of the bar stool, indicating key measurements and a 250 lbs weight capacity.



Image: Detailed view of the bar stool's features, including the comfortable and soft backrest, SGS Certified Gas Cylinder for height adjustment, and the built-in footrest.

Operating Instructions

Your DUMOS Bar Stools are designed for ease of use and comfort.

- **Height Adjustment:** To adjust the height, locate the lever under the seat. While seated, pull the lever up to lower the seat. To raise the seat, stand up and pull the lever up. Release the lever at your desired height.
- **360° Swivel:** The seat is designed to swivel 360 degrees, allowing for easy movement and conversation without needing to reposition the entire stool.
- **Footrest:** Utilize the built-in footrest for added comfort and support, especially during extended periods of sitting.



Image: A diagram highlighting the adjustable height mechanism and the integrated footrest for user convenience.

Maintenance

Proper care will extend the life and appearance of your bar stools.

- **Cleaning:** For general cleaning, wipe the PU leather and metal parts with a soft, damp cloth. For stubborn stains, use a mild soap solution and immediately wipe dry. Do not use harsh chemicals or abrasive cleaners.
- **Dusting:** Regularly dust the surfaces with a dry, soft cloth.
- **Inspection:** Periodically inspect all connections and tighten any loose screws to maintain stability and safety.
- **Avoid Sharp Objects:** Keep sharp objects away from the PU leather to prevent punctures or tears.

Troubleshooting

If you encounter any issues, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Stool is wobbly.	Loose screws or uneven floor.	Tighten all assembly screws. Ensure the stool is on a flat surface.
Height adjustment not working.	Gas lift cylinder issue or lever mechanism obstruction.	Check if the lever is fully engaged. Ensure no obstructions are preventing the gas lift from moving freely. If the issue persists, the gas lift may need replacement.
Squeaking noise during swivel.	Lack of lubrication in the swivel mechanism.	Apply a small amount of silicone-based lubricant to the swivel mechanism.

Specifications

Feature	Detail
Product Dimensions	14.4"D x 44.7"W x 17.3"H
Color	Dark Black
Brand	DUMOS

Feature	Detail
Size	Set of 2
Style	Modern
Furniture Finish	Metal
Maximum Weight Recommendation	330 Pounds
Product Care Instructions	Wipe with Damp Cloth, Wipe with Dry Cloth
Assembly Required	Yes
UPC	718025774072
Number of Items	2
Item Weight	31.7 pounds
Item Model Number	8100DM2PBK

Warranty and Support

For warranty information or customer support, please refer to the product packaging or contact DUMOS directly through their official website or the retailer where the product was purchased. Keep your purchase receipt for warranty claims.
Visit the DUMOS Store for more products and information.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0F8BBCP29

More documents and user manuals: **https://manuals.plus/**