

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Feit Electric](#) /

› [Feit Electric ADJ8000/3CCT/LED Adjustable LED Garage Light Instruction Manual](#)

Feit Electric ADJ8000/3CCT/LED

Feit Electric ADJ8000/3CCT/LED Adjustable LED Garage Light

Instruction Manual

INTRODUCTION

The Feit Electric ADJ8000/3CCT/LED Adjustable LED Garage Light is designed to provide bright, flexible illumination for various spaces such as garages, attics, basements, and workshops. This high-output panel light features independently adjustable panels and selectable color temperatures to customize your lighting experience.

SAFETY INFORMATION

- **WARNING:** Risk of electric shock. Disconnect power before installation.
- Do not use with dimmers. This product is not designed for use with dimmers.
- Ensure the fixture is securely screwed into a standard E26 socket.
- Do not disassemble or modify the product.
- Suitable for indoor use in dry locations only. Not water resistant.
- Avoid direct eye exposure to the light source when illuminated.

PACKAGE CONTENTS

- 1 x Feit Electric ADJ8000/3CCT/LED Adjustable LED Garage Light

SPECIFICATIONS

Attribute	Value
Brand	Feit Electric
Model Number	ADJ8000/3CCT/LED
Light Output	8000 Lumens
Wattage	70 Watts
Equivalent Incandescent	400 Watts
Color Temperature	3000K (Bright White), 4000K (Cool White), 5000K (Daylight) Selectable
Bulb Base	E26 (Standard Medium Base)
Panel Adjustability	Up to 90° folding, 180° rotation
Lifespan	20,000 Hours
Material	Polycarbonate
Item Weight	14.4 ounces
Product Dimensions	15.7 x 15.7 x 15.7 inches (fully open)

SETUP & INSTALLATION

Installation of the Feit Electric Adjustable LED Garage Light is quick and easy, requiring no special wiring or tools. Simply screw it into any standard E26 medium base socket.

- Power Off:** Before installation, ensure the power to the light fixture is turned off at the circuit breaker to prevent electric shock.
- Select Color Temperature:** Locate the 3CCT switch on the fixture. Choose your desired color temperature (3000K Bright White, 4000K Cool White, or 5000K Daylight) before screwing the light into the socket. This switch is typically found near the base of the light.
- Screw into Socket:** Carefully screw the LED garage light into a standard E26 medium base light socket, just like a traditional light bulb. Ensure it is tightened securely.
- Adjust Panels:** Once installed, adjust the three LED panels to your preferred angle. The panels can unfold up to 90° and rotate 180° to direct light where needed.
- Power On:** Restore power to the light fixture at the circuit breaker.

Visual Guide: Installation & Features



Figure 1: The E26 medium base allows for easy screw-in installation into existing light sockets, similar to a standard light bulb.



Figure 2: A detailed view of the 3CCT switch, allowing users to select between 3000K, 4000K, and 5000K color temperatures before installation.



3 Light Color Options

Use the switch to select color temperature before installation

Figure 3: The adjustable design allows each panel to be independently controlled, providing flexible light direction for various needs.

Installation Video

Your browser does not support the video tag.

Video 1: This video provides a quick overview of the Feit Electric garage light, demonstrating its easy screw-in installation into a standard light socket and highlighting its brightness.

OPERATING INSTRUCTIONS

Once installed, operating your Feit Electric Adjustable LED Garage Light is straightforward.

- 1. Turn On/Off:** Use your existing light switch to turn the light on or off. The fixture also features an integrated on/off switch for added convenience, especially in locations without wall switches.
- 2. Adjust Light Direction:** Gently move each of the three LED panels to direct light precisely where you need it. The panels can be angled up to 90 degrees and rotated 180 degrees to eliminate shadows and provide optimal illumination.

Visual Guide: Brightness & Adjustability



Figure 4: A visual comparison of the three selectable color temperatures: 3000K Bright White, 4000K Cool White, and 5000K Daylight, demonstrating their effect in a typical garage environment.

Base Type



Figure 5: The light installed in a garage, showcasing its high-output 8000 lumen brightness, ideal for large spaces.

Product Demonstration Videos

Your browser does not support the video tag.

Video 2: This video demonstrates the adjustable fins of the Feit Electric LED Garage Light, showing how the panels can be positioned to direct light.

Your browser does not support the video tag.

Video 3: A demonstration highlighting the significant difference in brightness provided by the Feit Electric LED Garage Light compared to traditional lighting.

MAINTENANCE

The Feit Electric Adjustable LED Garage Light is designed for long-lasting performance with minimal maintenance.

- **Cleaning:** Ensure the power is off before cleaning. Wipe the light fixture with a soft, dry cloth. Do not use abrasive cleaners or solvents.

- **LEDs:** The LEDs are integrated and not replaceable. The product has a rated lifespan of 20,000 hours.

TROUBLESHOOTING

- **Light does not turn on:**
 - Check if the power switch is on.
 - Ensure the light is securely screwed into the socket.
 - Verify that the circuit breaker is not tripped.
- **Light is flickering:**
 - Ensure the light is not connected to a dimmer switch. This product is not compatible with dimmers.
 - Check for loose connections in the socket.

WARRANTY & SUPPORT

This Feit Electric product is backed by a 3-year manufacturer's warranty.

For 24/7 customer support, visit the Feit Electric help center:help.feit.com/hc/en-us



Figure 6: For comprehensive support and assistance, visit the Feit Electric help center online.

© 2026 Feit Electric. All rights reserved.