

[manuals.plus](#) /› [ZEALOT](#) /› [ZEALOT P12 60W Portable Bluetooth Speaker Instruction Manual](#)

ZEALOT P12

ZEALOT P12 60W Portable Bluetooth Speaker Instruction Manual

Model: P12

1. INTRODUCTION

This manual provides comprehensive instructions for the operation and maintenance of your ZEALOT P12 60W Portable Bluetooth Speaker. Please read this manual thoroughly before using the device to ensure proper function and to maximize your listening experience. Retain this manual for future reference.

2. PRODUCT OVERVIEW

2.1 Key Features

- 60W total audio output for clear and powerful sound.
- Integrated deep bass subwoofer for enhanced low frequencies.
- Portable and lightweight design for easy transport.
- IPX5 waterproof rating, suitable for outdoor use.
- 8000mAh built-in battery providing up to 28 hours of playtime.
- Multiple connectivity options: Bluetooth 5.3, TF card, AUX input, USB drive.
- EQ modes for customizable sound effects (Bass, Vocal, Normal).

2.2 Package Contents

- ZEALOT P12 Bluetooth Speaker
- Power Cable
- User Manual (this document)

2.3 Component Identification



Figure 1: Front view of the ZEALOT P12 Bluetooth Speaker, showing the main grille and control panel.



Figure 2: Rear view of the ZEALOT P12 Bluetooth Speaker, illustrating the protective flap covering the TF card slot, AUX input, DC5V charging port, and USB port.

ZEALOT

EQ modes 3 sound effects

Step by step, sound by sound




Figure 3: Close-up of the control panel, highlighting the power, EQ, mode, play/pause, and volume buttons.



Figure 4: Diagram illustrating the internal acoustic components of the ZEALOT P12, including a 10W tweeter, 50W woofer, and two independent bass passive diaphragms for 360-degree sound.

The speaker features a top-mounted control panel with buttons for power, EQ mode selection, input mode switching (M), play/pause, and volume adjustment. The rear panel houses protected ports for charging, auxiliary input, TF card, and USB drive.

3. SETUP

3.1 Initial Charging

1. Before first use, fully charge the speaker.
2. Locate the DC5V charging port on the rear of the speaker, typically under a protective flap.
3. Connect the provided power cable to the speaker's charging port and a suitable USB power adapter (not included).
4. The charging indicator light will illuminate. Once fully charged, the light may change color or turn off, depending on the model.

3.2 Powering On/Off

- To power on: Press and hold the **Power button** () for approximately 3 seconds until you hear an audible prompt or see the indicator lights activate.
- To power off: Press and hold the **Power button** () for approximately 3 seconds until the indicator lights turn off.

4. OPERATING INSTRUCTIONS

4.1 Bluetooth Pairing

1. Ensure the speaker is powered on and in Bluetooth mode. If not, press the **Mode button (M)** to switch to Bluetooth mode. The Bluetooth indicator light will flash, indicating it is ready for pairing.

2. On your smartphone, tablet, laptop, or other Bluetooth-enabled device, navigate to the Bluetooth settings.
3. Search for available devices. The speaker will appear as "ZEALOT P12".
4. Select "ZEALOT P12" to connect. Once connected, the Bluetooth indicator light will become solid, and you may hear a confirmation tone.
5. If prompted for a password, enter "0000".

4.2 Audio Playback

- **Play/Pause:** Press the **Play/Pause button** () to start or pause playback.
- **Volume Up:** Press the **"+" button** to increase volume.
- **Volume Down:** Press the **"-" button** to decrease volume.
- **Next Track:** Press and hold the **"+" button** for approximately 2 seconds.
- **Previous Track:** Press and hold the **"-" button** for approximately 2 seconds.

4.3 EQ Modes

The ZEALOT P12 offers three distinct EQ sound effects to optimize your listening experience:




Figure 5: Illustration of the EQ button and its three modes: Bass, Vocal, and Normal.

- Press the **EQ button** () to cycle through the available modes:
 - **Bass**: Enhances low-frequency sounds for a deeper, richer bass experience.
 - **Vocal**: Optimizes mid-range frequencies for clearer vocals.
 - **Normal**: Provides a balanced sound profile suitable for general listening.

4.4 True Wireless Stereo (TWS) Pairing (Optional)

If you have two ZEALOT P12 speakers, you can pair them together for a stereo sound experience.

1. Ensure both speakers are powered on and not connected to any Bluetooth device.
2. On one speaker (this will be the primary speaker), press and hold the **Mode button (M)** for approximately 3 seconds. You will hear a prompt indicating TWS pairing mode.
3. The primary speaker will automatically search for the secondary speaker. Once connected, you will hear a confirmation tone, and the indicator lights on both speakers will synchronize.
4. Now, connect your Bluetooth device to the primary speaker as described in section 4.1. Audio will play in stereo through both speakers.
5. To disconnect TWS, press and hold the **Mode button (M)** on either speaker for 3 seconds.

5. CONNECTIVITY

In addition to Bluetooth, the ZEALOT P12 supports several other audio input methods:

- **TF Card Playback**: Insert a TF (microSD) card containing MP3 audio files into the TF card slot. The speaker will automatically switch to TF card mode and begin playback.
- **AUX Input**: Connect an audio device (e.g., MP3 player, PC) to the speaker's AUX port using a 3.5mm audio cable (not included). Press the **Mode button (M)** to switch to AUX mode.
- **USB Drive Playback**: Insert a USB flash drive containing MP3 audio files into the USB port. The speaker will automatically switch to USB mode and begin playback.

6. CHARGING AND BATTERY

The ZEALOT P12 is equipped with an 8000mAh rechargeable battery, providing extended playtime.

- **Battery Life**: A full charge provides up to 28 hours of continuous music playback, depending on volume level and audio content.
- **Charging**: Use the provided power cable and a standard USB power adapter (DC5V) to charge the speaker. The charging port is located on the rear panel.
- **Low Battery Indicator**: When the battery level is low, the speaker may emit an audible warning or an indicator light may flash. Charge the speaker promptly to avoid interruption.

7. MAINTENANCE

7.1 Waterproof Rating (IPX5)

The ZEALOT P12 speaker has an IPX5 waterproof rating, meaning it is protected against low-pressure water jets from any direction. This makes it suitable for outdoor use and resistant to splashes, rain, and sweat.

- **Important**: IPX5 rating does not mean the speaker can be submerged in water. Do not immerse the speaker in water.

- Ensure the protective flap covering the charging and input ports on the rear is securely closed when using the speaker near water or in wet conditions.

7.2 General Care

- Clean the speaker with a soft, dry cloth. Do not use abrasive cleaners or solvents.
- Avoid exposing the speaker to extreme temperatures, direct sunlight for prolonged periods, or high humidity.
- Store the speaker in a cool, dry place when not in use.
- Do not attempt to disassemble or repair the speaker yourself, as this will void the warranty.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Speaker does not power on.	Low battery.	Charge the speaker fully.
No sound.	Volume too low; incorrect input mode; device not connected.	Increase volume; press 'M' button to select correct input mode; ensure Bluetooth device is paired or AUX/USB/TF card is properly inserted.
Bluetooth connection unstable or fails.	Speaker too far from device; interference; device's Bluetooth off.	Move speaker closer to device (within 10 meters); avoid obstacles; ensure Bluetooth is enabled on your device; try re-pairing.
TWS pairing fails.	Speakers already connected to other devices; incorrect pairing procedure.	Ensure both speakers are disconnected from all Bluetooth devices before initiating TWS pairing. Follow TWS pairing instructions carefully.

9. SPECIFICATIONS

4-unit flagship acoustic configuration

360° omnidirectional sound



Figure 6: Dimensions of the ZEALOT P12 Bluetooth Speaker: 27.6 cm (10.87 inch) length, 13.9 cm (5.47 inch) width, 18 cm (7.09 inch) height.

Feature	Detail
Model Name	ZEALOT P12
Speaker Type	Portable Speaker
Connectivity Technology	Bluetooth 5.3, Auxiliary (3.5mm), TF Card Slot, USB Port
Audio Output Mode	Stereo
Speaker Maximum Output Power	60 Watts
Frequency Response	20 Hz - 20 KHz
Battery Capacity	8000mAh
Playtime	Up to 28 hours

Feature	Detail
Waterproof Rating	IPX5
Product Dimensions	27.6D x 13.9W x 18H cm (10.87D x 5.47W x 7.09H inches)
Item Weight	1.55 kg (1550 Grams)
Material	Acrylonitrile Butadiene Styrene (ABS)
Compatible Devices	Smartphone, Tablet, Laptop, PC, Television, Projector
Included Components	Power Cable
Manufacturer	ZEALOT
Country of Origin	China


10. WARRANTY AND SUPPORT


For warranty information and technical support, please refer to the warranty card included with your product or contact ZEALOT customer service directly. Contact details can typically be found on the manufacturer's official website or on the product packaging.

Please retain your proof of purchase for warranty claims.

© 2025 ZEALOT. All rights reserved.

Related Documents - P12


	<p><u>ZEALOT M2 Portable Bluetooth Speaker User Manual</u></p> <p>Detailed user manual for the ZEALOT M2 portable Bluetooth speaker, featuring IPX5 waterproofing, 360° sound, TWS stereo pairing, and 10 hours of playtime, ideal for camping and outdoor use. This manual is available in multiple languages.</p>




WHAT'S IN THE BOX




BLUETOOTH PAIRING



PLAY



WIRELESS STEREO PAIRING



IPX5
WATERPROOF



TECH SPEC

EN:	CH:
Input voltage DC/AC	输入电压 DC/AC
Operating voltage 3.7V	工作电压 3.7V
Transistor range 10KHz-100KHz	晶体管范围 10KHz-100KHz
SB101-HG01	SB101-HG01
Frequency response 100Hz-200KHz	频率响应 100Hz-200KHz
Dissipation 1.1W	耗散 1.1W
Dimensions 20.7x77.1mm (S.3xD.076xH.077)	尺寸 20.7x77.1mm (S.3xD.076xH.077)
Weight 50g/0.18oz	重量 50g/0.18oz

IT	DE
Tensione di ingresso DC/DC	Eingangsspannung DC/DC
Tensione di esistenza 3,7V	Spannung Betrieb 3,7V
Scansione di transizione 100/135	Überbrückungsspannung 100/135
SDI, HDMI	SDI, HDMI
Registrazione in frequenza 100Hz/200Hz	Freizeitfrequenz 100Hz/200Hz
Distanzmetri - 15	Entfernung - 15
Dimensioni - 207x171mm (h, BxD, HxW)	Abmessungen - 210x174mm (h, BxD, HxW)
Peso 190g/0,3kg	Gewicht 190g/0,3kg





CM: 请回答本产品投入生产后技术



ZEALOT S55 Portable Bluetooth Speaker: Features, Specs, and Pairing Guide

Discover the ZEALOT S55 portable Bluetooth speaker. Learn about its features, IPX5 waterproof rating, wireless stereo pairing, technical specifications, and usage guidelines.




[ZEALOT-S76 Wireless Speaker: Quick Start Guide & User Manual](#)

Comprehensive quick start guide and user manual for the ZEALOT-S76 wireless speaker. Learn how to set up, connect via Bluetooth, use Party Add (TWS) for dual pairing, control playback, and understand technical specifications and important safety information.



[ZEALOT S79 Portable Bluetooth Speaker User Manual and Specifications](#)

Detailed user manual and technical specifications for the ZEALOT S79 100W portable Bluetooth speaker, covering setup, features, safety warnings, and regulatory information.



[ZEALOT ZA-MP2M Portable Bluetooth Speaker User Manual & Technical Specifications](#)

Comprehensive user manual and technical specifications for the ZEALOT ZA-MP2M portable Bluetooth speaker, including safety warnings in multiple languages, FCC compliance, and hazardous substances information.



Zealot S53 Bluetooth Speaker User Guide and Technical Specifications

Comprehensive guide for the Zealot S53 Bluetooth speaker, covering setup, features like Bluetooth pairing, wireless stereo pairing, IPX6 waterproofing, and detailed technical specifications. Includes safety precautions and multilingual instructions.

TECH SPEC

EN	DE
Input voltage (DC):	5V~40V (DC)
Operating voltage (DC):	2.5V~40V (DC)
Standby power:	≤ 10mW
Transmission range (WIFI/Bluetooth):	≤ 10m (WIFI/Bluetooth)
Frequency response (WIFI/Bluetooth):	100Hz~20KHz
Transmission range (IR):	≤ 10m (IR)
Charging interface (Type-C):	USB-C
Dimensions (W/H/D) (mm):	140*100*100 (mm)
Weight (kg):	0.45kg (kg)

IT	DE
Tensione d'ingresso (DC):	Eingangsspannung (DC):
Tensione di esercizio (DC):	Arbeitsspannung (DC):
Powerstandby (mW):	Standby (mW):
Range di trasmissione (WIFI/Bluetooth):	WIFI/Bluetooth-Range (m):
Range di frequenza (WIFI/Bluetooth):	WIFI/Bluetooth-Frequenz (Hz):
Interfaccia di ricarica (Type-C):	USB-C:
Dimensioni (W/H/D) (mm):	140*100*100 (mm):
Peso (kg):	0.45kg (kg):

FR
Tension d'entrée (DC):
Tension de fonctionnement (DC):
Powerstandby (mW):
Range de transmission (WIFI/Bluetooth):
Range de fréquence (WIFI/Bluetooth):
Interface de charge (Type-C):
Dimensions (W/H/D) (mm):
Poids (kg):

ES
Voltaje de entrada (DC):
Voltaje de funcionamiento (DC):
Powerstandby (mW):
Range de transmisión (WIFI/Bluetooth):
Range de frecuencia (WIFI/Bluetooth):
Interface de carga (Type-C):
Dimensiones (W/H/D) (mm):
Peso (kg):

PL
Tension d'entrée (DC):
Tension de fonctionnement (DC):
Powerstandby (mW):
Range de transmission (WIFI/Bluetooth):
Range de fréquence (WIFI/Bluetooth):
Interface de charge (Type-C):
Dimensions (W/H/D) (mm):
Poids (kg):

DE	ES
Do not throw this product into the fire or water.	No tire el producto en el fuego o en el agua.
Do not modify, repair, or disassemble the device.	No modifique, reparar, o desmontar el dispositivo.
Do not use the device near water or in damp areas.	No use el dispositivo cerca del agua o en lugares húmedos.
Do not use the device when wet.	No use el dispositivo cuando esté mojado.
Do not use the device when charging.	No use el dispositivo cuando se está cargando.
Do not use the device in extremely hot or cold environments.	No use el dispositivo en entornos extremadamente calientes o fríos.

CH
此产品不可投入火中或水中。
不可拆卸、维修或拆解此设备。
不可在潮湿或靠近水的地方使用此设备。
不可在潮湿的环境下使用此设备。
不可在极端热或冷的环境下使用此设备。

IT
Non gettare questo prodotto nel fuoco o nell'acqua.
Non modificare, riparare o disassemblare il dispositivo.
Non utilizzare il dispositivo vicino all'acqua o in zone umide.
Non utilizzare il dispositivo quando è bagnato.
Non utilizzare il dispositivo quando è in carica.

DE
Melden Sie sich nicht mit dem Produkt in den Flammen oder Wasser.
Ändern Sie das Produkt nicht, reparieren Sie es nicht oder zerlegen Sie es.
Verwenden Sie das Produkt nicht in der Nähe von Wasser oder in feuchten Bereichen.
Verwenden Sie das Produkt nicht, wenn es nass ist.
Verwenden Sie das Produkt nicht, wenn es geladen wird.

ES
No tire el producto en el fuego o en el agua.
No modifique, reparar o desmontar el dispositivo.
No use el dispositivo cerca del agua o en lugares húmedos.
No use el dispositivo cuando esté mojado.
No use el dispositivo cuando se está cargando.

PL
Do not throw this product into the fire or water.
Do not modify, repair, or disassemble the device.
Do not use the device near water or in damp areas.
Do not use the device when wet.
Do not use the device when charging.

ES
No tire el producto en el fuego o en el agua.
No modifique, reparar o desmontar el dispositivo.
No use el dispositivo cerca del agua o en lugares húmedos.
No use el dispositivo cuando esté mojado.
No use el dispositivo cuando se está cargando.

IT
Non gettare questo prodotto nel fuoco o nell'acqua.
Non modificare, riparare o dismontare il dispositivo.
Non utilizzare il dispositivo vicino all'acqua o in zone umide.
Non utilizzare il dispositivo quando è bagnato.
Non utilizzare il dispositivo quando è in carica.

DE
Melden Sie sich nicht mit dem Produkt in den Flammen oder Wasser.
Ändern Sie das Produkt nicht, reparieren Sie es nicht oder zerlegen Sie es.
Verwenden Sie das Produkt nicht in der Nähe von Wasser oder in feuchten Bereichen.
Verwenden Sie das Produkt nicht, wenn es nass ist.
Verwenden Sie das Produkt nicht, wenn es geladen wird.

ES
No tire el producto en el fuego o en el agua.
No modifique, reparar o desmontar el dispositivo.
No use el dispositivo cerca del agua o en lugares húmedos.
No use el dispositivo cuando esté mojado.
No use el dispositivo cuando se está cargando.

IT
Non gettare questo prodotto nel fuoco o nell'acqua.
Non modificare, riparare o dismontare il dispositivo.
Non utilizzare il dispositivo vicino all'acqua o in zone umide.
Non utilizzare il dispositivo quando è bagnato.
Non utilizzare il dispositivo quando è in carica.

DE
Melden Sie sich nicht mit dem Produkt in den Flammen oder Wasser.
Ändern Sie das Produkt nicht, reparieren Sie es nicht oder zerlegen Sie es.
Verwenden Sie das Produkt nicht in der Nähe von Wasser oder in feuchten Bereichen.
Verwenden Sie das Produkt nicht, wenn es nass ist.
Verwenden Sie das Produkt nicht, wenn es geladen wird.

ES
No tire el producto en el fuego o en el agua.
No modifique, reparar o desmontar el dispositivo.
No use el dispositivo cerca del agua o en lugares húmedos.
No use el dispositivo cuando esté mojado.
No use el dispositivo cuando se está cargando.

IT
Non gettare questo prodotto nel fuoco o nell'acqua.
Non modificare, riparare o dismontare il dispositivo.
Non utilizzare il dispositivo vicino all'acqua o in zone umide.
Non utilizzare il dispositivo quando è bagnato.
Non utilizzare il dispositivo quando è in carica.

DE
Melden Sie sich nicht mit dem Produkt in den Flammen oder Wasser.
Ändern Sie das Produkt nicht, reparieren Sie es nicht oder zerlegen Sie es.
Verwenden Sie das Produkt nicht in der Nähe von Wasser oder in feuchten Bereichen.
Verwenden Sie das Produkt nicht, wenn es nass ist.
Verwenden Sie das Produkt nicht, wenn es geladen wird.

ES
No tire el producto en el fuego o en el agua.
No modifique, reparar o desmontar el dispositivo.
No use el dispositivo cerca del agua o en lugares húmedos.
No use el dispositivo cuando esté mojado.
No use el dispositivo cuando se está cargando.

IT
Non gettare questo prodotto nel fuoco o nell'acqua.
Non modificare, riparare o dismontare il dispositivo.
Non utilizzare il dispositivo vicino all'acqua o in zone umide.
Non utilizzare il dispositivo quando è bagnato.
Non utilizzare il dispositivo quando è in carica.

DE
Melden Sie sich nicht mit dem Produkt in den Flammen oder Wasser.
Ändern Sie das Produkt nicht, reparieren Sie es nicht oder zerlegen Sie es.
Verwenden Sie das Produkt nicht in der Nähe von Wasser oder in feuchten Bereichen.
Verwenden Sie das Produkt nicht, wenn es nass ist.
Verwenden Sie das Produkt nicht, wenn es geladen wird.

ES
No tire el producto en el fuego o en el agua.
No modifique, reparar o desmontar el dispositivo.
No use el dispositivo cerca del agua o en lugares húmedos.
No use el dispositivo cuando esté mojado.
No use el dispositivo cuando se está cargando.

IT
Non gettare questo prodotto nel fuoco o nell'acqua.
Non modificare, riparare o dismontare il dispositivo.
Non utilizzare il dispositivo vicino all'acqua o in zone umide.
Non utilizzare il dispositivo quando è bagnato.
Non utilizzare il dispositivo quando è in carica.


DE
Melden Sie sich nicht mit dem Produkt in den Flammen oder Wasser.
Ändern Sie das Produkt nicht, reparieren Sie es nicht oder zerlegen Sie es.
Verwenden Sie das Produkt nicht in der Nähe von Wasser oder in feuchten Bereichen.
Verwenden Sie das Produkt nicht, wenn es nass ist.
Verwenden Sie das Produkt nicht, wenn es geladen wird.

ES
No tire el producto en el fuego o en el agua.
No modifique, reparar o desmontar el dispositivo.
No use el dispositivo cerca del agua o en lugares húmedos.
No use el dispositivo cuando esté mojado.
No use el dispositivo cuando se está cargando.

IT
Non gettare questo prodotto nel fuoco o nell'acqua.
Non modificare, riparare o dismontare il dispositivo.
Non utilizzare il dispositivo vicino all'acqua o in zone umide.
Non utilizzare il dispositivo quando è bagnato.
Non utilizzare il dispositivo quando è in carica.

DE
Melden Sie sich nicht mit dem Produkt in den Flammen oder Wasser.
Ändern Sie das Produkt nicht, reparieren Sie es nicht oder zerlegen Sie es.
Verwenden Sie das Produkt nicht in der Nähe von Wasser oder in feuchten Bereichen.
Verwenden Sie das Produkt nicht, wenn es nass ist.
Verwenden Sie das Produkt nicht, wenn es geladen wird.


ES
No tire el producto en el fuego o en el agua.
No modifique, reparar o desmontar el dispositivo.
No use el dispositivo cerca del agua o en lugares húmedos.
No use el dispositivo cuando esté mojado.
No use el dispositivo cuando se está cargando.



[ZEALOT-P12 Wireless Speaker: Quick Start Guide and Technical Specifications](#)

Get started quickly with the ZEALOT-P12 wireless speaker. This guide covers setup, Bluetooth pairing, Party Add feature, battery status, technical specifications, safety warnings, and FCC compliance.

lang:fr score:43 filesize: 3.73 M page_count: 1 document date: 2025-05-23



[ZEALOT P12 Wireless Speaker Quick Start Guide](#)

Comprehensive quick start guide for the ZEALOT P12 wireless speaker, covering setup, connection, operation, and technical specifications.

lang:en score:31 filesize: 3.54 M page_count: 1 document date: 2025-02-20



RF Exposure Evaluation Report

Application No.: DNT2504140337R3Q21-04780
 Applicant: SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD
 Address of Applicant: 401-501 Jiaoking 3 NO. 8 Yong Tai Road, East District, Bao'an District, Shenzhen, China
 EUT Description: WIRELESS SPEAKER
 Model No.: ZEALOT-P12
 FCC ID: 2AFKR-P12
 Power supply: Input DC 5V
 Trade Mark: ZEALOT
 Standards: 47 CFR Part 2 1039
 FCC ID: 4AFKR42498D04-V51
 Date of Receipt: 2025/04/17
 Date of Test: 2025/04/20 to 2025/04/28
 Date of Issue: 2025/04/30
 Test Result: PASS

Prepared By:  (Testing Engineer)
 Reviewed By:  (Project Engineer)
 Approved By:  (Manager)

Note: If there is any objection to the results in this report, please submit a written inquiry to the company within 15 days from the date of receiving this report. The test report is effective only with both signature and verification stamp, and issued by the company in accordance with the requirements of the 'Conditions of issuance of Test Report' printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Dongguan DN Testing Co., Ltd.
 Add. No. 1, West Fourth Street, Xinghe South Road, Xinghe Community, Chang'an Town, Dongguan City, Guangdong P.R.China
 Web: www.dn-testing.com Tel: +86-769-88873203 E-mail: service@dn-testing.com

[ZEALOT-P12 Wireless Speaker RF Exposure Evaluation Report](#)

Official RF exposure evaluation report for the ZEALOT-P12 Wireless Speaker, detailing compliance with FCC standards and SAR limits.

lang:en score:24 filesize: 986.4 K page_count: 8 document date: 2025-06-13



FCC Test Report

Application No.: DNT2504140337R3Q21-04780
 Applicant: SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD
 Address of Applicant: 401-501 Jiaoking 3 NO. 8 Yong Tai Road, East District, Bao'an District, Shenzhen, China
 EUT Description: WIRELESS SPEAKER
 Model No.: ZEALOT-P12
 FCC ID: 2AFKR-P12
 Power Supply: DC 7.0V from rechargeable lithium-ion battery
 Trade Mark: ZEALOT
 Standards: 47 CFR FCC Part 2, Subpart J
 FCC ID: 2AFKR42498D04-V51
 Date of Receipt: 2025/04/17
 Date of Test: 2025/04/20 to 2025/04/28
 Date of Issue: 2025/04/30
 Test Result: PASS

Prepared By:  (Testing Engineer)
 Reviewed By:  (Project Engineer)
 Approved By:  (Manager)

Note: If there is any objection to the results in this report, please submit a written inquiry to the company within 15 days from the date of receiving this report. The test report is effective only with both signature and verification stamp, and issued by the company in accordance with the requirements of the 'Conditions of issuance of Test Report' printed in the attached page. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. Partial reproduction of this report is not allowed unless approved by the company in writing.

Dongguan DN Testing Co., Ltd.
 Add. No. 1, West Fourth Street, Xinghe South Road, Xinghe Community, Chang'an Town, Dongguan City, Guangdong P.R.China
 Web: www.dn-testing.com Tel: +86-769-88873203 E-mail: service@dn-testing.com

[FCC Test Report for ZEALOT-P12 Wireless Speaker](#)

FCC Test Report detailing compliance testing for the ZEALOT-P12 Wireless Speaker by SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD, conducted by Dongguan DN Testing Co., Ltd. Covers radio frequency performance and regulatory adherence.

lang:en score:24 filesize: 3.8 M page_count: 17 document date: 0000-00-00

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD

Federal Communications Commission
 Authorization and Evaluation Division
 7450 Old Georgetown Road
 Columbia, MD 20436
 USA
 Date: 2023/6/13
 Note: Interference-Declarative Part 2.11(d)(5)(ii) Filing
 FCC ID: 2AFKR-P12

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD certifies that the equipment for which authorization is sought is not "Covered" equipment prohibited from bearing an equipment authorization pursuant to section 2.903 of the FCC rules.

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD certifies that the equipment for which authorization is sought is not "Covered" equipment prohibited from bearing an equipment authorization pursuant to section 2.903 of the FCC rules.

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD certifies that the equipment for which authorization is sought is not "Covered" equipment prohibited from bearing an equipment authorization pursuant to section 2.903 of the FCC rules.

Device is inherently compliant based on hardware limitations or software controls.
 or
 A Software Bill of Materials (SBOM) is provided to the TCR for review, and
 The end-user or third parties cannot install additional software on this device.

Sincerely,

 Jiaxin Chen

Rev 1/20/2023

[FCC Attestation Statement for ZEALOT P12 Wireless Speaker \(FCC ID: 2AFKR-P12\)](#)

Attestation statement from SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD confirming that the P12 Wireless Speaker (FCC ID: 2AFKR-P12) is not 'covered' equipment and does not contain prohibited cybersecurity software, ensuring compliance with FCC regulations.

lang:en score:24 filesize: 106.63 K page_count: 2 document date: 2025-06-13

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO.,LTD

Federal Communications Commission
Authorization and Evaluation Division
3215 Oaktree Drive, Suite 200
College Park, MD 20740
Date: 2025/6/13
SUBJECT: 2AFKR-P12

To Whom It May Concern:

1. The information I hereby state that this equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules, and will apply the Supplier's Declaration of Conformity procedure to the class B exemption. This equipment complies with the following FCC performance requirements:

1. Devices subject to the SDoC procedure are required to be tested to show compliance with the FCC technical regulations by a recognized accredited testing laboratory. The testing laboratory must be accredited by a Commission approved accreditation program, or by a Commission approved Mutual Recognition Agreement (MRA). A listing of these accredited testing laboratories can be found on the Commission's website at <https://www.fcc.gov/second-party-report-test-lab-accreditation>

2. P 2.1077 contains the list of the FCC requirements that must be included in the Supplier's Declaration of Conformity, which must be supplied with each product sold. The SDoC must also include the following information on the Declaration of Conformity sheet. The info must contain the **name, address, and phone number of the responsible party, which must be located within the United States. According to 2.909(b), the responsible party is either the manufacturer or if the product is imported the Importer**

Regards,

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO.,LTD


Jia Lin

Jia Lin

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO.,LTD 2AFKR-P12 FCC Declaration of Conformity

Declaration of Conformity for the SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO.,LTD 2AFKR-P12, confirming compliance with FCC Class B digital device rules and SDoC procedure requirements.

lang:en score:24 filesize: 110.58 K page_count: 1 document date: 2025-06-13



[pdf] User Manual Guide

MX PRINTER MANUAL bitsavers.org This user's manual obviously 2 Your new EPSON printer 3 A long box containing the ribbon cartridge 4 wire rack to guide paper Printer Manual 1982 textfiles epson informatik uni stuttgart de

MX PRINTER MANUAL with - EPSON EPSON AMERICA , INC. EPSON MX Printer Manual GRAFTRAXPLUS by David ... ---- :CH:C CRO eNS 11 SYNC PI3 - 5lm , 10K ,f6. 96 8041 Ir-- JL.:6;:./flrl2-U 5 **P12**-- --ADG i----,-..3,-3K_ - CRRU, - , 1.. 2K 18 VOO 5 -PROG P141 3l-1- LF A --_____...

lang:en score:24 filesize: 10.47 M page_count: 217 document date: 2016-11-09

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO.,LTD

Federal Communications Commission
Authorization and Evaluation Division

Confidentiality Request regarding application for certification of FCC ID: 2AFKR-P12
Pursuant to Sections 0.457 and 0.459 of the Commission's Rules, we hereby request confidential treatment of information accompanying this application as outlined below:

Exhibit Type Block Diagram, Schematics, Operation Descriptions
File Name* [Test Setup Photos.pdf](#), [Schematics.pdf](#), [Operational Description.pdf](#)

The above materials contain trade secrets and proprietary information not customarily released to the public. The public disclosure of these materials may be harmful to the applicant and provide imfited benefits to its competitors.

The applicant understands that pursuant to Section 0.457 of the Rules, disclosure of this application and all accompanying documentation will be made before the date of the Grant for this application.

We request the following attachments to be kept confidential for a short period of time, within 180 days from the date of submitting the FCC ID.

Pursuant to DTA 04-1705, June 15, 2004 of the Commission's public notice, we also request temporary confidential treatment of information accompanying this application as outlined below:

Exhibit Type [Block Diagrams](#), [Schematics](#), [Operation Descriptions](#), [Test Setup Photos](#), [User manuals](#), [PDF](#)

Sincerely,

Jia Lin

Jia Lin

Rev 11/2007

Confidentiality Request for FCC ID 2AFKR-P12 - Shenzhen Zealot Digital Technology Co., Ltd.

Confidentiality request letter from Shenzhen Zealot Digital Technology Co., Ltd. to the FCC for FCC ID 2AFKR-P12, seeking confidential treatment for application exhibits such as block diagrams, schematics, operation descriptions, test setup photos, and user manuals.

lang:en score:22 filesize: 115.15 K page_count: 1 document date: 2025-06-13

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO.,LTD

Federal Communications Commission
Authorization and Evaluation Division
7455 Oakland Mills Road
Columbia, MD 21046

Date: 2025/06/13

SUBJECT: FCC Application for 2AFKR-P12

To Whom It May Concern:

We, the undersigned, hereby authorize Dongguan DN Testing Co., Ltd on our behalf, to apply to the Federal Communications Commission. Any and all acts carried out by Apple Lee on our behalf shall have the same effect as acts of our own.

This is to advise that we are in full compliance with the Anti-Drug Abuse Act. We the applicant, are not subject to a denial of federal benefits pursuant to Section 5301 of the Anti-Drug Act of 1988, 21 USC §53a, and no party to the application is subject to a denial of federal benefits pursuant to that section.

Regards,



Jon Liu

14 Master Document\TEAFL010A_Letter

FCC Authorization Letter for SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD 2AFKR-P12

Official FCC application authorization letter from SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD for the 2AFKR-P12 model, confirming compliance with regulations and authorizing Dongguan DN Testing Co., Ltd.

lang:en score:22 filesize: 58.5 K page_count: 1 document date: 2025-06-13

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD
601#91, Building 3, NO. 9, Yong Tai Road east District, Baitihe area Community,
Fu Yong street, Bao'an District, Shenzhen, China

Date: 2024-07-07
FCC ID: 2ABD9-ZEALOT-P12
Model Number: ZEALOT-M1, ZEALOT-S1, ZEALOT-S32, ZEALOT-S32pro, ZEALOT-S49,
ZEALOT-S49pro, ZEALOT-S85, ZEALOT-S89, ZEALOT-S87, ZEALOT-ZE21,
ZEALOT-S53, ZEALOT-S79, ZEALOT-S76, ZEALOT-P12, ZEALOT-S66, ZEALOT-
S97, and ZEALOT-S98. This document confirms that these models are electrically
identical, sharing the same schematic, PCB layout, structure, and software, with
differences limited to sales channels and model names.

Sincerely,



Jon Liu

Name / Title: Jon Liu / Manager
Company: SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD
Address: 601#91, Building 3, NO. 9, Yong Tai Road east District, Baitihe area Community
Fu Yong street, Bao'an District, Shenzhen, China
Phone: N/A
Fax Number: N/A
E-mail: N/A

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD - Declaration of Model Differences for Wireless Speakers

Declaration of model differences for various ZEALOT wireless speaker models including ZEALOT-M1, ZEALOT-S1, ZEALOT-S32, ZEALOT-S32pro, ZEALOT-S49, ZEALOT-S49pro, ZEALOT-S85, ZEALOT-S89, ZEALOT-S87, ZEALOT-ZE21, ZEALOT-S53, ZEALOT-S79, ZEALOT-S76, ZEALOT-P12, ZEALOT-S66, ZEALOT-S97, and ZEALOT-S98. This document confirms that these models are electrically identical, sharing the same schematic, PCB layout, structure, and software, with differences limited to sales channels and model names.

lang:en score:21 filesize: 88.31 K page_count: 1 document date: 2025-07-08

Confidentiality Request Letter
For Certification Service in the USA

Federal Communication Commission
Equipment Authorization Division, Application Processing Branch
7455 Oakland Mills Road
Columbia, MD 21046

To whom it may concern:

Permittee Paragraph 0.457 and 0.465 of the Commission's Rules of Practice and Section 652(b)(4) of the Freedom of Information Act, we request confidentiality for the documentation of the following products:

FCC ID: 2ABD9-ZEALOT-M1
Model name: ZEALOT-M1, ZEALOT-S1, ZEALOT-S32,
ZEALOT-S32pro, ZEALOT-S49, ZEALOT-S49pro,
ZEALOT-S85, ZEALOT-S89, ZEALOT-S87, ZEALOT-ZE21,
ZEALOT-S53, ZEALOT-S79, ZEALOT-S76, ZEALOT-P12, ZEALOT-S66, ZEALOT-
S97, and ZEALOT-S98.

For the products listed above, we request permanent confidentiality for all applicable exhibits as there are:

- the Operational Description
- the Block Diagram
- the Schematics

The above listed exhibits contain trade secrets and proprietary information that could be of benefit to our competitors.

If you have any questions, please feel free to contact us at the address shown below.

Sincerely,



Jon Liu

2025-07-07

Date

Printed Name of Signer / title: Jon Liu / Manager
Company: SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD
Address: 601#91, Building 3, NO. 9, Yong Tai Road east District, Baitihe area Community, Fu Yong
street, Bao'an District, Shenzhen, China
Phone: N/A
Fax: N/A
Email: N/A

Confidentiality Request Letter for ZEALOT Products - SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD

Request for permanent confidentiality submitted to the FCC for ZEALOT product documentation, including operational descriptions, block diagrams, and schematics, by SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD.

lang:en score:21 filesize: 85.67 K page_count: 1 document date: 2025-07-07

Covered Equipment Authorization Letter
For Certification Service in the USA

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD
401, 501, Building 1, NO.3, Yantai Road, Si'an District, Bao'an District, Shenzhen, China
Yantai, Bao'an District, Shenzhen, China

**Confidentiality Request Letter
For Certification Service in the USA**

Federal Communication Commission
Equipment Authorization Division, Application Processing Branch
7435 Oakland Mills Road
Columbia, MD 21048

Pursuant to Paragraphs 90.457 and 0.459 of the Commission's Rules (47 C.F.R.) and Section 9552(b)(4) of the Freedom of Information Act, we request confidentiality for the documentation of the following products:

For the products listed above, we request permanent confidentiality for all applicable exhibits as there are:

- the Operational Description
- the Block Diagram
- the Schematics
- **the Part List**
- **the Tune-up Information**

Confidentiality Request Letter - ZEALOT Products FCC ID 2AFKR-S46

Letter from SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD to the Federal
Communication Commission requesting confidentiality for product documentation
related to FCC ID 2AFKR-S46 and various ZEALOT model numbers.

lang:en score:19 filesize: 196.09 K page_count: 2 document date: 2024-10-25

Covered Equipment Attestation Letter
For Certification Service in the USA

Federal Communications Commission
Equipment Authorization Division, Application Processing Branch
7435 Oakland Mills Road
Columbia, MD 21048

To whom it may concern

Applicant	Company Name: SHENZHEN FAULOT DIGITAL TECHNOLOGY CO., LTD Address: A11, 503, building 6, N.O.8, Yong Tai Street, east District, Bao'an District, Shenzhen, China
Phone	+86-13145978717

ZEALOT FCC Attestation Letter for Model Series 2AFKR-S46

Attestation letter from SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD for FCC certification of equipment with FCC ID 2AFKR-S46, listing multiple ZEALOT model names.

lang:en score:19 filesize: 209.97 K page_count: 2 document date: 2024-10-25

Product specification

Quick Reference Date

Frequency	Antenna module on the system board
Ant. Port Input Power (dBm)	4.25(dBm)
Tot. Rad. Pow. (dBm)	3.2 (1.17 dBm - loss power)
Peak EIRP (dBm)	3.2 (1.17 dBm - loss power)
Uplink (dBm)	1 (at detection antenna)
Efficiency (dB)	3.1 (5.5%)
Gain (dBi)	7.0 (Horn Gain XZ-plane)
Maximum Power (dBm)	1.1(XY-plane)
Minimum Power (dBm)	-6.5(XY-plane)
Avg. Power (dBm)	1.1(XY-plane)
Max. Avg. Ratio (dB)	1.1(XY-plane)
Min. Avg. Ratio (dB)	3.5 (5.5%)
Max. Avg. Ratio (dB)	1.8 (XY-plane)
Min. Avg. Ratio (dB)	3.5 (5.5%)
Max. Avg. Ratio (dB)	1.8 (XY-plane)
Min. Avg. Ratio (dB)	3.5 (5.5%)

All the technical data and information contained herein, are subject to change without prior notice.

Antenna Layout & module on the system board.



Antenna Gain Gain Table

Unit in dBi @2.44GHz	XY-plane		XZ-plane		YZ-plane		Efficiency
	Peak	Avg.	Peak	Avg.	Peak	Avg.	
Module Board	1.3	-0.5	1.7	-3.8	1.1	-3.0	58.5%

ZEALOT Antenna Module Product Specification and Radiation Pattern Data

Detailed product specification for the ZEALOT antenna module, including technical data, gain tables, return loss, and radiation pattern analysis at 2.45GHz.

Manufactured by SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD.

lang:en score:19 filesize: 529.28 K page_count: 4 document_date: 2025-06-13

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD Wireless Speaker Test Report

This document details the test results for the ZEALOT Wireless Speaker (Model: ZEALOT-M1) conducted by Shenzhen Bangce Testing Technology Co., Ltd. according to 47 CFR Part 15.247 standards.


lang:en score:19 filesize: 1.18 M page_count: 68 document_date: 2025-07-07

FCC Test Report for ZEALOT-S46 Wireless Speaker

FCC compliance test report for the ZEALOT-S46 wireless speaker by Shenzhen Zealot Digital Technology Co., Ltd. This report details testing performed by Shenzhen LCS Compliance Testing Laboratory Ltd. according to FCC CFR 47 Part 15 Subpart C, covering RF emissions, power, bandwidth, and other regulatory requirements.

lang:en score:16 filesize: 1.44 M page_count: 37 document date: 2024-10-25





[FCC External Photos for SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD P12](#)

External photographs and FCC ID information for the SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD P12 wireless speaker, documented by Dongguan DN Testing Co., Ltd. Includes FCC ID, model number, and laboratory contact details.

lang:tl score:16 filesize: 1.39 M page_count: 4 document date: 2025-06-13




[\[pdf\] Label](#)

Administrator label SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12 WIRELESS SPEAKER
2AFKR 2AFKRP12 p12

WIRELESS SPEAKER FCC ID:2AFKR-ZE12 ...

lang:tl score:12 filesize: 72.34 K page_count: 1 document date: 2025-06-16




[\[pdf\] Test Report](#)

test report part2 SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12 WIRELESS SPEAKER
2AFKR 2AFKRP12 p12

Report No.: DNT2504140337R3621-04781 3.6 Hopping Channel Number DateApril
30, 2025 Test Requirement: 47 CFR Part 15C Section 15.247 a 1 Test Method: ANSI
C63.10: 2013 Section 7.8.3 Test Setup: Page18 / 66 Instruments Used: Test Mode:
Limit: Test Results: Refer to section 2.9 for details ...

lang:en score:12 filesize: 3.3 M page_count: 17 document date: 0000-00-00



Ant	Freq(MHz)	Final Data List					
		Low	High	QP	QP	AV	Power
1	1.0241	9.00	48.00	31.00	31.00	31.24	PASS
2	2.0346	9.00	45.00	30.00	14.00	32.24	PASS
3	3.0483	5.14	45.45	76.00	5.00	45.45	PASS
4	4.0921	5.14	45.45	76.00	5.00	45.45	PASS
5	5.0454	5.14	35.00	35.00	35.00	35.00	PASS
6	6.0465	9.07	32.00	36.00	21.14	22.14	PASS

Remark:
1. The following QP, Power and Average measurements were performed on the EUT.
2. The Measurement Result Level is calculated by Reading Level adding the Correct Factor maybe including LSN Factor and the Cache Factor etc. The basic equation is as follows:
Result Level = Reading Level + Correct Factor (including LSN Factor, Cache Factor etc)

[pdf] Test Report

test report part3 SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12 WIRELESS SPEAKER

2AFKR 2AFKRP12 p12

Report No.: DNT2504140337R3621-04781 Neutral Line: DateApril 30, 2025 Page35 /

66 Final Data List NO. Freq. MHz 1 0.2141 2 0.3463 3 0.4833 4 2.9218 5 4.4545 6

9.4650 Factor dB 9.86 9.88 9.74 9.86 9.97 9.83 QP Value dBV 45.78 45.05 46.61

32.79 32.84 30.72 QP Limit dBV 63.0...

lang:en score:12 filesize: 4.68 M page_count: 17 document date: 0000-00-00

Dongguan DH Testing Co., Ltd
Add: No. 1, West South Street, Angle South Street, Wutong Community, Chongming, Dongguan City, Guangdong P.R.China
Web: www.dh-testing.com Tel: +86-769-88087303 E-mail: service@dh-test.com

Appendix F: Band edge measurements							
Test Result	TestMode	Antenna	ChName	Freq(MHz)	RefLevel	Result	Unit
DH5	Ant1	Low		2400	-51.95	\leq 50.35	PASS
		High	Hop_2402	2400	-51.95	\leq 50.35	PASS
		High	Hop_2480	-1.06	-51.34	\geq -2.06	PASS
2DH5	Ant1	Low		2400	-51.95	\leq 50.35	PASS
		High	Hop_2402	-4.25	-51.67	\geq -2.25	PASS
		High	Hop_2480	-4.67	-51.71	\geq -2.67	PASS
3DH5	Ant1	Low		2400	-51.95	\leq 50.35	PASS
		High	Hop_2402	-7.70	-52.55	\geq -2.70	PASS
		High	Hop_2480	-9.33	-50.21	\leq 50.33	PASS

[pdf] Test Report

test report part4 SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12 WIRELESS SPEAKER

2AFKR 2AFKRP12 p12

Report No.: DNT2504140337R3621-04781 Appendix F: Band edge measurements

DateApril 30, 2025 Test Result TestMode Antenna DH5 Ant1 2DH5 Ant1 3DH5 Ant1
ChName Low High Low High Low High Low High Low High Low High Freq MHz 2402
2480 Hop_2402 Hop_2480 2402 2480 Hop_2402 Hop_2480 2402 2480 Hop...

lang:tl score:12 filesize: 4.9 M page_count: 15 document date: 0000-00-00

Dongguan DH Testing Co., Ltd
Add: No. 1, West South Street, Angle South Street, Wutong Community, Chongming, Dongguan City, Guangdong P.R.China
Web: www.dh-testing.com Tel: +86-769-88087303 E-mail: service@dh-test.com

Reference No. 2025UW0116
SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO.,LTD

Federal Communications Commission
Authorization and Evaluation Division
7400 Oakdale Mills Road
Columbia, MD 21046
USA
Date: 2025/6/2

Ref: Attention Statements Part 2.916(d)(7)
FCC ID or Grantee Code: 2AFKR P12
Application ID: 2504140337R3621

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO.,LTD certifies that, as of the date of the filing of the application, [CELLT INC.] is our designated U.S. agent for service of process for the above referenced FCC ID. SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO.,LTD agrees to maintain an agent for no less than one year and to provide all necessary information to the Commission in the conduct of any Commission-related proceeding involving the equipment.

[CELLT INC.] accepts, as of the date of the filing of the application, the obligation of the designated U.S. agent for service of process for the above referenced FCC ID.

Designee U.S. Agent Information:
Name: CELLT INC.
U.S. Agent FRN: 008412567
Address: 1000 Corporate Park Drive, Suite 307, HARBOR CITY, CA 90710, USA
Contact Person: Thompson Lin
Tel.: (001) 424-384188
Email: Thompson@celt.us
Sincerely,

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO.,LTD
[Signature]
[Signature]
[Signature]
[Signature]

Rev 1/26/2023

[pdf] Agent Authorization

Administrator US Agent letter SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12 WIRELESS SPEAKER 2AFKR 2AFKRP12 p12

...

lang:tl score:12 filesize: 449.85 K page_count: 1 document date: 2025-06-13

Index	Page	Index	Page	Index	Page
Prestige Classes Summary by Type	2	Prestige Classes	21	Types of Monsters by	101
All Prestige Classes	2	Index	21	Type of Threat	101
Dragonborn Cleric	3	Prestige Classes	24	Type of Threat by Threat Level	101
Dragonborn Wizard	3	Prestige Classes	25	Vessel of Madness	101
Elf Cleric	3	Prestige Classes	26	Vessel of Madness by Threat Level	101
Elf Wizard	3	Prestige Classes	27	Vessel of Madness by Threat Level	101
Gnome Cleric	3	Prestige Classes	28	Vessel of Madness by Threat Level	101
Gnome Wizard	3	Prestige Classes	29	Vessel of Madness by Threat Level	101
Goblin Cleric	3	Prestige Classes	30	Vessel of Madness by Threat Level	101
Goblin Wizard	3	Prestige Classes	31	Vessel of Madness by Threat Level	101
Half-Elf Cleric	3	Prestige Classes	32	Vessel of Madness by Threat Level	101
Half-Elf Wizard	3	Prestige Classes	33	Vessel of Madness by Threat Level	101
Half-Orc Cleric	3	Prestige Classes	34	Vessel of Madness by Threat Level	101
Half-Orc Wizard	3	Prestige Classes	35	Vessel of Madness by Threat Level	101
Human Cleric	3	Prestige Classes	36	Vessel of Madness by Threat Level	101
Human Wizard	3	Prestige Classes	37	Vessel of Madness by Threat Level	101
Kobold Cleric	3	Prestige Classes	38	Vessel of Madness by Threat Level	101
Kobold Wizard	3	Prestige Classes	39	Vessel of Madness by Threat Level	101
Orc Cleric	3	Prestige Classes	40	Vessel of Madness by Threat Level	101
Orc Wizard	3	Prestige Classes	41	Vessel of Madness by Threat Level	101
Tiefling Cleric	3	Prestige Classes	42	Vessel of Madness by Threat Level	101
Tiefling Wizard	3	Prestige Classes	43	Vessel of Madness by Threat Level	101
Troll Cleric	3	Prestige Classes	44	Vessel of Madness by Threat Level	101
Troll Wizard	3	Prestige Classes	45	Vessel of Madness by Threat Level	101
Worg Cleric	3	Prestige Classes	46	Vessel of Madness by Threat Level	101
Worg Wizard	3	Prestige Classes	47	Vessel of Madness by Threat Level	101
Wraith Cleric	3	Prestige Classes	48	Vessel of Madness by Threat Level	101
Wraith Wizard	3	Prestige Classes	49	Vessel of Madness by Threat Level	101
Worg Cleric	3	Prestige Classes	50	Vessel of Madness by Threat Level	101
Worg Wizard	3	Prestige Classes	51	Vessel of Madness by Threat Level	101

[pdf] User Manual Declaration of Conformity

Microsoft Word 3 5 Index Classes Prestige doc Owner Meetup Religious Go to site Dungeons Dragons Edition February 28 2007 Page 4 Summary by Topic Monster Manual v MM3 CWar Complete Warrior CDiv Divine CArc Arcane DnD3 Full of prestige clases 5Index orkerhulen dk Own made supplement files meetup 1318022 80 the eye eu public Books rpg rem uz D Indexes
 Dungeons Dragons 3.5 Edition Index Prestige Classes
<http://www.crystalkeep.com/d20> Collected by C ... oints: 4 Attack: Wizard Good Save: Ref, Will Weap: -- Armor: -- Class Lvl: 10 Epic Lvl: 10 3.5up p12 Str: Climb, Jump, Swim. Dex: Balance, Escape Artist, Hide, Move Silently, Open Locks, Sleight ...
 lang:en score:10 filesize: 1.1 M page_count: 137 document date: 2007-03-01

Page 1 of 51

FCC Test Report

Report No.: AGC036 IS2 10301FB02

FCC ID : 2APKU-S32
 APPLICATION PURPOSE : Original Equipment
 PRODUCT DESIGNATION : Bluetooth Speaker
 BRAND NAME : zealot
 MODEL NAME : S32
 532, 51, 52, 55, 56, 57, 58, 59, 511, 512, 513, 515, 516, 517,
 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530,
 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543,
 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555,
 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594,
 595, 596, 597, 598, 599, 560, 561, 562, 563, 564, 565, 566, 567,
 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579,
 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581,
 582, 583, 584, 585, 586, 587, 588, 589, 590, 591