

Manuals.plus /

› UGREEN /

› UGREEN Revodok USB-C Hub (Model 75775) Instruction Manual

## UGREEN 75775

# UGREEN Revodok USB-C Hub (Model 75775) Instruction Manual

Your guide to setting up and using your UGREEN Revodok USB-C Hub.

## 1. INTRODUCTION

---

The UGREEN Revodok USB-C Hub (Model 75775) is a 6-in-1 multi-port adapter designed to expand the connectivity of your USB-C enabled devices. It provides a 4K@60Hz video output, high-speed 10Gbps data transfer through multiple USB ports, and up to 100W Power Delivery pass-through charging. This manual provides essential information for proper setup, operation, maintenance, and troubleshooting.

## 2. PRODUCT OVERVIEW

---

The UGREEN Revodok USB-C Hub features a compact design with an integrated USB-C cable. It includes the following ports:

- **1x USB-C PD Port:** For power input, supporting up to 100W Power Delivery (85W output to host device).
- **2x USB-A 3.2 Gen 2 Ports:** For data transfer up to 10Gbps.
- **2x USB-C 3.2 Gen 2 Ports:** For data transfer up to 10Gbps.
- **1x USB-C Video Port:** For video output up to 4K@60Hz.

# 6-in-1

## Connectivity



Figure 1: UGREEN Revodok USB-C Hub with labeled ports for 6-in-1 connectivity.

### 3. SETUP INSTRUCTIONS

- 1. Connect to Host Device:** Plug the integrated USB-C cable of the hub into a fully functional USB-C port on your laptop, tablet, or smartphone. Ensure your device's USB-C port supports video output (DisplayPort Alternate Mode) for display functionality.
- 2. Connect Peripherals:** Connect your USB-A and USB-C devices (e.g., external hard drives, keyboards, mice, cameras) to the corresponding data ports on the hub.

# Connecting the Keyboard and Mouse



Figure 2: Connecting a keyboard and mouse to the hub for expanded peripheral use.

- 3. Connect Display (Optional):** For video output, connect a USB-C to USB-C cable from your monitor or AR glasses to the USB-C Video port on the hub. Ensure the display supports USB-C video input.



Figure 3: Using the USB-C Video port to connect an external display.

4. **Connect Power Adapter (Optional):** To charge your host device and power the hub simultaneously, connect a USB-C power adapter (up to 100W, not included) to the USB-C PD port on the hub. The hub will deliver up to 85W to your host device.



Figure 4: Pass-through charging setup with a 100W input and 85W output to the laptop.

## 4. OPERATING INSTRUCTIONS

### 4.1 Plug and Play Functionality

The UGREEN Revodok USB-C Hub is designed for universal plug-and-play operation. No drivers are typically required for most operating systems, including macOS, iOS, and SteamOS. Simply connect the hub to your device, and it should be recognized automatically.

# Universal Compatibility

## Host Devices



Computer



Tablet



Phone



Game Consoles

## Display Devices



Portable Monitor



AR Glasses



Studio Display



Fully functional  
USB-C



USB-A



Figure 5: Universal compatibility with various host and display devices.

## 4.2 Data Transfer

The two USB-A 3.2 Gen 2 ports and two USB-C 3.2 Gen 2 ports support data transfer speeds up to 10Gbps. This allows for rapid transfer of large files, such as 1GB in approximately 1 second. These ports are for data transfer only and do not support video output or charging.



Figure 6: 10Gbps data transfer capabilities and port limitations.

### 4.3 Video Output

The dedicated USB-C Video port supports 4K resolution at a 60Hz refresh rate, providing a smooth and clear display experience. This port is specifically for video output and does not support charging or data transfer.



Figure 7: Visual representation of Ultra-Clear 4K@60Hz display quality.

### 4.4 Power Delivery

The USB-C PD port allows for pass-through charging of your host device. When connected to a 100W USB-C power adapter, the hub intelligently distributes power, providing up to 85W to your laptop or other compatible device while reserving 15W for the hub's operation and connected peripherals.

## 5. MAINTENANCE

- **Cleaning:** Disconnect the hub from all devices before cleaning. Use a soft, dry cloth to wipe the surface. Avoid liquid cleaners or abrasive materials.
- **Storage:** Store the hub in a cool, dry place away from direct sunlight and extreme temperatures.
- **Temperature:** The aluminum shell is designed to dissipate heat efficiently, maintaining an operating temperature of approximately 45 °C under full load. This is normal for electronic devices.
- **Cable Care:** Avoid bending or twisting the integrated cable excessively to prevent damage.

## 6. TROUBLESHOOTING

- **No Video Output:**

- Ensure your host device's USB-C port supports DisplayPort Alternate Mode (video output). Not all USB-C ports have this capability.
- Verify the USB-C cable connecting the hub to the display is fully functional and supports video transmission.
- Check display settings on your host device to ensure the external monitor is detected and configured correctly.

- **Slow Data Transfer:**

- Confirm that your connected devices (e.g., external SSD) and cables support USB 3.2 Gen 2 (10Gbps) speeds.
- Ensure the hub is connected directly to your host device's USB-C port, avoiding additional adapters or extension cables that may degrade performance.

- **No Charging via PD Port:**

- Ensure you are using a compatible USB-C power adapter (e.g., 100W) and a USB-C to USB-C cable that supports Power Delivery.
- Verify the power adapter is plugged into a working wall outlet.
- Check if your host device supports USB-C Power Delivery input.

- **Hub feels warm:**

- It is normal for the hub to become warm during operation, especially under heavy load (e.g., 4K video output, high-speed data transfer, and charging simultaneously). The aluminum casing is designed for heat dissipation. If the hub becomes excessively hot to touch or malfunctions, disconnect it immediately.

## 7. SPECIFICATIONS

Feature	Detail
Brand	UGREEN
Model Number	75775
Hardware Interface	USB Type-C
Video Output	1x USB-C (4K@60Hz)
Data Ports	2x USB-A 3.2 Gen 2 (10Gbps), 2x USB-C 3.2 Gen 2 (10Gbps)
Power Delivery	1x USB-C PD (100W input, 85W output to host)
Total Ports	6 (1x PD, 4x Data, 1x Video)
Data Transfer Rate	10 Gigabits Per Second
Compatible Operating Systems	SteamOS, iOS, macOS (and other USB-C compatible OS)
Enclosure Material	Aluminum
Item Weight	0.1 Kilograms

## 8. WARRANTY AND SUPPORT

### 8.1 Warranty Information

The UGREEN Revodok USB-C Hub (Model 75775) comes with a **2-year manufacturer's warranty**. Please retain your

proof of purchase for warranty claims. The warranty covers defects in materials and workmanship under normal use.

## **8.2 Customer Support**

For technical assistance, troubleshooting, or warranty inquiries, please contact UGREEN customer support through their official website or the retailer where the product was purchased. Please have your model number (75775) and purchase details ready when contacting support.