

[Manuals.plus](#) /

› [FITE ON](#) /

› FITE ON 5V Charger Adapter User Manual for Phonak Hearing Aids

FITE ON 5V Charger Adapter

FITE ON 5V Charger Adapter User Manual

Model: 5V Charger Adapter

Brand: FITE ON

1. INTRODUCTION

This manual provides essential instructions for the safe and effective use of your FITE ON 5V Charger Adapter. Please read this manual thoroughly before using the product and retain it for future reference. This charger adapter is designed to provide reliable power for compatible Phonak hearing aid charging cases.

Compatible Devices: Phonak Case Go, BTE, RIC, Combi, Ease Life, Slim, PartnerMic, Audeo (models P90R, L90R, P90, B90, L90, R 0459).

2. PACKAGE CONTENTS

Before proceeding with setup, please ensure all items are present in the package:

- 1 x FITE ON 5V Charger Adapter
- 1 x USB Charging Cord

Details Of Perfect Presentation



Image: The FITE ON 5V Charger Adapter and its accompanying USB charging cord.

3. SETUP INSTRUCTIONS

1. **Unpack:** Carefully remove the charger adapter and USB cord from their packaging.
2. **Connect USB Cord:** Insert the USB-A end of the charging cord into the USB port on the FITE ON charger adapter.
3. **Connect to Device:** Insert the other end of the USB charging cord into the charging port of your compatible Phonak hearing aid charging case.
4. **Plug into Power Outlet:** Plug the FITE ON charger adapter into a standard wall power outlet (100-240VAC, 50/60Hz).

Stable And Secure Design

Steady Output Voltage and Current

No Physical Noise Will Be Emitted Out When Charging.



Image: A Phonak hearing aid charging case connected to the FITE ON charger adapter, which is plugged into a wall outlet, demonstrating the setup for charging.

4. OPERATING INSTRUCTIONS

Once the charger adapter is properly connected to a power outlet and your device, the charging process will begin automatically. The charging indicator on your Phonak hearing aid charging case will typically illuminate to confirm charging status.

- Ensure the connection between the charger, USB cord, and your device is secure.
- The charger provides a steady output voltage and current for efficient charging.
- No physical noise should be emitted from the charger during operation.

Universal Compatibility

See more compatible models in the description.

1



2



3



4



Image: A collage showing different Phonak hearing aid charging cases, including Case Go, BTE, RIC, and Audeo models, illustrating the charger's universal compatibility with these devices.

5. MAINTENANCE

To ensure the longevity and optimal performance of your FITE ON 5V Charger Adapter, follow these maintenance guidelines:

- **Cleaning:** Disconnect the charger from the power outlet before cleaning. Use a soft, dry cloth to wipe the surface of the adapter. Do not use liquid cleaners or abrasive materials.
- **Storage:** Store the charger adapter and USB cord in a cool, dry place away from direct sunlight and extreme temperatures when not in use.
- **Handling:** Avoid bending or twisting the USB cord excessively, as this can damage the internal wires. Do not pull the cord to disconnect from the outlet; always grasp the adapter plug.

6. TROUBLESHOOTING

If you encounter issues with your charger adapter, please refer to the following common troubleshooting steps:

- **Device Not Charging:**
 - Ensure the charger adapter is securely plugged into a working wall outlet.
 - Verify that the USB cord is firmly connected to both the charger adapter and your Phonak device's charging case.
 - Check if the wall outlet is functional by plugging in another device.
 - **Important:** Double-check the connector end of the USB cord and your machine model before purchasing to ensure compatibility.
- **Slow Charging:**
 - Ensure you are using the provided FITE ON USB cord, as third-party cables may affect charging speed.
 - Avoid using extension cords or power strips if possible, as they can sometimes reduce power delivery.
- **Charger Feels Warm:**
 - It is normal for the charger to feel slightly warm during operation. If it becomes excessively hot, disconnect it immediately and contact support.

7. SPECIFICATIONS

Feature	Description
Input Voltage	100-240VAC, 50/60Hz (World Wide Input)
Output Current	2 Amps
Connector Type	Round (for adapter to wall), USB (for cord to device)
Special Feature	Short Circuit Protection, Over Voltage Protection (OVP), Over Current Protection (OCP), Short Circuit Protection (SCP)
Included Components	1 adapter, 1 USB cord
Item Weight	3 ounces

8. SAFETY INFORMATION

Your FITE ON charger adapter is designed with multiple safety features to protect your devices and ensure safe operation:

- **Fire-Resistant Shell:** The adapter casing is constructed from fire-resistant materials.
- **Short Circuit Protection (SCP):** Automatically cuts off power in case of a short circuit to prevent damage.
- **Over Voltage Protection (OVP):** Protects your device from excessive voltage input.
- **Over Current Protection (OCP):** Prevents damage from excessive current flow.
- **Over Heated Protection:** Designed to prevent overheating during operation.
- The product is UL Listed and FCC certified, indicating compliance with safety standards.

Simple Security

It's Safe to Use, Will not Cause Fires, Short Circuits
or Overheat, Especially in Summer.



Fire-Resistant
Shell



Short Circuit
Protection



Over Heated
Protection



FCC



VI

Image: The FITE ON charger adapter with icons indicating its safety features, including a fire-resistant shell, short circuit protection, and overheat protection.

USE AT EASE FULL SECURITY CERTIFICATE

CERTIFICATE OF COMPLIANCE

Certificate Number E460515
Report Reference E460515-A6002-UL
Issue Date 2020-APRIL-29

Issued to: Shenzhen Sunwata Technology Co Ltd
 Office No. 3, 10/F, 3660 Center Way
 No. 18, Tong Chai St, Wenzhou
 Zhejiang 325000, CHINA

This certificate confirms that
 representative samples of

POWER SUPPLY UNIT with AUDIO/VIDEO
 INFORMATION AND COMMUNICATION TECHNOLOGY
 EQUIPMENT
 AC/DC Adapter
 Model: A6002-UL
 are in compliance with the
 UL Mark requirements.

Have been submitted by US representative to the
 Standards Institute on this Certificate.

Examiner's full name: Dr. Andrew COLE, P.E., UL60951-14 Auditor
 Services Procedure provides authorization to apply the UL Mark.

Authorized Signature: See the UL Online Certification Directory at
www.ul.com/certification for additional information.

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up
 Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's
 Follow-Up Services.

Look for the UL Certification Mark on the product.

Signature

Shenzhen Sunwata Technology Co Ltd

UL 60951

See www.ul.com/certification for additional information. UL Mark requires you to be listed in the UL ETL or any authorized licensee with the sponsor, please
 contact your UL Follow-Up Services Representative at UL@ul.com/certification

Page 1 of 1

TEST REPORT



(Supplier's Declaration of conformity)
Under
FCC Part15, Subpart B

Report Reference No. 4789443623

Prepared by (name) = signature Andy Hoing 

Reviewed by (name) = signature Steven Hsin 

Approved by (name) = signature Stephen Gao 

Date of Receipt of EUP March 08, 2020

Date of Test March 08, 2020 to March 18, 2020

Date of Issue April 23, 2020

Testing Laboratory Dong Guan Awei Electronics Technology Co., Ltd
1-2 Floor, Building A, No.11, Headquarters 2 Road, Nongshang Lian
Hi-tech Industrial Development Zone, Shuangshan City, Guangdong
PR. China.

Laboratory location BWK Laboratory

Applicant's name SHENZHEN SUKAMINE TECHNOLOGICAL CO., LTD
#01B Zone, # building, 17Fawang, 2nd Road, Dingcheng
Community, Songgang Street, Bao'an District, Shenzhen

Manufacturer SHENZHEN SUKAMINE TECHNOLOGICAL CO., LTD
#01B Zone, # building, 17Fawang, 2nd Road, Dingcheng
Community, Songgang Street, Bao'an District, Shenzhen

First Party's name SHENZHEN SUKAMINE TECHNOLOGICAL CO., LTD
#01B Zone, # building, 17Fawang, 2nd Road, Dingcheng
Community, Songgang Street, Bao'an District, Shenzhen




Over Current Protection



Environmentally
friendly



Good durable performance



Short-circuit Protection



Electromagnetic Wave Protection

Image: Documents displaying the Certificate of Compliance (UL) and Test Report (FCC) for the FITE ON charger adapter, confirming its adherence to safety and quality standards.

9. WARRANTY AND SUPPORT

For any questions, concerns, or technical support regarding your FITE ON 5V Charger Adapter, please contact FITE ON customer support through the retailer's platform or the official FITE ON website. Please have your product model and purchase information ready when contacting support.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0F8MNYJ86>

More documents and user manuals: <https://manuals.plus/>