

LOVENSE Solace Pro, Hush 2

LOVENSE Solace Pro & Hush 2 User Manual

Comprehensive Guide for Your LOVENSE Devices

INTRODUCTION

This manual provides detailed instructions for the safe and effective use of your LOVENSE Solace Pro Automatic Male Masturbator and LOVENSE Hush 2 Vibrating Butt Plug. Please read this manual thoroughly before first use and retain it for future reference.



Image: The LOVENSE Solace Pro (left, silver and black) and LOVENSE Hush 2 (right, black) devices.

PACKAGE CONTENTS

Your LOVENSE Solace Pro and Hush 2 package should include the following items:

- LOVENSE Solace Pro Automatic Male Masturbator
- LOVENSE Hush 2 1.5" Vibrating Butt Plug
- USB Charging Cable (for both devices)
- Storage Pouch
- User Manual (this document)



Image: The LOVENSE Solace Pro and Hush 2, along with their packaging, charging cable, storage pouch, and user manual.

SETUP AND CHARGING

Initial Charging

Before first use, fully charge both the LOVENSE Solace Pro and LOVENSE Hush 2. Connect the provided USB charging cable to the charging port on each device and to a USB power source (e.g., computer USB port, wall adapter). The charging indicator lights will provide feedback on the charging status.

The Hush 2 features magnetic charging for convenience.

App Installation (Optional for enhanced features)

To unlock the full potential of your LOVENSE devices, including remote control, custom patterns, sound control, and music syncing, download the official LOVENSE Remote App from your device's app store. The app is compatible with both iOS and Android devices.

Lovense Remote App

Remote control, custom patterns, sound control,
music syncing... explore more!

New York

Berlin

Remote

My Patterns

Control Link

Sound

Game

Image: The LOVENSE Solace Pro device shown alongside a smartphone displaying the LOVENSE Remote App interface, highlighting features like remote control, custom patterns, sound, and games.

OPERATING INSTRUCTIONS

LOVENSE Solace Pro

The Solace Pro is an AI-powered remote control thrusting male masturbator designed for an intense experience. It offers a maximum speed of 300 strokes per minute and a depth adjustment of up to 2.55 inches (65 mm).

- **Power On/Off:** Press and hold the power button until the device vibrates or lights up. Repeat to power off.
- **Manual Control:** Use the physical buttons on the device to adjust thrusting speed and depth.
- **App Control:** Connect the Solace Pro to the LOVENSE Remote App via Bluetooth for advanced control, including AI Sync, custom patterns, and remote play.
- **Handsfree Use:** The design supports handsfree operation.

Solace Pro

AI-powered remote control thrusting male masturbator



Immersive AI/VR
Experience



APP Remote Control



Stable Connection



Protect Your Privacy



Handsfree Use



10000+ Modes



Position Control



USB Rechargeable



Image: An infographic detailing the features of the LOVENSE Solace Pro, such as AI-powered remote control, APP remote control, stable connection, privacy protection, handsfree use, over 10000 modes, position control, and USB rechargeable functionality.

Customize powerful strokes

Smooth speed and depth adjustments provide an authentic sexual experience



Image: The LOVENSE Solace Pro device with visual indicators for speed and depth adjustments, highlighting its capability for up to 300 strokes per minute and 2.55 inches (65 mm) of depth.

AI Sync Supported

Get a truly immersive experience



Lovense AI Sync



Image: A user wearing a VR headset, interacting with the LOVENSE Solace Pro, illustrating the AI Sync feature for an immersive experience.

LOVENSE Hush 2

The Hush 2 is a 1.5-inch vibrating anal butt plug designed for comfort and safety, featuring a flared base and magnetic charging. It offers 7 distinct vibration patterns.

- **Power On/Off:** Press and hold the power button (usually located on the base) until the device vibrates or lights up. Repeat to power off.
- **Change Patterns:** Short press the power button to cycle through the 7 vibration patterns.
- **App Control:** Connect the Hush 2 to the LOVENSE Remote App via Bluetooth for precise control over vibrations and patterns.

- **Safety:** The flared base design ensures the toy stays in place and is suitable for long-term use.



Image: A diagram showing the dimensions of the LOVENSE Hush 2 (1.5 inches / 38 mm diameter, 3.94 inches / 100 mm insertable length, 4.78 inches / 121.5 mm total length, 2.64 inches / 67 mm base width) and highlighting its features: powerful vibrations, magnetic charging, smooth silicone, and 7 patterns.

MAINTENANCE AND CARE

Proper maintenance ensures the longevity and hygiene of your LOVENSE devices.

- **Cleaning:** After each use, clean both devices thoroughly with warm water and a toy cleaner or mild soap. Rinse well and allow to air dry completely before storage.
- **Lubrication:** Always use a water-based lubricant with your LOVENSE devices. Oil-based lubricants can damage the silicone material.
- **Storage:** Store devices in a clean, dry place, preferably in the provided storage pouch, away from direct sunlight and extreme temperatures.
- **Charging:** Recharge devices as needed. Avoid overcharging for extended periods.

TROUBLESHOOTING

Device Not Turning On

- Ensure the device is fully charged. Connect to the charger and wait for the indicator light.
- Press and hold the power button for at least 3-5 seconds.

Difficulty Connecting to App

- Ensure Bluetooth is enabled on your smartphone.
- Make sure the device is powered on and within range of your phone.
- Try restarting both the device and your phone.
- Ensure the LOVENSE Remote App is updated to the latest version.

Weak Vibrations/Thrusts

- Recharge the device. Low battery can affect performance.
- Clean the device thoroughly to ensure no debris is affecting internal mechanisms.

SPECIFICATIONS

Feature	LOVENSE Solace Pro	LOVENSE Hush 2
Type	Automatic Male Masturbator	Vibrating Butt Plug
Max Strokes/Min	300	N/A
Max Thrust Depth	2.55 inches (65 mm)	N/A

Feature	LOVENSE Solace Pro	LOVENSE Hush 2
Vibration Patterns	Via App (10000+ modes)	7
Charging	USB Rechargeable	Magnetic USB Rechargeable
Connectivity	Bluetooth (App Control)	Bluetooth (App Control)
Material	Body-safe silicone and ABS	Body-safe silicone
Dimensions (Hush 2)	N/A	1.5 in (38 mm) diameter, 3.94 in (100 mm) insertable length, 4.78 in (121.5 mm) total length, 2.64 in (67 mm) base width

WARRANTY AND SUPPORT

For warranty information, product registration, or technical support, please visit the official LOVENSE website or contact LOVENSE customer service directly. Details can typically be found on the product packaging or the LOVENSE brand store on Amazon.

LOVENSE Brand Store: [Visit the LOVENSE Store on Amazon](#)

© 2024 LOVENSE. All rights reserved.

Related Documents

	Lovense Solace Automatic Masturbator Cup: User Guide and Instructions Comprehensive guide to the Lovense Solace automatic male masturbator cup, covering setup, operation, charging, cleaning, and connectivity. Learn how to use your Solace for optimal pleasure.
	Lovense Hush 2 User Manual - Bluetooth Vibrating Butt Plug Discover how to use, charge, clean, and care for your Lovense Hush 2 Bluetooth vibrating butt plug. This user manual provides specifications, usage tips, and important safety warnings for the L/2.25 inch (57 mm) diameter model.



[\[pdf\]](#) User Manual Quick Start Guide Specifications Guide

HUSH 2 1 5 in UM 2021 01 User manual HYTTO PTE LTD HUSH215 LOVENSE Hush 2AXNT
2AXNTHUSH215 hush215

USER MANUAL Indicator Light Button: On/Off hold for 3 seconds Cycle Through
Vibrations one ... Li-Ion Rechargeable 60 Minutes up to 240 Minutes up to 120 Hours
IPX7 Waterproof Charging Turn off **Hush 2**. The cable can be plugged into any USB
port or USB/AC power adapter. It will take approximat...

lang:en **score:36** filesize: 864.26 K page_count: 9 document date: 2021-06-04



[\[pdf\]](#) User Manual Guide

Hush 2 25 UM Lovense Visit lovense for a complete user manual Page 7 Indicator Product model 1 75
Country of origin Email amazoneu@mail cdn UploadFiles web userGuide 20250225 |||

Hush 2 by Charging 0 90 100 Once it is fully charged, the solid red light will turn off. T
... ill att du inte fster laddningskabeln i metall eller ett material av rostfritt stl. Product
model: **Hush 2** 1.75 Country of origin: China Power supply: DC 5V, 1A Frequency:
2402MHz - 2480MHz E.I.R.P.:....

lang:es **score:36** filesize: 3.21 M page_count: 17 document date: 2025-01-24



[\[pdf\]](#) User Manual Quick Start Guide Specifications Guide

HUSH 2 1 in UM 2021 01 Manual Lovense Hush Plug Anal VibradorVibrador Controlado por APP Talla
XS 5 cm by LugamiaGuia de uso Hush2 Vibrador BaliSexStorecdn shopify s files 1102 5004 Guia
BaliSexStore v 1642622420 |||

USER MANUAL XS/1 in/25 mm diameter Indicator Light Button: On/Off hold for 3
seconds Cycle ... Li-Ion Rechargeable 40 Minutes up to 120 Minutes up to 120 Hours
IPX7 Waterproof Charging Turn off **Hush 2**. The cable can be plugged into any USB
port or USB/AC power adapter. It will take approximat...

lang:en **score:35** filesize: 1.53 M page_count: 46 document date: 2021-01-26

[Lovense Solace Pro User Guide and Setup](#)

Comprehensive guide to setting up, operating, and maintaining the Lovense Solace
Pro personal massager. Learn about charging, controls, desk mount installation,
cleaning, and app connectivity.

lang:en **score:34** filesize: 4.7 M page_count: 1 document date: 2024-07-23



[\[pdf\]](#) User Manual Quick Start Guide Specifications Guide

HUSH 2 25 in UM 2020 12 cdn lovense files guideHUSH Dec 21 2021 · 1 User Manual Quick Setup Guide Storage Bag Specifications Materials Weight Battery Charging Use Time Standby Waterproof Body Safe Silicone 239 5g Li Ion Rechargeable 155 Minutes up to 680 240 Hours IPX7 day ago · Turn off Hush The cable can be plugged into any USB port or Hush2 L v 20211221 guide 23 Bluetooth® Butt Plug Cable hours 20211223 Jan 05 2022 28 Usage Tips It is necessary properly apply lube your body and the toy before insertion If you are new anal play please research best practices avoid issues feel pain while 21 · AC power adapter will take approximately 5 fully charge Feb 24 26 Bluetooth ® 20220105 20220121 20220128 20211229 20211215 20220226 20220315 20220224 Apr 15 20220325 20220415 RS 1y7ZZE1tfh6Qp OpeH6 33tUo0M aE89MzBQ9kj4Amh COO RnWYW4 BsigM4saq4sCNEus06AbjKvbl2g PCg KNwrnEM0GLRajfpe0B 0 g 42suYp 05gb5glnrFosQk2s8d2Q Qz2EqQS qAp2Mge8eH1zWzgFrYQ RK wmwS529si53Q0hmlSOqrGS9XZ8k 20220426 20220428 ncLqklzf0JiNCkm9uo1AS1iZSWk z6HGP3k3pY0n2LsoM4ibv7Y85xs QFOWMs8RrAaWgsTKU cgGg7xQcs BYTSwora0w3M1RZ5bHx5zp2EuPk B32RC41pCO6b5thH9vXgyYWuwpq qjRiB9ZVPewzkX8weVWHACyApCE 9qS97v9V0TPab0fb2kcnNMPDF4o Ok83W5OSWbndB 54si6vMNyNI80 furjipIO rP7ppDdwmw0oDZNAa8 y4YT7b9IWw1xmmIE0ttQxHZ0oS4 j85Mh76j srXSpD3kmT6CXQd 9Q J99l2lHkTVT4FWOolpkZOoxeqQU KPhi6rpy5wPnGBB8LfQBy67j81Q eiPE1bhn7MPwgtJpIHLvfGZkooo ||| ||| USER MANUAL L/2.25 in/57 mm diameter Indicator Light Button: On/Off hold for 3 seconds Cycle Through Vibrations one tap Charging Port English What s Included 1 Bluetooth Butt Plug 1 USB Charging Cable 1 User Manual 1 Quick Setup Guide 1 Sto USER MANUAL L/2.25 in/57 mm diameter Indicator Light Button: On/Off hold for 3 seconds Cycl ... i-Ion Rechargeable 155 Minutes up to 680 Minutes up to 240 Hours IPX7 Waterproof Charging Turn off **Hush 2**. The cable can be plugged into any USB port or USB/AC power adapter. It will take approximat... lang:en score:34 filesize: 1.52 M page_count: 46 document date: 2020-12-24



[\[pdf\]](#) User Manual

HUSH 2 25 in UM 220613 outline Trovaprezzi Questo manuale d istruzione è fornito da trovaprezzi it Scopri tutte le offerte per Lovense Hush L · 57mm o cerca il tuo prodotto tra migliori lovense hush l manuali ||| Questo manuale d istruzione fornito da trovaprezzi.it. Scopri tutte le offerte per Lovense **Hush 2** L 57mm o cerca il tuo prodotto tra le migliori offerte di Sex Toys ... lang:en score:33 filesize: 11.76 M page_count: 68 document date: 2022-06-13



[\[pdf\]](#) User Manual Installation Guide

Solace pro UM User Manual HYTTO PTE LTD B12 2AXNT 2AXNTB12 b12 86X107mm 1032X107mm 2.5mm **Solace Pro** by Charging Turn On/Off Changing setting Cleaning Desk mount 0 98 - 100 Once it is fully charged, the red light will turn off. One tap to start pattern mode change pattern. 4 patterns Change stroke speed. 8 levels Change thrust depth. 4 level... lang:en score:33 filesize: 5.8 M page_count: 2 document date: 2024-06-15





[Lovense Solace Pro User Manual and Guide](#)

Comprehensive guide to the Lovense Solace Pro, covering charging, operation, cleaning, and desk mounting. Includes multilingual instructions and safety warnings.

lang:en score:32 filesize: 3.74 M page_count: 18 document date: 2024-08-23



[\[pdf\]](#)

Návod na použitie SKMasturbátor LOVENSE Solace Pro Automatic Masturbator čierny Vagíny a masturbátory FLAGRANTILLO430364 SKflagranti sk LO430364 SK |||

MASTURBTOR LOVENSE **SOLACE PRO** AUTOMATIC MASTURBATOR Nvod

OVLDANIE 1 Masturbtor zapnete podrzanm tlačidla „power priblizne na 3 sekundy. 2 Stlcanm tlačidiel so symbolom „posuvnka nastavte vsku posunu masturbtora. 3 Stlacenm tlačidiel so symbolom „hodn nastavte rchlos posunu masturbtora. 4 S...

lang:hr score:30 filesize: 374.84 K page_count: 1 document date: 2025-03-17




[\[pdf\] User Manual Guide](#)

Hush 2 1 5 UM cdn lovense UploadFiles web userGuide 20250225 |||

Hush 2 by Charging 0 60 100 Once it is fully charged, the solid red light will turn off. T ... ill att du inte fster laddningskabeln i metall eller ett material av rostfritt stl. Product model: **Hush 2** 1.5 Country of origin: China Power supply: DC 5V, 0.5A Frequency: 2402MHz - 2480MHz E.I.R.P....

lang:es score:30 filesize: 3.06 M page_count: 17 document date: 2024-09-06




[pdf]

KOLÍK ANÁLNY LOVENSE HUSH 2 PLUG LO599810 SK flagranti sk |||

KOLK ANLNY LOVENSE **HUSH 2** PLUG Nvod OVLĐANIE 1 Podrzte tlačidlo po dobu 3 seknd pre zapnutie do pohotovostnho režimu. Privta vs krtkou vibrciou a rozblíkanm LED didy. 2 alsmi krtkymi stlaceniami tohto tlačidla zapnete a mente jednotliv vibracn rytmy. 3 Vypnete ho optovnm dlhm podrzanm vrchnho tla...

lang:hr **score:29** filesize: 360.77 K page_count: 1 document date: 2025-01-13




[pdf] Instructions Test Report

Measurement Report Leo su Nei Test reports HYTTO PTE LTD HUSH215 LOVENSE Hush 2 2AXNT 2AXNTHUSH215 hush215

Test Report Report No.: MTi210511002-04E1 Date of issue: May 28, 2021 Applicant: HYTTO PTE. LTD. Product name: LOVENSE **Hush 2** Model s : **Hush 2** FCC ID: 2AXNT-HUSH215 Shenzhen Microtest Co., Ltd. http://www.mttest.com Address: 101, No. 7, Zone 2, Xinxing Industrial Park, Fuhai Avenue, Xinhe Communit...

lang:en **score:29** filesize: 2.14 M page_count: 46 document date: 2021-06-04




[pdf] Instructions Test Report

Measurement Report Leo su Nei Test reports HYTTO PTE LTD HUSH2225 LOVENSE Hush 2 2AXNT 2AXNTHUSH2225 hush2225

Test Report Report No.: MTi210511002-02E1 Date of issue: May 28, 2021 Applicant: HYTTO PTE. LTD. Product name: LOVENSE **Hush 2** Model s : L/2.25 in/57 mm diameter FCC ID: 2AXNT-HUSH2225 Shenzhen Microtest Co., Ltd. http://www.mttest.com Address: 101, No. 7, Zone 2, Xinxing Industrial Park, Fuhai Ave...

lang:en **score:29** filesize: 2.14 M page_count: 46 document date: 2021-06-04




[\[pdf\]](#) Instructions Test Report

Measurement Report Leo su Nei Test reports HYTTO PTE LTD HUSH2175 LOVENSE Hush 2 2AXNT 2AXNTHUSH2175 hush2175

Test Report Report No.: MTi210511002-03E1 Date of issue: May 28, 2021 Applicant: HYTTO PTE. LTD. Product name: LOVENSE **Hush 2** Model s : M/1.75 in/44 mm diameter FCC ID: 2AXNT-HUSH2175 Shenzhen Microtest Co., Ltd.

<http://www.mtitest.com> Address: 101, No. 7, Zone 2, Xinxing Industrial Park, Fuhai Ave...

lang:en **score:29** filesize: 2.13 M page_count: 46 document date: 2021-06-04




[\[pdf\]](#) Instructions Test Report SAR Rating

1 Leo su RF Exposure HYTTO PTE LTD HUSH215 LOVENSE Hush 2 2AXNT 2AXNTHUSH215 hush215

RF EXPOSURE Test Report Report No.: MTi210511002-04E2 Date of issue: May 28, 2021 Applicant: HYTTO PTE. LTD. Product name: LOVENSE **Hush 2** Model s : **Hush 2** FCC ID: 2AXNT-HUSH215 Shenzhen Microtest Co., Ltd. <http://www.mtitest.com>

Address: 101, No. 7, Zone 2, Xinxing Industrial Park, Fuhai Avenue, Xi...

lang:en **score:28** filesize: 204.53 K page_count: 6 document date: 2021-06-04




[\[pdf\]](#) Label

Administrator ID label and location HYTTO PTE LTD HUSH215 LOVENSE Hush 2 2AXNT 2AXNTHUSH215 hush215

Hush 2 S Lable Size: 3mm*3mm LOVENSE **Hush 2** Model: **Hush 2** FCC ID: 2AXNT-HUSH215 ...


lang:en **score:28** filesize: 175.68 K page_count: 1 document date: 2021-06-04



[\[pdf\]](#) Instructions Test Report SAR Rating

42 Leo su RF Exposure HYTTO PTE LTD HUSH2225 LOVENSE Hush 2 2AXNT 2AXNTHUSH2225 hush2225

RF EXPOSURE Test Report Report No.: MTi210511002-02E2 Date of issue: May 28, 2021 Applicant: HYTTO PTE. LTD. Product name: LOVENSE **Hush 2** Model s : L/2.25 in/57 mm diameter FCC ID: 2AXNT-HUSH2225 Shenzhen Microtest Co., Ltd. <http://www.mtitest.com> Address: 101, No. 7, Zone 2, Xinxing Industrial Par... lang:en **score:28** filesize: 213.95 K page_count: 6 document date: 2021-06-04



[\[pdf\]](#) Instructions Test Report SAR Rating

1 Leo su RF Exposure HYTTO PTE LTD HUSH2175 LOVENSE Hush 2 2AXNT 2AXNTHUSH2175 hush2175

RF EXPOSURE Test Report Report No.: MTi210511002-03E2 Date of issue: May 28, 2021 Applicant: HYTTO PTE. LTD. Product name: LOVENSE **Hush 2** Model s : M/1.75 in/44 mm diameter FCC ID: 2AXNT-HUSH2175 Shenzhen Microtest Co., Ltd. <http://www.mtitest.com> Address: 101, No. 7, Zone 2, Xinxing Industrial Par... lang:en **score:28** filesize: 224.37 K page_count: 6 document date: 2021-06-04




[\[pdf\]](#) Label

Administrator ID label and location HYTTO PTE LTD HUSH2225 LOVENSE Hush 2 2AXNT 2AXNTHUSH2225 hush2225

L/2.25 in/57 mm diameter S Lable Size:3mm*3mm LOVENSE **Hush 2** Model: L/2.25 in/57 mm diameter FCC ID2AXNT-HUSH2225 ...

lang:en **score:27** filesize: 171.94 K page_count: 1 document date: 2021-06-04



[\[pdf\]](#) Label

Administrator ID label and location HYTTO PTE LTD HUSH2175 LOVENSE Hush 2 2AXNT 2AXNTHUSH2175 hush2175

M/1.75 in/44 mm diameter S Lable Size:3mm*3mm LOVENSE **Hush 2** Model: M/1.75 in/44 mm diameter FCC ID2AXNT-HUSH2175 ...

lang:en **score:27** filesize: 176.48 K page_count: 1 document date: 2021-06-04



[\[pdf\]](#)

63 Adria Galin Pons Applus Letter Authorization HYTTO PTE LTD HUSH215 LOVENSE Hush 2 2AXNT 2AXNTHUSH215 hush215

C5266091_X8_Ed.1 Letter of Authorization HYTTO PTE. LTD. Company: HYTTO PTE. LTD. Address: 160 ROBINSON ROAD #17-08 Singapore 068914 Product Name: LOVENSE **Hush 2** Model Number: **Hush 2** FCC Identifier: 2AXNT-HUSH215 We authorize LGAI Technological Center S.A., Ronda de la Font del Carme, s/n, 08193 Bel...

lang:en **score:27** filesize: 87.92 K page_count: 1 document date: 2021-06-07



[\[pdf\]](#) User Manual

Hush 2 1 UM Trovaprezzi Visit lovense f Page 7 Indicator light Luz indicadora Product model Country of origin China Power supply DC 5V 0 3A hush xs 25mm trovaprezzi it manuali |||

Questo manuale d istruzione fornito da trovaprezzi.it. Scopri tutte le offerte per Lovense **Hush 2** XS 25mm o cerca il tuo prodotto tra le migliori offerte di Sex Toys Hus by Charging sh 2 0 Once it is fully charged, Turning On/Off 60 100 , the solid red light will turn off. Hold fo to tu...

lang:es **score:26** filesize: 3.26 M page_count: 17 document date: 2025-01-24



[pdf]

64 Adria Galin Pons Applus Letter Authorization HYTTO PTE LTD HUSH2225 LOVENSE Hush 2 2AXNT 2AXNTHUSH2225 hush2225

C5266091_X8_Ed.1 Letter of Authorization HYTTO PTE. LTD. Company: HYTTO PTE. LTD. Address: 160 ROBINSON ROAD #17-08 Singapore 068914 Product Name: LOVENSE **Hush 2** Model Number: L/2.25 in/57 mm diameter FCC Identifier: 2AXNT-HUSH2225 We authorize LGAI Technological Center S.A., Ronda de la Font del Ca...

lang:en score:26 filesize: 87.98 K page_count: 1 document date: 2021-06-07



[pdf]

62 Adria Galin Pons Applus Letter Authorization HYTTO PTE LTD HUSH2175 LOVENSE Hush 2 2AXNT 2AXNTHUSH2175 hush2175

C5266091_X8_Ed.1 Letter of Authorization HYTTO PTE. LTD. Company: HYTTO PTE. LTD. Address: 160 ROBINSON ROAD #17-08 Singapore 068914 Product Name: LOVENSE **Hush 2** Model Number: M/1.75 in/44 mm diameter FCC Identifier: 2AXNT-HUSH2175 We authorize LGAI Technological Center S.A., Ronda de la Font del Ca...

lang:en score:26 filesize: 87.98 K page_count: 1 document date: 2021-06-07



[pdf] User Manual Guide

Hush 2 1 UM cdn lovense Turning On Off Changing setting Once it is fully charged the solid red light will turn off 60 100% Hold for 3 seconds to UploadFiles web userGuide 20250225 |||

Hus by Charging sh 2 0 Once it is fully charged, Turning On/Off 60 100 , the solid red ligh ... kyla. m minst en gng var sijte mnad. dning. dningskabeln i metall eller ett material Product model: **Hush 2 1** Country of origin: China Power supply: DC 5V, 0.3A Frequency: 2402MHz - 2480 E.I.R.P.: 4.7...

lang:es score:25 filesize: 3.25 M page_count: 17 document date: 2025-01-24



[\[pdf\]](#) User Manual Instructions

Solace pro UM 6972677430364 3cdn notinoimg files instructions 3 Návod na použitie ENMasturbátor
LOVENSE Pro Automatic Masturbator čierny Vagíny a masturbátory FLAGRANTILO430364
EN6972677430364 3flagranti sk LO430364 ENcdn ||| |||

...

lang:es score:23 filesize: 8.05 M page_count: 18 document date: 2025-01-20



[\[pdf\]](#) User Manual Guide

HUSH 2 25 in UM 220613 outline Hush2 L User Manual cdn lovense UploadFiles web userGuide
20230202 |||

...

lang:es score:22 filesize: 11.76 M page_count: 68 document date: 2022-06-13



[\[pdf\]](#) User Manual Guide

HUSH 2 1 in UM 220613 outline Hush2 XS User Manual cdn lovense UploadFiles web userGuide
20230202 |||

...

lang:es score:22 filesize: 11.48 M page_count: 68 document date: 2022-06-13



[\[pdf\]](#) User Manual Guide

HUSH 2 1 75 in UM 220613 outline Hush2 M User Manual cdn lovense UploadFiles web userGuide
20230202 |||

...

lang:es score:22 filesize: 11.71 M page_count: 68 document date: 2022-06-13



[\[pdf\]](#) User Manual Guide

HUSH 2 1 5 in UM 220613 outline Hush2 S User Manual cdn lovense UploadFiles web userGuide
20230202 |||

...

lang:es score:22 filesize: 11.51 M page_count: 68 document date: 2022-06-13



[Lovense Hush 2 User Manual - Bluetooth Vibrating Butt Plug](#)

Discover how to use, charge, clean, and care for your Lovense Hush 2 Bluetooth vibrating butt plug. This user manual provides specifications, usage tips, and important safety warnings for the L/2.25 inch (57 mm) diameter model.

lang:es score:19 filesize: 2.61 M page_count: 9 document date: 2021-06-04




[\[pdf\]](#) User Manual

HUSH 2 1 75 in UM 2020 User manual HYTTO PTE LTD HUSH2175 LOVENSE Hush 2AXNT
2AXNTHUSH2175 hush2175

...

lang:es score:19 filesize: 2.96 M page_count: 9 document date: 2021-06-04




[\[pdf\]](#) Label

Administrator label HYTTO PTE LTD B12 2AXNT 2AXNTB12 b12

Label of **Solace Pro** LABLE Size:30mm*20mm LOVENSE **Solace Pro** Model: **Solace Pro** FCC ID: 2AXNT-B12 IC ID: 28653-B12 ...

lang:es **score:19** filesize: 202.67 K page_count: 1 document date: 2024-06-17



[\[pdf\]](#) Product Photos

Ace Chai Microsoft Test setup photos HYTTO PTE LTD HUSH215 LOVENSE Hush 2 2AXNT 2AXNTHUSH215 hush215

Model: **Hush 2** Radiated emission Conducted emission ...

lang:es **score:17** filesize: 284.26 K page_count: 2 document date: 2021-06-04




[\[pdf\]](#)

Tenga 3D Spiral sacredsex 2024 sacred v 1727101587 cdn shopify s files 1 0037 9466 5572 |||

Contenido VIBRADORES ANAL BDSM PARA ELLOS BATHMATE LUBRICANTES VIBRADORES Disfruta cada momento L ... CON SU APP 163 BS.1136 MAN KRAKEN BY LOVENSE HUEVO MASTURBADOR MEDIDAS 6,2 * 5,2 cm 18 BS.131 **SOLACE PRO** BY LOVANCE MASTURBADOR DE LUJO CON APP RECARGABLE 212 BS.1547 MAN LLANERO SOLITARIO ...


lang:es **score:17** filesize: 5.01 M page_count: 67 document date: 2024-09-05



[\[pdf\]](#) Product Photos Teardown

ATTACHMENT PHOTOGRAPHS OF EUT WwW YImF CoM Internal photos HYTTO PTE LTD
HUSH215 LOVENSE Hush 2 2AXNT 2AXNTHUSH215 hush215

1 - Page 1 of 3 - APPENDIX 1- EUT PHOTO Photo 1 For model **Hush 2** Photo 2
Address: 101, No. 7, Zone 2, Xinxing Industrial Park, Fuhai Avenue, Xinxhe
Community, Fuhai Street, Bao an District, Shenzhen, Guangdong, China. Tel: 86-755
88850135 Fax: 86-755 88850136 Web:www.mttest.com E-mail:...
lang:tl **score:16** filesize: 658.99 K page_count: 3 document date: 2021-06-07



[\[pdf\]](#) Product Photos

ATTACHMENT PHOTOGRAPHS OF EUT WwW YImF CoM External photos HYTTO PTE LTD
HUSH215 LOVENSE Hush 2 2AXNT 2AXNTHUSH215 hush215

1 - Page 1 of 4 - APPENDIX 1- EUT PHOTO Photo 1 For model **Hush 2** Photo 2
Address: 101, No. 7, Zone 2, Xinxing Industrial Park, Fuhai Avenue, Xinxhe
Community, Fuhai Street, Bao an District, Shenzhen, Guangdong, China. Tel: 86-755
88850135 Fax: 86-755 88850136 Web:www.mttest.com E-mail:...
lang:tl **score:16** filesize: 623.73 K page_count: 4 document date: 2021-06-04



[\[pdf\]](#) User Manual

HUSH 2 1 in UM 220613 outline LOVENSE Hush USER MANUAL DO NOT boil water the battery may
explode or could leak into toy Keep away from extreme heat cold Make sure your is recharged at B1
x3Z3Ba9L m media amazon images I |||

...

lang:tl **score:16** filesize: 3.37 M page_count: 68 document date: 2022-06-13



[\[pdf\]](#) User Manual

HUSH 2 1 75 in UM 220613 outline LOVENSE Hush USER MANUAL flagranti skDO NOT boil water the
battery may explode or could leak into toy Keep away from extreme heat cold Make sure your is
recharged at B1HDBvAqJZLm media amazon images I B1HDBvAqJZL |||

...

lang:tl **score:16** filesize: 3.42 M page_count: 68 document date: 2022-06-13



[Lovense Solace Pro User Manual and Guide](#)

Comprehensive guide to the Lovense Solace Pro, covering charging, operation, cleaning, desk mount installation, and safety warnings. Includes product specifications and manufacturer details.

lang:tl score:13 filesize: 8.05 M page_count: 18 document date: 2025-01-20




[\[pdf\]](#)

Bekijk de CE marking Lovense Hush 2 Vibrerende Buttplug Zwart 4 45cm bol original media s xN340kwAjkJq |||

...

lang:tl score:13 filesize: 98.91 K page_count: 1 document date: 2023-07-12



[\[pdf\]](#) Test Report

HD 271 S1 LAB02 test report HYTTO PTE LTD B12 2AXNT 2AXNTB12 b12
Report No.: ET-24050460E TEST REPORT Applicant: Address of Applicant:
Manufacturer/Factory: Addres ... Pingshan Industrial Zone, Pingshan 1st Rd, Taoyuan St, Nanshan, Shenzhen, Guangdong, China, 518055 **Solace Pro Solace Pro**
LOVENSE 2AXNT-B12 28653-B12 FCC CFR Title 47 Part 15 Subpart C Section 15.247 ...

lang:en score:12 filesize: 909.71 K page_count: 33 document date: 2024-06-15

03265091_X10_Ed.1

HYTTO PTE. LTD.

Office of Engineering Technology
Federal Communications Commission
7435 Oakland Mills Road
Columbia, MD 21046

Date: 6/7/2021

Subject: Request for Confidentiality
FCC ID: 2AXNT-HUSH2225

To Whom It May Concern,

Pursuant to the provisions of Sections 0.457 and 0.459 of Commission's rules (47CFR 0.457, 0.459), we are requesting the Commission to withhold the following attachment(s) as confidential document from public disclosure.

Exemptions	Long Term Confidentiality	Short Term Confidentiality
1) Label Location	No	No
2) Antenna Diagram	No	No
3) External Photos	No	No
4) Block Diagram	No	No
5) Block Diagram	No	No
6) Test Report	No	No
7) Test Report	No	No
8) Test Report	No	No
9) Test Report	No	No
10) Test Report	No	No
11) Test Report	No	No
12) Test Report	No	No
13) Test Report	No	No
14) Test Report	No	No
15) Test Report	No	No
16) Test Report	No	No
17) Test Report	No	No
18) Test Report	No	No
19) Test Report	No	No
20) Test Report	No	No
21) Test Report	No	No
22) Test Report	No	No
23) Test Report	No	No
24) Test Report	No	No
25) Test Report	No	No
26) Test Report	No	No
27) Test Report	No	No
28) Test Report	No	No
29) Test Report	No	No
30) Test Report	No	No
31) Test Report	No	No
32) Test Report	No	No
33) Test Report	No	No
34) Test Report	No	No
35) Test Report	No	No
36) Test Report	No	No
37) Test Report	No	No
38) Test Report	No	No
39) Test Report	No	No
40) Test Report	No	No
41) Test Report	No	No
42) Test Report	No	No
43) Test Report	No	No
44) Test Report	No	No
45) Test Report	No	No
46) Test Report	No	No
47) Test Report	No	No
48) Test Report	No	No
49) Test Report	No	No
50) Test Report	No	No
51) Test Report	No	No
52) Test Report	No	No
53) Test Report	No	No
54) Test Report	No	No
55) Test Report	No	No
56) Test Report	No	No
57) Test Report	No	No
58) Test Report	No	No
59) Test Report	No	No
60) Test Report	No	No
61) Test Report	No	No
62) Test Report	No	No
63) Test Report	No	No
64) Test Report	No	No
65) Test Report	No	No
66) Test Report	No	No
67) Test Report	No	No
68) Test Report	No	No
69) Test Report	No	No
70) Test Report	No	No
71) Test Report	No	No
72) Test Report	No	No
73) Test Report	No	No
74) Test Report	No	No
75) Test Report	No	No
76) Test Report	No	No
77) Test Report	No	No
78) Test Report	No	No
79) Test Report	No	No
80) Test Report	No	No
81) Test Report	No	No
82) Test Report	No	No
83) Test Report	No	No
84) Test Report	No	No
85) Test Report	No	No
86) Test Report	No	No
87) Test Report	No	No
88) Test Report	No	No
89) Test Report	No	No
90) Test Report	No	No
91) Test Report	No	No
92) Test Report	No	No
93) Test Report	No	No
94) Test Report	No	No
95) Test Report	No	No
96) Test Report	No	No
97) Test Report	No	No
98) Test Report	No	No
99) Test Report	No	No
100) Test Report	No	No

Above mentioned document contains detailed system and equipment description are considered as proprietary information in operation of the equipment. The public disclosure of above documents might be harmful to our company and would give competitor an unfair advantage in the market.

It is our understanding that all measurement test reports, FCC ID label format and corresponding during certification review process cannot be granted as confidential documents and those information will be available for public review once the grant of equipment authorization is issued.

Sincerely,
Signature: 
Name: Xiaohu Liang Date: 6/7/2021
Title: BEG

1/1

[pdf] Confidentiality Request Letter

64 Adria Galin Pons Applus Confidentiality HYTTO PTE LTD HUSH2225 LOVENSE Hush 2 2AXNT 2AXNTHUSH2225 hush2225

C5266091_X10_Ed.1 HYTTO PTE. LTD. Office of Engineering Technology Federal Communications Commission 7435 Oakland Mills Road Columbia, MD 21046

Subject: Request for Confidentiality FCC ID: 2AXNT-HUSH2225 Date: 6/7/2021 To Whom It May Concern, Pursuant to the provisions of Sections 0.457 and 0.4... lang:en score:11 filesize: 131.74 K page_count: 1 document date: 2021-06-07

03265091_X10_Ed.1

HYTTO PTE. LTD.

Office of Engineering Technology
Federal Communications Commission
7435 Oakland Mills Road
Columbia, MD 21046

Date: 6/7/2021

Subject: Request for Confidentiality
FCC ID: 2AXNT-HUSH2175

To Whom It May Concern,

Pursuant to the provisions of Sections 0.457 and 0.459 of Commission's rules (47CFR 0.457, 0.459), we are requesting the Commission to withhold the following attachment(s) as confidential document from public disclosure.

Exemptions	Long Term Confidentiality	Short Term Confidentiality
1) Label Location	No	No
2) Antenna Diagram	No	No
3) External Photos	No	No
4) Block Diagram	No	No
5) Block Diagram	No	No
6) Test Report	No	No
7) Test Report	No	No
8) Test Report	No	No
9) Test Report	No	No
10) Test Report	No	No
11) Test Report	No	No
12) Test Report	No	No
13) Test Report	No	No
14) Test Report	No	No
15) Test Report	No	No
16) Test Report	No	No
17) Test Report	No	No
18) Test Report	No	No
19) Test Report	No	No
20) Test Report	No	No
21) Test Report	No	No
22) Test Report	No	No
23) Test Report	No	No
24) Test Report	No	No
25) Test Report	No	No
26) Test Report	No	No
27) Test Report	No	No
28) Test Report	No	No
29) Test Report	No	No
30) Test Report	No	No
31) Test Report	No	No
32) Test Report	No	No
33) Test Report	No	No
34) Test Report	No	No
35) Test Report	No	No
36) Test Report	No	No
37) Test Report	No	No
38) Test Report	No	No
39) Test Report	No	No
40) Test Report	No	No
41) Test Report	No	No
42) Test Report	No	No
43) Test Report	No	No
44) Test Report	No	No
45) Test Report	No	No
46) Test Report	No	No
47) Test Report	No	No
48) Test Report	No	No
49) Test Report	No	No
50) Test Report	No	No
51) Test Report	No	No
52) Test Report	No	No
53) Test Report	No	No
54) Test Report	No	No
55) Test Report	No	No
56) Test Report	No	No
57) Test Report	No	No
58) Test Report	No	No
59) Test Report	No	No
60) Test Report	No	No
61) Test Report	No	No
62) Test Report	No	No
63) Test Report	No	No
64) Test Report	No	No
65) Test Report	No	No
66) Test Report	No	No
67) Test Report	No	No
68) Test Report	No	No
69) Test Report	No	No
70) Test Report	No	No
71) Test Report	No	No
72) Test Report	No	No
73) Test Report	No	No
74) Test Report	No	No
75) Test Report	No	No
76) Test Report	No	No
77) Test Report	No	No
78) Test Report	No	No
79) Test Report	No	No
80) Test Report	No	No
81) Test Report	No	No
82) Test Report	No	No
83) Test Report	No	No
84) Test Report	No	No
85) Test Report	No	No
86) Test Report	No	No
87) Test Report	No	No
88) Test Report	No	No
89) Test Report	No	No
90) Test Report	No	No
91) Test Report	No	No
92) Test Report	No	No
93) Test Report	No	No
94) Test Report	No	No
95) Test Report	No	No
96) Test Report	No	No
97) Test Report	No	No
98) Test Report	No	No
99) Test Report	No	No
100) Test Report	No	No

Above mentioned document contains detailed system and equipment description are considered as proprietary information in operation of the equipment. The public disclosure of above documents might be harmful to our company and would give competitor an unfair advantage in the market.

It is our understanding that all measurement test reports, FCC ID label format and corresponding during certification review process cannot be granted as confidential documents and those information will be available for public review once the grant of equipment authorization is issued.

Sincerely,
Signature: 
Name: Xiaohu Liang Date: 6/7/2021
Title: BEG

1/1

[pdf] Confidentiality Request Letter

63 Adria Galin Pons Applus Confidentiality HYTTO PTE LTD HUSH2175 LOVENSE Hush 2 2AXNT 2AXNTHUSH2175 hush2175

C5266091_X10_Ed.1 HYTTO PTE. LTD. Office of Engineering Technology Federal Communications Commission 7435 Oakland Mills Road Columbia, MD 21046

Subject: Request for Confidentiality FCC ID: 2AXNT-HUSH2175 Date: 6/7/2021 To Whom It May Concern, Pursuant to the provisions of Sections 0.457 and 0.4... lang:en score:11 filesize: 131.78 K page_count: 1 document date: 2021-06-07

03265091_X10_Ed.1

HYTTO PTE. LTD.

Office of Engineering Technology
Federal Communications Commission
7435 Oakland Mills Road
Columbia, MD 21046

Date: 6/7/2021

Subject: Request for Confidentiality
FCC ID: 2AXNT-HUSH215

To Whom It May Concern,

Pursuant to the provisions of Sections 0.457 and 0.459 of Commission's rules (47CFR 0.457, 0.459), we are requesting the Commission to withhold the following attachment(s) as confidential document from public disclosure.

Exemptions	Long Term Confidentiality	Short Term Confidentiality
1) Label Location	No	No
2) Antenna Diagram	No	No
3) External Photos	No	No
4) Block Diagram	No	No
5) Block Diagram	No	No
6) Test Report	No	No
7) Test Report	No	No
8) Test Report	No	No
9) Test Report	No	No
10) Test Report	No	No
11) Test Report	No	No
12) Test Report	No	No
13) Test Report	No	No
14) Test Report	No	No
15) Test Report	No	No
16) Test Report	No	No
17) Test Report	No	No
18) Test Report	No	No
19) Test Report	No	No
20) Test Report	No	No
21) Test Report	No	No
22) Test Report	No	No
23) Test Report	No	No
24) Test Report	No	No
25) Test Report	No	No
26) Test Report	No	No
27) Test Report	No	No
28) Test Report	No	No
29) Test Report	No	No
30) Test Report	No	No
31) Test Report	No	No
32) Test Report	No	No
33) Test Report	No	No
34) Test Report	No	No
35) Test Report	No	No
36) Test Report	No	No
37) Test Report	No	No
38) Test Report	No	No
39) Test Report	No	No
40) Test Report	No	No
41) Test Report	No	No
42) Test Report	No	No
43) Test Report	No	No
44) Test Report	No	No
45) Test Report	No	No
46) Test Report	No	No
47) Test Report	No	No
48) Test Report	No	No
49) Test Report	No	No
50) Test Report	No	No
51) Test Report	No	No
52) Test Report	No	No
53) Test Report	No	No
54) Test Report	No	No
55) Test Report	No	No
56) Test Report	No	No
57) Test Report	No	No
58) Test Report	No	No
59) Test Report	No	No
60) Test Report	No	No
61) Test Report	No	No
62) Test Report	No	No
63) Test Report	No	No
64) Test Report	No	No
65) Test Report	No	No
66) Test Report	No	No
67) Test Report	No	No
68) Test Report	No	No
69) Test Report	No	No
70) Test Report	No	No
71) Test Report	No	No
72) Test Report	No	No
73) Test Report	No	No
74) Test Report	No	No
75) Test Report	No	No
76) Test Report	No	No
77) Test Report	No	No
78) Test Report	No	No
79) Test Report	No	No
80) Test Report	No	No
81) Test Report	No	No
82) Test Report	No	No
83) Test Report	No	No
84) Test Report	No	No
85) Test Report	No	No
86) Test Report	No	No
87) Test Report	No	No
88) Test Report	No	No
89) Test Report	No	No
90) Test Report	No	No
91) Test Report	No	No
92) Test Report	No	No
93) Test Report	No	No
94) Test Report	No	No
95) Test Report	No	No
96) Test Report	No	No
97) Test Report	No	No
98) Test Report	No	No
99) Test Report	No	No
100) Test Report	No	No

Above mentioned document contains detailed system and equipment description are considered as proprietary information in operation of the equipment. The public disclosure of above documents might be harmful to our company and would give competitor an unfair advantage in the market.

It is our understanding that all measurement test reports, FCC ID label format and corresponding during certification review process cannot be granted as confidential documents and those information will be available for public review once the grant of equipment authorization is issued.

Sincerely,
Signature: 
Name: Xiaohu Liang Date: 6/7/2021
Title: BEG


1/1

[pdf] Confidentiality Request Letter

64 Adria Galin Pons Applus Confidentiality HYTTO PTE LTD HUSH215 LOVENSE Hush 2 2AXNT 2AXNTHUSH215 hush215

C5266091_X10_Ed.1 HYTTO PTE. LTD. Office of Engineering Technology Federal Communications Commission 7435 Oakland Mills Road Columbia, MD 21046

Subject: Request for Confidentiality FCC ID: 2AXNT-HUSH215 Date: 6/7/2021 To Whom It May Concern, Pursuant to the provisions of Sections 0.457 and 0.45... lang:en score:11 filesize: 131.75 K page_count: 1 document date: 2021-06-07




[\[pdf\]](#) Product Photos

Ace Chai Microsoft Test setup photos HYTTO PTE LTD HUSH2225 LOVENSE Hush 2 2AXNT 2AXNTHUSH2225 hush2225

Model: L/2.25 in/57 mm diameter Radiated emission Conducted emission ...

lang:en score:11 filesize: 275.84 K page_count: 2 document date: 2021-06-04



[\[pdf\]](#) Product Photos

Ace Chai Microsoft Test setup photos HYTTO PTE LTD HUSH2175 LOVENSE Hush 2 2AXNT 2AXNTHUSH2175 hush2175

Model: M/1.75 in/44 mm diameter Radiated emission Conducted emission ...

lang:en score:11 filesize: 122.18 K page_count: 2 document date: 2021-06-04