

[Manuals.plus](#) /

› [Aquaguard](#) /

› Aquaguard Enrich Marvel UV+UF SS 2X Water Purifier Instruction Manual

Aquaguard Aquaguard Enrich Marvel UV+UF SS 2X

Aquaguard Enrich Marvel UV+UF SS 2X Water Purifier

Instruction Manual

INTRODUCTION

This manual provides essential information for the safe and efficient operation, installation, and maintenance of your Aquaguard Enrich Marvel UV+UF SS 2X water purifier. Please read these instructions carefully before using the appliance and retain them for future reference.



Image: Front view of the Aquaguard Enrich Marvel UV+UF SS 2X water purifier.

KEY FEATURES

- **NanoPore Filter Technology:** Provides comprehensive protection against bacteria, viruses, cysts, organic chemicals, and excess chlorine for up to 2 years or 10,000 liters, whichever comes first, under standard lab conditions (TDS ≤ 200 ppm with NaCl).
- **Stainless Steel Tank:** Equipped with a high-grade 304 stainless steel storage tank, offering durability, corrosion resistance, and ensuring water remains fresh for longer. The tank comes with a lifetime warranty.
- **9-Stage Purification:** Features a superior 9-stage purification process including UV+UF. This includes 99.9999% bacteria reduction, 99.99% virus reduction, UV e-boiling for purity equivalent to water boiled for over 20 minutes, and Ultra Filtration 2X for crystal clear water by removing ultra-fine suspended particles.
- **3-in-1 Active Copper Technology:** Infuses the correct amount of copper into the purified water from the first drop, adhering to BIS norms. This technology is clean-free and suitable for all age groups.
- **Mega Sediment Filter:** An additional filter designed to remove fine dust, dirt, and mud particles from the incoming water, preventing choking and extending the lifespan of internal filters.

- **Municipal Water Compatibility:** Specifically designed for municipal or soft water sources with a TDS level below 200 ppm. It is not suitable for borewell or tanker water with TDS levels exceeding 200 ppm.

SETUP

Pre-Installation Checks

- Ensure your water source is municipal or soft water with a Total Dissolved Solids (TDS) level less than 200 ppm. This purifier is not designed for borewell or tanker water with higher TDS levels.
- Verify that the installation location is suitable for a countertop unit and has access to a power source and water supply.



Image: Diagram illustrating that the water purifier is suitable for municipal water (TDS < 200 ppm) and not for borewell or tanker water.

Installation Process

Your Aquaguard Enrich Marvel UV+UF SS 2X water purifier includes a complimentary installation service. It is highly recommended to utilize the professional installation provided by Aquaguard to ensure correct setup and optimal performance. The installation kit is provided with the product.

1. Upon delivery, contact Aquaguard customer service to schedule your free installation.
2. A certified technician will visit to install the unit, connect it to your water supply, and ensure proper functioning.
3. The technician will also perform initial checks and provide a brief demonstration of the product's operation.

OPERATING INSTRUCTIONS

First Use

1. After professional installation, ensure the power supply is connected and switched on.
2. Allow the storage tank to fill completely. The purifier has a capacity of 6 liters.
3. Dispense and discard the first few liters of purified water to flush out any residual manufacturing impurities.

Daily Operation

- The purifier operates automatically to fill the storage tank as water is consumed.
- To dispense water, place a container under the dispenser tap and activate the tap.
- The maximum flow rate is 24 liters per hour.

- Ensure the water pressure is within the operating range of up to 3 kilograms per square centimeter for optimal performance.

MAINTENANCE

Filter Replacement

- The NanoPore filters are designed for a life cycle of 2 years or 10,000 liters, whichever occurs earlier.
- Regular replacement of filters is crucial for maintaining water quality and purifier efficiency.
- Contact Aquaguard customer service to schedule filter replacement.



Image: Illustration of the NanoPore filter technology, highlighting its ability to protect against bacteria, viruses, cysts, organic chemicals, and excess chlorine.

Cleaning and Service

- Your purchase includes 2 free cleaning services as part of the Aquaguard Genuine Service plan for the first year.
- Schedule these services with Aquaguard customer care to ensure the purifier remains hygienic and performs optimally.
- Periodically wipe the exterior of the unit with a soft, damp cloth. Do not use harsh chemicals or abrasive cleaners.

TROUBLESHOOTING

If you experience any issues with your Aquaguard Enrich Marvel UV+UF SS 2X water purifier, please refer to the following general advice:

- **No Water Dispensing:** Check if the power supply is on and if the water inlet valve is open. Ensure the storage tank is not empty.
- **Slow Water Flow:** This could indicate a clogged filter. Contact customer service for inspection and potential filter replacement.
- **Unusual Taste/Odor:** If this persists after flushing the initial few liters, contact customer service.
- **Leakage:** Immediately turn off the water supply to the unit and disconnect power. Contact customer service for assistance.

For any problems not listed here or if the issue persists, please contact Aquaguard customer support for professional diagnosis and repair.

SPECIFICATIONS

Feature	Specification
Brand	Aquaguard
Model Name	Aquaguard Enrich Marvel UV+UF+SS 2X
Model Number	GWPDEMU2X00000
Product Dimensions (L x W x H)	32L x 27.5W x 47.6H Centimeters
Item Weight	6 Kilograms
Material	Acrylonitrile Butadiene Styrene (ABS)
Capacity	6 litres
Purification Method	Ultraviolet (UV), Ultra Filtration (UF)
Power Source Type	Corded Electric
Maximum Flow Rate	24 Liters Per Hour
Operating Pressure Range	Up to 3 Kilograms Per Square Centimeter
Supported Water TDS Level Maximum	200 ppm (Municipal/Soft Water Only)
Filter Life Cycle	2 Years or 10,000 Liters
Installation Type	Countertop
Whats in the box?	Installation Kit

WARRANTY AND SUPPORT

Warranty Information

- Your Aquaguard Enrich Marvel UV+UF SS 2X comes with a 1-year free warranty from the date of purchase.
- The stainless steel storage tank is covered by a lifetime warranty.

Customer Support

Aquaguard offers a comprehensive service plan and support network:

- **Free Installation:** Complimentary installation service is included with your purchase.
- **Free Cleaning Service:** Two free cleaning services are provided during the first year of ownership.
- **Unlimited Repair Visits:** Unlimited repair visits are covered during the first year of ownership.
- **Widest Service Network:** Aquaguard is supported by India's widest service network, accessible across 19,500+ pin-codes.

FREE SERVICE PLAN




Free
Installation



2 Free Cleaning
Service



Unlimited Repair
Visits*



*For the first year only

Image: Overview of the Aquaguard Free Service Plan, detailing free installation, two free cleaning services, and unlimited repair visits. For service requests, warranty claims, or any product-related inquiries, please contact Eureka Forbes customer service. Contact information can typically be found on the product packaging or the official Aquaguard website.

Manufactured and Marketed by: Eureka Forbes Limited
For more information, visit the [Aquaguard Store](#).

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

