Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Haofy Haofysmdeprzwc7

Black Acrylic Billiard Ball Gear Shift Knob User Manual

Model: Haofysmdeprzwc7 | Brand: Haofy

1. Product Overview

This Black Acrylic Billiard Ball Gear Shift Knob is designed for universal fit in most manual and automatic transmission vehicles without a lock button. It offers convenient operation and a comfortable hand feel, enhancing your car's interior with a luxurious billiard ball appearance. The package includes multiple threaded adapters (M8 X 1.25, M10 X 1.25, M10 X 1.5) for easy installation.

Key Features:

- Convenient operation: The gear head can be mounted directly onto the shift knob for ease of use.
- Universal Fit: Suitable for all manual transmissions and fits universal automobiles.
- Fine Grip: Ensures durable quality with an easy-to-use design and comfortable hand feel.
- Enhanced Aesthetics: Improves the appearance of your car with a luxurious billiard ball look.
- Easy Installation: Simply disassemble the old knob and replace it with the new one.

2. Setup and Installation

This section guides you through the installation process of your new gear shift knob.



Figure 2.1: The Black Acrylic Billiard Ball Gear Shift Knob with included M8x1.25, M10x1.25, and M10x1.5 threaded adapters.

Installation Steps:

1. **Step 1: Remove the Original Shift Knob.** Carefully unscrew or detach the existing gear shift knob from your vehicle's shift lever.
2. **Step 2: Select the Correct Adapter.** Identify the plastic adapter that best fits the thread size of your vehicle's shift lever. The kit includes M8 X 1.25, M10 X 1.25, and M10 X 1.5 adapters.



Figure 2.2: Illustration of removing the old knob and selecting the appropriate adapter.

3. **Step 3: Place the Gear Head onto the Shift Knob.** Once the correct adapter is in place, position the new billiard ball gear shift knob over the shift lever.
4. **Step 4: Secure the Gear Head.** The gear head is designed to be mounted directly onto the shift knob. Screw it down firmly until it is secure. If the fit is slightly loose, you may wrap the shift lever with electrical tape before screwing on the knob to ensure a tighter fit.



Figure 2.3: Visual guide for placing and securing the new gear shift knob.

Important Note: Ensure the threaded joint size matches your vehicle's shift lever. If the size is slightly smaller, you can use tape to create a snug fit before tightening the knob.

3. Operating Instructions

Once installed, the Black Acrylic Billiard Ball Gear Shift Knob operates identically to your vehicle's original shift knob. Its ergonomic design provides a comfortable grip for smooth gear changes.

- **Manual Transmissions:** Engage and disengage gears as per your vehicle's standard operation.
- **Automatic Transmissions (without lock button):** Shift between Park, Reverse, Neutral, Drive, and Low gears as usual.



Figure 3.1: The gear shift knob seamlessly integrated into a vehicle's interior.

4. Maintenance and Care

To ensure the longevity and appearance of your Black Acrylic Billiard Ball Gear Shift Knob, follow these simple maintenance guidelines:

- **Cleaning:** Wipe the surface with a soft, damp cloth. Avoid abrasive cleaners or solvents, as they may damage the acrylic finish.
- **Inspection:** Periodically check the knob for any looseness. If it feels loose, gently re-tighten it by screwing it clockwise.
- **Avoid Extreme Temperatures:** While durable, prolonged exposure to extreme heat or cold may affect the material.

5. Troubleshooting

Problem	Possible Cause	Solution
Knob feels loose after installation.	Incorrect adapter size or insufficient tightening.	Ensure the correct adapter is used. Re-tighten the knob firmly. If still loose, wrap the shift lever with electrical tape before re-installing the knob to create a tighter fit.
Difficulty in shifting gears.	This knob does not affect the internal mechanics of the transmission.	Check your vehicle's transmission system. This issue is likely unrelated to the shift knob itself.

Problem	Possible Cause	Solution
Scratches or dullness on the surface.	Abrasive cleaning materials or rough handling.	Clean only with a soft, damp cloth. Avoid harsh chemicals. Minor scratches may be buffed out with a plastic polish designed for acrylics.

6. Specifications

Attribute	Detail
Product Type	Gear Shift Knob
Material	Acrylic
Color	Black
Compatibility	Universal for most manual transmissions and automatic transmissions without a lock button.
Included Adapters	M8 X 1.25, M10 X 1.25, M10 X 1.5
Dimensions (Product)	9 x 7 x 7 cm (Length x Width x Height)
Weight	174 Grams
Model Number	Haofysmdeprzwc7
Brand	Haofy

7. Warranty and Support

For any questions, concerns, or support regarding your Black Acrylic Billiard Ball Gear Shift Knob, please contact the manufacturer or your point of purchase.
Manufacturer: Haofy
Please refer to your purchase documentation for specific warranty details, as warranty terms may vary by region and retailer.

© 2024 Haofy. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0F8W4LNN2

More documents and user manuals: **https://manuals.plus/**