



[Manuals.plus](#) /

› [NAVIFORCE](#) /

› NAVIFORCE NF9230 Analog Watch User Manual

NAVIFORCE NF9230

NAVIFORCE NF9230 Analog Watch User Manual

Comprehensive guide for setup, operation, and maintenance of your NAVIFORCE NF9230 timepiece.

INTRODUCTION

Thank you for choosing the NAVIFORCE NF9230 Analog Watch. This manual provides essential information to help you understand, operate, and maintain your watch effectively. Please read these instructions carefully to ensure optimal performance and longevity of your timepiece.



Image: The NAVIFORCE NF9230 watch featuring a blue dial, rose gold accents, and a two-tone stainless steel bracelet.

SETUP

Initial Inspection

Upon unboxing, inspect your watch for any visible damage. Ensure the crown is pushed in fully against the watch case to prevent moisture entry and to ensure the watch is running.

Setting the Time

1. Pull the crown (the small knob on the side of the watch) out to the second click position.
2. Rotate the crown clockwise or counter-clockwise to set the hour and minute hands to the correct time.
3. Once the time is set, push the crown back in fully to its original position against the watch case.

Setting the Date

Your NAVIFORCE NF9230 watch features a calendar function.

1. Pull the crown out to the first click position.
2. Rotate the crown to adjust the date. Avoid setting the date between 9 PM and 3 AM, as this is when the watch's internal mechanism is engaged in changing the date, and manual adjustment can cause damage.
3. Once the date is set, push the crown back in fully to its original position.

OPERATING INSTRUCTIONS

Wearing the Watch

The watch features a convenient stainless steel strap with a double-press butterfly clasp. To wear the watch:

1. Open the butterfly clasp by pressing the buttons on the sides.
2. Place the watch on your wrist and close the clasp until it clicks securely.
3. Adjust the strap length for a comfortable fit. This may require professional assistance to remove or add links.



Image: The NAVIFORCE NF9230 watch comfortably worn on a wrist.

Daily Use

Your NAVIFORCE NF9230 is designed for daily wear. Avoid exposing it to extreme temperatures, strong magnetic fields, or harsh chemicals. Ensure the crown is always fully pushed in to maintain water resistance.

MAINTENANCE

Cleaning

The stainless steel strap is designed for easy cleaning and maintenance. To clean your watch:

- Wipe the watch case and strap with a soft, dry cloth regularly to remove dust and fingerprints.
- For more thorough cleaning of the stainless steel strap, use a soft brush with mild soapy water, then rinse carefully (avoiding direct water exposure to the watch head if possible) and dry thoroughly.

Water Resistance

Your watch features a **3ATM (30 meters) water-resistant** design. This means it is suitable for daily challenges such as hand washing, rain showers, and accidental splashes. It is **not** suitable for swimming, diving, showering, or any prolonged water immersion. Always ensure the crown is fully pushed in when the watch is exposed to water.

Battery Life

The imported quartz movement provides precise timing and reliability with a battery life of up to 2-3 years. When the watch stops or the second hand begins to skip, it indicates that the battery needs replacement. It is recommended to have the battery replaced by a qualified watch technician to ensure proper sealing and maintain water resistance.

TROUBLESHOOTING

Watch Not Running

- **Check the Crown:** Ensure the crown is fully pushed in against the watch case. If it is pulled out, the watch will not run.
- **Battery:** If the watch has stopped completely and the crown is correctly positioned, the battery may need replacement. Refer to the "Battery Life" section under Maintenance.

Date Not Changing

- **Time Cycle:** The date changes automatically when the watch passes midnight. If the date is not changing, ensure the watch is set to the correct AM/PM cycle.
- **Manual Adjustment:** If you manually adjusted the date between 9 PM and 3 AM, it might interfere with the mechanism. Try resetting the date outside this window.

For issues not covered here, please contact customer support.

SPECIFICATIONS

Below are the detailed specifications for the NAVIFORCE NF9230 watch:



Case Diameter
42mm



Total length : 220mm

MODEL NO.	NF9230	CASE THICKNESS	11mm
WEIGHT	104g	LUG WIDTH	22mm
BUCKLE WIDTH	20mm	CASE DIAMETER	42mm
 Stainless steel strap	 Japanese metal quartz movement	 Hardened mineral glass	 3ATM waterproof
		 Environmental vacuum ion plating	 Zinc alloy case

Image: Detailed diagram illustrating the dimensions and key features of the NAVIFORCE NF9230 watch.

Feature	Detail
Model Number	NF9230

Feature	Detail
Display Type	Analog
Movement Type	Quartz
Case Material	Alloy Steel
Case Diameter	42 Millimetres
Case Thickness	11 Millimetres
Case Shape	Round
Crystal Material	Mineral
Band Material Type	Stainless Steel
Band Width	22 Millimetres
Band Length	220 Millimetres
Clasp Type	Push Button Clasp
Water Resistance Depth	30 Metres (3ATM)
Special Features	Calendar
Product Dimensions	13 x 12 x 12 cm




Image: Size comparison of the NAVIFORCE NF9230 watch against a standard credit card, highlighting its compact profile.

WARRANTY INFORMATION

Your NAVIFORCE NF9230 watch comes with a **1 Year Manufacturing Warranty**. This warranty covers defects in materials and workmanship under normal use. It does not cover damage resulting from improper handling, accidents, unauthorized repairs, or normal wear and tear. Please retain your proof of purchase for warranty claims.

CUSTOMER SUPPORT

For any inquiries, technical assistance, or warranty claims regarding your NAVIFORCE NF9230 watch, please contact the manufacturer:

Pramukh Enterprise

Delhi, India

Please have your model number (NF9230) and proof of purchase ready when contacting support.