

6701W/BM

6701W/BM Mini BM Monitor, S2 User Manual

Model: 6701W/BM

INTRODUCTION

The 6701W/BM Mini BM Monitor is a compact and stylish video door entry monitor designed for use with Comelit's S2 system. Featuring a sleek white finish with a black monitor screen, this hands-free device offers clear video and high-quality audio communication for enhanced security and convenience. Its space-saving design makes it ideal for both residential and commercial applications where discreet yet effective monitoring is required.

PRODUCT OVERVIEW

Key Features

- **Compact and Stylish:** Small footprint with modern white and black color scheme.
- **Hands-Free Operation:** Enables easy and safe communication without holding the handset.
- **High-Quality Video & Audio:** Ensures clear image and sound for reliable visitor identification.
- **Designed for S2 Systems:** Seamless integration with Comelit S2 video door entry setups.
- **User-Friendly Interface:** Simple controls and responsive touchscreen for easy use.

Product Components



This image shows the 6701W/BM Mini BM Monitor. It is a compact, wall-mounted unit in white. The upper portion features a black screen displaying a live video feed of an outdoor area. Below the screen are three touch-sensitive buttons or indicators: a 'C' symbol (likely for call or camera), and numbers '1' and '2' (possibly for different functions or door releases). To the right, a white coiled cord connects to a matching white handset, which hangs vertically alongside the main unit. The overall design is sleek and minimalist.

- Main Monitor Unit with integrated screen
- Handset with coiled cord
- Mounting bracket (typically included)
- Connection terminals (internal)

SETUP AND INSTALLATION

Before beginning installation, ensure power to the system is disconnected. Installation should be performed by a qualified technician.

Step-by-Step Installation

1. **Prepare Mounting Location:** Choose a suitable indoor wall location, ensuring it is within reach of the necessary wiring for the Comelit S2 system.
2. **Mount the Bracket:** Secure the monitor's mounting bracket to the wall using appropriate screws and anchors. Ensure it is level and firmly attached.
3. **Connect Wiring:** Carefully connect the system's wiring (power, video, audio, data) to the designated terminals on the back of the monitor unit or the mounting bracket, following the wiring diagram provided with your Comelit S2 system.
4. **Attach Monitor Unit:** Once wiring is complete and verified, carefully align the monitor unit with the mounted bracket and secure it in place.
5. **Connect Handset:** Plug the coiled cord of the handset into its designated port on the side or bottom of the main monitor unit.
6. **Power On and Test:** Restore power to the system. Test the monitor's functionality, including video display, audio communication, and any door release functions.

OPERATING INSTRUCTIONS

Basic Operation

- 1. Receiving a Call:** When a visitor presses the call button at the outdoor station, the monitor will ring and display the visitor's video feed.
- 2. Answering a Call:** To answer, simply pick up the handset or press the designated "Answer" button (if available, often indicated by a phone icon).
- 3. Two-Way Communication:** Speak into the handset or directly to the monitor (for hands-free models) to communicate with the visitor.
- 4. Opening the Door/Gate:** Press the "Door Release" button (often indicated by a key icon or similar symbol) to unlock the connected door or gate.
- 5. Ending a Call:** Replace the handset or press the "End Call" button to terminate the conversation. The monitor will return to standby mode.

Advanced Functions (if applicable)

- Intercom Function:** If configured, use the numbered buttons (1, 2) to call other monitors within the same system.
- Camera View:** Press the camera icon button (C) to view the outdoor station camera feed without an incoming call.
- Volume Adjustment:** Adjust the ringtone and communication volume using controls typically located on the side or bottom of the unit.

MAINTENANCE

- Cleaning:** Use a soft, dry, lint-free cloth to clean the monitor screen and casing. Do not use abrasive cleaners, solvents, or spray directly onto the unit.
- Regular Checks:** Periodically check all connections to ensure they are secure.
- Software Updates:** If applicable, consult your system installer or Comelit documentation for information on firmware updates.
- Avoid Obstruction:** Ensure the monitor's ventilation openings (if any) are not blocked to prevent overheating.

TROUBLESHOOTING

Problem	Possible Cause	Solution
No video display	Power issue, loose connection, camera fault.	Check power supply. Verify all wiring connections. Contact installer if problem persists.
No audio during call	Volume too low, faulty handset, wiring issue.	Adjust volume. Ensure handset is properly connected. Check audio wiring.
Door release not working	Wiring issue, faulty lock mechanism, system configuration.	Verify door release wiring. Ensure the lock mechanism is functional. Consult installer for system configuration.
Monitor not ringing	Ringtone volume off, system fault, outdoor station issue.	Check ringtone volume settings. Ensure outdoor station is functioning correctly.

If you encounter issues not listed here or if the suggested solutions do not resolve the problem, please contact your system installer or the manufacturer's technical support.

SPECIFICATIONS

Feature	Detail
Model	6701W/BM
Brand	Generic (Manufacturer: COMELIT)
Connectivity Technology	Wired
Recommended Uses	Indoor Security
Special Feature	Lightweight
Indoor/Outdoor Usage	Indoor
ASIN	B0F91Y3CJ7
First Available Date	May 17, 2025

WARRANTY AND SUPPORT

For specific warranty information regarding your 6701W/BM Mini BM Monitor, please refer to the documentation provided by the manufacturer, COMELIT, or contact your point of purchase. Warranty terms typically cover manufacturing defects for a specified period.

For technical support, installation assistance, or service inquiries, please contact your authorized Comelit installer or visit the official COMELIT website for support resources and contact information.