

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [BTFO](#) /
- › [BTFO DSL Charger Instruction Manual \(Model G27074\)](#)

## BTFO G27074

# BTFO DSL Charger Instruction Manual

Model: G27074

## INTRODUCTION

---

This manual provides essential instructions for the safe and effective use of your BTFO DSL Charger, Model G27074. Please read this manual thoroughly before using the product and retain it for future reference. This charger is specifically designed for use with the Nintendo DS Lite console.



Image: The BTFO DSL Charger, showing the wall plug and the connector for the DS Lite console.

## SAFETY INFORMATION

---

To ensure safe operation and prevent damage, observe the following precautions:

- This charger features a built-in chip designed to protect your devices from short circuits, overheating, overcharging, overvoltage, overcurrent, and static electricity.
- Do not expose the charger to water or excessive moisture.
- Avoid dropping or subjecting the charger to strong impacts.
- Do not attempt to disassemble or modify the charger. Servicing should only be performed by qualified personnel.
- Ensure the charger is used within the specified voltage range (AC 100-240V).
- Unplug the charger from the wall outlet when not in use or during electrical storms.



Image: Visual representation of the charger's integrated safety protections, such as overheat and overcharge prevention.

## PACKAGE CONTENTS

The package includes:

- 1 x BTFO DSL Charger (Model G27074)

## SPECIFICATIONS

Feature	Detail
Model Number	G27074
Input Voltage	AC 100-240V, 50/60Hz
Output Voltage	DC 5.2V, 4.50mA
Cable Length	120.3 cm (3.95 ft)
Compatible Devices	Nintendo DS Lite

Item Weight	1.76 ounces
Power Plug Type	Type A - 2 pin (North American)


***Input: AC 100-240V 50/60HZ***

***Output: DC 5.2V 4.50mA***



Image: Technical specifications of the charger, detailing input and output voltage and current.

# Product size



**Rope length (excluding two plugs) 109cm/42.19in**

**Product length (including two plugs) 120.3cm/47.36in**

Image: Physical dimensions of the charger unit and the total length of the cable.

## SETUP

Follow these steps to set up your BTFO DSL Charger:

1. Locate a standard AC wall outlet (100-240V).
2. Plug the charger's wall adapter into the AC outlet.

3. Insert the small connector end of the charger cable into the charging port of your Nintendo DS Lite console.
4. Ensure both connections are secure.




Image: The charger connected to a Nintendo DS Lite console and a wall power outlet, demonstrating proper setup.

## OPERATING INSTRUCTIONS

Once the charger is set up, your Nintendo DS Lite will begin charging. The console's charging indicator light (usually orange or red) will illuminate to confirm it is receiving power. The light will typically turn off or change color when the battery is fully charged.

- Allow the console to charge until the charging indicator light signals a full charge.
- You may use your DS Lite while it is charging, but charging time may be extended.
- Once charging is complete, disconnect the charger from the DS Lite console and then from the wall outlet.

## MAINTENANCE

Proper care and maintenance will extend the life of your charger:

- Keep the charger clean and dry. Avoid contact with liquids.
- Store the charger in a cool, dry place away from direct sunlight and extreme temperatures.
- When storing or traveling, utilize the foldable plug feature to protect the prongs and make it more compact.
- Do not wrap the cable too tightly around the charger to prevent damage to the internal wires.

## ***Foldable plug***

***Easy to carry when going out or traveling***



Image: The charger's foldable plug mechanism, highlighting its compact design for portability and storage.

## **TROUBLESHOOTING**

If you encounter issues with your charger, refer to the following common solutions:

- **Charger not working:** Ensure the charger is securely plugged into both the wall outlet and the DS Lite console. Try plugging another device into the same wall outlet to confirm the outlet is functional.
- **Slow charging:** Verify that the charger is connected directly to a wall outlet and not through a power strip or USB hub, which may reduce power delivery.
- **Compatibility issues:** This charger is exclusively compatible with the Nintendo DS Lite. It is not designed for use with other Nintendo DS models such as the 3DS, 2DS, or DSi. Using it with incompatible devices may cause damage.

# Only compatible with DSL



DSL



3DS



2DS



DSi



Image: A visual guide confirming compatibility solely with the Nintendo DS Lite console.

## WARRANTY AND SUPPORT

For warranty information or technical support, please contact BTFO customer service through the retailer where the product was purchased. Keep your purchase receipt as proof of purchase.