



Manuals.plus /

› AULANK /

› AULANK SC-TC-002 2500W Handheld Steam Cleaner User Manual

AULANK SC-TC-002

AULANK SC-TC-002 2500W Handheld Steam Cleaner User Manual

Model: SC-TC-002

[Introduction](#) [Safety](#) [Contents](#) [Overview](#) [Setup](#) [Operation](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#) [Support](#)

1. INTRODUCTION

Thank you for choosing the AULANK SC-TC-002 2500W Handheld Steam Cleaner. This powerful and portable steam cleaner is designed to efficiently remove stubborn dirt, grease, and stains from various surfaces using high-temperature and high-pressure steam, without the need for harsh chemicals. Please read this manual thoroughly before use to ensure safe and optimal operation.



Figure 1: AULANK 2500W Handheld Steam Cleaner in action, demonstrating its high-temperature steam for cleaning kitchen surfaces.

2. IMPORTANT SAFETY INFORMATION

WARNING: To reduce the risk of injury, fire, electric shock, or damage to the product, always follow basic safety precautions.

- Do not touch the metal nozzle or steam directly to avoid burns. Always wear protective gloves.
- Do not spray steam at humans, pets, or the device itself.
- Ensure the power switch is OFF when not in use or when filling/draining water.
- Verify the position of the gasket to prevent air and water leakage.
- Every steam cleaner is tested before leaving the factory, so minor water marks on the water inlet hose are normal.
- There is no control unit on the spray gun. To stop steaming, turn off the main power switch on the machine's body.

Figure 2: Safety warning regarding high steam temperature and the recommendation to use protective gloves.

3. PACKAGE CONTENTS

Carefully unpack your AULANK Steam Cleaner and check for the following items:

- 1 x Steam Cleaner Machine with Tank
- 1 x 2m Steam Pipe
- 1 x 1.5m Power Cord

- 1 x Extended Sprayer Rod
- 2 x Copper Brushes
- 2 x Nylon Brushes
- 1 x Big Nylon Brush
- 1 x Towel
- 1 x Funnel
- 1 x Pair of Gloves
- 2 x Waterproof Gaskets
- 1 x User Manual



Figure 3: Complete set of accessories included with the AULANK Steam Cleaner.

4. PRODUCT OVERVIEW

The AULANK SC-TC-002 is a compact and powerful steam cleaning solution. It features a 1.2L water tank for extended cleaning sessions and a 6-level adjustable steam output to suit various cleaning tasks.

Key Features:

- **2500W Power:** Rapid heating in 10-15 seconds.
- **High Temperature:** Reaches up to 229°F (105°C).
- **High Pressure:** Delivers 3 Bar steam pressure.

- **Large Water Tank:** 1200ml capacity for up to 1 hour of continuous use.
- **Adjustable Steam:** 6 levels of steam intensity.
- **Portable Design:** Weighs only 3.8 pounds for easy carrying.

1200ML Large water tank



1.2L Water Tank



can work up to **1 HOUR**



Figure 4: The 1.2L water tank allows for extended cleaning without frequent refills.

Figure 5: Overview of the steam cleaner's main features and components.

5. SETUP INSTRUCTIONS

1. **Fill Water Tank:** Open the silicone plug on the water tank and use the provided funnel to pour clean water into the 1200ml tank. Do not overfill. Securely close the plug.
2. **Attach Accessories:** Select the appropriate cleaning brush or nozzle for your task. Twist it onto the end of the steam gun or extended sprayer rod until secure.
3. **Connect Power:** Plug the 1.5m power cord into a suitable 110V AC outlet.
4. **Power On:** Turn on the red power switch on the main unit. The green indicator light will illuminate, signifying the unit is heating up.
5. **Heat Up:** Allow 10-15 seconds for the unit to reach its operating temperature of 229°F (105°C).

HOW TO USE Easy to operate




Figure 6: Visual guide for the setup and initial use of the steam cleaner.

6. OPERATING INSTRUCTIONS

1. **Adjust Steam Level:** Rotate the knob on the main unit to select one of the 6 steam intensity levels, depending on the cleaning task and surface.
2. **Begin Cleaning:** Hold the steam gun firmly and direct the nozzle towards the surface to be cleaned. Move the nozzle slowly over the area.
3. **Continuous Use:** The large water tank allows for approximately 1 hour of continuous steaming. You can add water during operation if needed.
4. **Versatile Cleaning:** Utilize the various brushes for different surfaces:
 - **Nylon Brushes:** Ideal for delicate surfaces and ordinary dirt (e.g., furniture, glass, toys).
 - **Copper Brushes:** Suitable for metal surfaces and heavy oil/grease (e.g., stove tops, BBQ grills).
 - **Big Nylon Brush:** For wider surface items (e.g., walls, countertops).
 - **Extended Sprayer Rod:** For hard-to-reach areas, auto detailing, car engines, and narrow gaps.
- **Stopping Operation:** To stop steaming, turn off the red power switch on the main unit.

Multifunctional Steam Cleaner

Nylon brush

For delicate surface and ordinary dirt



Furniture



Glass

Steel Brush

For metal surface and heavy oil



Stove Tops



Sinks & Pots

Round Brush

For wide surface items



Walls



Countertops

Figure 7: Multifunctional use of the steam cleaner with various attachments.

Interchangeable Nozzles

Nozzle

- toys
- sofas
- Air Conditioner



Extension Nozzle

- Auto Detailings
- Car Engine
- Gaps



Figure 8: Interchangeable nozzles and extension rod for targeted cleaning.

Your browser does not support the video tag.

Video 1: AULANK Steam Cleaner demonstration, showcasing its use for various cleaning tasks around the home.

7. MAINTENANCE

1. **Draining Water:** After each use, ensure the unit is unplugged and cooled down. Open the silicone plug and drain any remaining water from the tank.
2. **Cleaning Accessories:** Clean brushes and nozzles with water and mild soap. Ensure they are dry before storing.
3. **Storage:** Store the steam cleaner and its accessories in a cool, dry place, away from direct sunlight and out of reach of children.

8. TROUBLESHOOTING

No Steam Output:

- Check if the power cord is securely plugged in.
- Ensure the power switch is turned ON.
- Verify that the water tank is filled with water.
- Allow sufficient time (10-15 seconds) for the unit to heat up.

Water Leakage:

- Ensure all attachments (nozzles, brushes) are securely twisted onto the steam gun.
- Check that the silicone plug on the water tank is properly sealed.
- Confirm the waterproof gaskets are correctly positioned.

If problems persist, please contact customer support.

9. TECHNICAL SPECIFICATIONS

Brand	AULANK
Model Name	SC-TC-002 STEAM CLEANER
Power	2500 watts
Voltage	110 Volts (AC)
Heat Time	10-15 Seconds
Maximum Temperature	229°F / 105°C
Steam Pressure	3 Bar
Tank Volume	1200 Milliliters (1.2L)
Item Weight	2.07 Kilograms (approx. 3.8 lbs)
Item Dimensions	8.07 x 5.7 x 5.9 inches
Special Feature	Handheld, High Pressure, High Temperature, Manual, Portable, 6 Adjustable Gears
Surface Recommendation	Window, Upholstery, Tile, Grout, Carpet, Car, Furniture, Floor

10. WARRANTY AND CUSTOMER SUPPORT

If you encounter any issues with your AULANK Steam Cleaner or have questions regarding its operation, please refer to the contact information provided in your product packaging or visit the official AULANK store on Amazon for support. We are committed to providing excellent customer service and will respond to inquiries within 24 hours.

For additional information and products, visit the **AULANK Store**.