Findepot FD-US-SD5-BK3472-6

Findepot FD-US-SD5-BK3472-6 Frameless Pivot Shower Door Instruction Manual

Model: FD-US-SD5-BK3472-6 | Brand: Findepot

1. Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your Findepot Frameless Pivot Shower Door. Designed for modern bathrooms, this door features 6mm ANSI-certified tempered glass with a double-sided nano-coating for easy cleaning and a 180-degree dual-opening design for flexible access. Please read all instructions carefully before beginning installation or use to ensure proper function and safety.




Image 1.1: The Findepot Frameless Pivot Shower Door in a bathroom setting.

2. Safety Information

Your Findepot shower door is constructed with 6mm ANSI-certified SGCC clear tempered glass, designed for enhanced safety. Tempered glass is significantly stronger than ordinary glass and, if broken, shatters into small, relatively harmless pieces. However, proper handling during installation and use is crucial to prevent damage and injury.

- Always wear appropriate safety gear, including gloves and eye protection, during installation.
- Handle glass panels with extreme care. Avoid impacts to the edges and corners, as these are the most vulnerable points.
- Ensure the installation surface is level and structurally sound.
- Do not attempt to modify the glass panels or hardware.
- Keep children and pets away from the installation area.




Image 2.1: Detail of 6mm ANSI-certified tempered glass, highlighting its safety features.



Image 2.2: Tempered glass with explosion-proof film for added safety.

3. Package Contents

Verify that all components are present and undamaged before beginning installation. If any parts are missing or damaged, please contact customer support.

- **A. Bottom Gasket:** 2 pieces
- **B. Door Panel-1:** 2 pieces
- **C. Wall Jamb:** 2 pieces
- **D. Aluminum Threshold:** 1 piece
- **E. Handle:** 2 pieces
- **F. Threshold Cap:** 1 set
- **G. Magnetic Strip:** Included
- **aa. Wall Anchors:** 6 pieces
- **bb. Screw ST4.0X32:** 6 pieces
- **cc. Screw ST4*10:** 6 pieces
- **dd. Screw Cover:** 6 pieces




Image 3.1: Exploded view of all components included in the package.

4. Specifications

Feature	Specification
Brand	Findepot
Model Number	FD-US-SD5-BK3472-6
Product Height	72 inches (182.88 cm)
Product Width	34 inches (86.36 cm)
Installation Width	33.2 - 34 inches (84.33 - 86.36 cm)
Glass Thickness	1/4 inch (6mm)
Glass Type	ANSI-certified SGCC Clear Tempered Glass
Glass Coating	Double-sided Nano-coating
Frame Style	Semi-Frameless
Door Opening	180° Pivot Swing (inward or outward)
Color	Matte Black




Image 4.1: Detail of the 6mm tempered glass thickness.



Image 4.2: Configuration dimensions for the shower door, including height, width, and installation range.

5. Setup and Installation

The Findepot Frameless Pivot Shower Door is designed for straightforward installation. A detailed installation manual is included in your package, along with all necessary tools. For visual guidance, an official installation video is available.

5.1 Pre-Installation Checklist

- Confirm all package contents are present and undamaged (refer to Section 3).
- Ensure the shower opening dimensions are within the specified installation width (refer to Section 4).
- Gather necessary tools: drill, level, measuring tape, screwdriver, caulk gun, silicone sealant.
- Prepare the installation area, ensuring walls are plumb and surfaces are clean and dry.

5.2 Installation Steps (Overview)

1. **Measure and Mark:** Accurately measure your shower opening and mark the positions for the wall jambs.
2. **Install Wall Jambs:** Secure the wall jambs to the wall using the provided anchors and screws. Ensure they are plumb.
3. **Install Threshold:** Place the aluminum threshold at the bottom of the shower opening and secure it.
4. **Attach Door Panels:** Carefully attach the glass door panels to the pivot mechanisms on the wall jambs.
5. **Install Handles and Magnetic Strips:** Secure the handles to the glass panels and attach the magnetic strips to ensure a tight seal.
6. **Seal:** Apply silicone sealant along the exterior joints of the wall jambs and threshold to prevent water leakage.




Image 5.1: Visual guide to the easy installation process.

5.3 Installation Video

For a comprehensive visual guide, please refer to the official installation video below. This video demonstrates the step-by-step process for setting up your Findepot Pivot Shower Door.

Your browser does not support the video tag.

Video 5.1: Official installation and feature overview for the Findepot Pivot Shower Door.

6. Operating Instructions

The Findepot Frameless Pivot Shower Door offers versatile operation with its 180-degree dual-opening design. Both glass panels can swing inwards or outwards, providing maximum flexibility and entry space, especially beneficial for smaller bathrooms or specific accessibility needs.

6.1 Opening and Closing the Door

- To open, gently push or pull either door panel in the desired direction (inward or outward).
- The pivot hinges allow for a full 180-degree rotation for each panel.
- To close, bring the panels together until the magnetic seals engage, ensuring a secure and watertight closure.




Image 6.1: Illustration of the 180-degree pivot opening mechanism.



Image 6.2: Detail of the magnetic sealing strips for effective water retention.

7. Maintenance

Regular cleaning and maintenance will preserve the appearance and functionality of your Findepot shower door. The 6mm tempered glass features a double-sided nano-coating, which significantly reduces water spots and soap scum buildup, making cleaning easier.

7.1 Cleaning the Glass

- For daily cleaning, simply wipe the glass panels with a soft cloth or squeegee after each use to remove water droplets.
- For a more thorough clean, use a mild, non-abrasive glass cleaner and a soft cloth. Avoid harsh chemicals, abrasive pads, or scouring powders, as these can damage the nano-coating and glass surface.
- Rinse thoroughly with water after cleaning to remove any residue.

7.2 Cleaning Hardware and Seals

- Wipe down metal hardware (handles, jambs) with a soft, damp cloth. Avoid abrasive cleaners that can scratch or dull the finish.
- Periodically inspect the magnetic seals and bottom gaskets for any signs of wear or damage. Clean them gently with mild soap and water. Replace if necessary to maintain water tightness.




Image 7.1: The nano-coating on the glass resists water spots and makes cleaning easier.

8. Troubleshooting

If you encounter any issues with your Findepot shower door, refer to the following common troubleshooting tips:

8.1 Water Leakage

- **Check Seals:** Ensure the magnetic strips and bottom gaskets are properly aligned and free from debris. Clean or adjust as needed.
- **Inspect Silicone:** Verify that all silicone sealant applied during installation is intact and free of cracks or gaps. Reapply sealant if necessary.
- **Door Closure:** Confirm that the door panels close completely and the magnetic seals engage firmly.

8.2 Door Not Pivoting Smoothly

- **Hinge Alignment:** Check if the pivot hinges are properly aligned and tightened.
- **Obstructions:** Ensure there are no obstructions on the floor or around the door panels preventing smooth movement.

8.3 Glass Appears Cloudy or Streaky

- **Cleaning Residue:** Ensure all cleaning product residue has been thoroughly rinsed off the glass.
- **Hard Water Stains:** For stubborn hard water stains, use a specialized glass cleaner designed for hard water, or a solution of white vinegar and water. Always test on an inconspicuous area first.

9. Warranty and Support

Findepot is committed to providing quality products and excellent customer service. Your shower door comes with reliable after-sales support.

- **24-Hour Response:** We aim to reply to all inquiries within 24 hours.
- **30-Day Returns:** Enjoy a no-questions-asked return policy for 30 days from purchase.
- **Lifetime Support:** Dedicated after-sales support is available for the lifetime of the product.

9.1 Contact Information

If you have any questions, require assistance with installation, or experience quality issues, please do not hesitate to contact us:
Email: After-sale-service-QA@outlook.com




Image 9.1: Findepot customer support details.

© 2026 Findepot. All rights reserved.