Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

ZEUKMXOO ZEUK-SHELF-72-5F

ZEUKMXOO 5-Tier Heavy Duty Storage Shelving Unit

Model: ZEUK-SHELF-72-5F (16"D x 35.5"W x 72"H)

Brand: ZEUKMXOO

1. Introduction

This instruction manual provides detailed guidance for the assembly, operation, and maintenance of your ZEUKMXOO 5-Tier Heavy Duty Storage Shelving Unit. Designed for durability and versatility, this unit offers substantial storage capacity for various environments such as garages, pantries, basements, warehouses, kitchens, and closets. Please read this manual thoroughly before assembly and use to ensure safe and efficient operation.

2. Safety Information

- Always follow assembly instructions carefully.
- Do not exceed the maximum total load capacity of 2400 lbs (485 lbs per shelf, evenly distributed).
- Ensure shelves are properly supported and level before placing items on them.
- Keep the shelving unit away from heat sources and open flames.
- Do not use the unit if any components are damaged.
- Wear the provided gloves during assembly to protect hands from potential edges.
- Consider anchoring the unit to a wall for added stability, especially in areas prone to seismic activity or if heavy items are stored on upper shelves.

3. Package Contents

Before beginning assembly, verify that all components listed below are present and undamaged. A hammer and a pair of gloves are included for your convenience.



Figure 3.1: All components included in the package for assembly.

- Vertical Posts (Thicker 0.9mm folded-edge columns for enhanced stability)
- Horizontal Beams (Long and Short)
- 5 Fiberboard Shelves (5mm thick, high-density)
- Connectors for Vertical Posts
- Rubber Mallet (for assembly)
- Pair of Gloves (for hand protection)
- Expansion Bolts (for wall anchoring)

Video: ZEUK Black Shelf Open Box Display

Your browser does not support the video tag.

Video 3.1: An unboxing and display of the ZEUKMXOO shelving unit components.

4. Assembly Instructions

The ZEUKMXOO shelving unit is designed for easy, tool-free assembly (a rubber mallet is provided). Follow these steps for a secure setup.

Step-by-Step Assembly:

1. **Prepare the Area:** Ensure you have a clear, flat surface for assembly.
2. **Assemble the Frame:** Connect the vertical posts using the provided connectors. The folded-edge design ensures a sturdy connection.
3. **Attach Horizontal Beams:** Insert the crossbars (horizontal beams) into the keyhole slots on the vertical posts. Use the rubber mallet to gently tap them down until they are securely seated.
4. **Install Shelves:** Place the fiberboard shelves onto the assembled frame. Ensure they sit flush within the beams.
5. **Adjust Shelf Spacing:** The distance between shelves can be adjusted freely. Simply unseat the crossbars, reposition them to your desired height using the column hole design, and tap them back into place.
6. **Wall Anchoring (Optional but Recommended):** For enhanced stability, especially with heavy loads or in active

environments, use the provided expansion bolts to anchor the unit to a wall.



Figure 4.1: Visual guide for the three main assembly steps.



Figure 4.2: Illustrates the robust 0.9mm column design for superior stability.

Video: Let's install the ZEUKMXOO shelving together!

Your browser does not support the video tag.

Video 4.1: A step-by-step video guide for assembling the shelving unit.

5. Usage and Adjustment

This shelving unit is highly versatile and can be adapted to various storage needs. Its adjustable design allows for personalized organization.

Adjustable Shelf Spacing:

The unique column hole design allows you to easily adjust the height of each shelf. This feature is ideal for accommodating items of different sizes, from small containers to large appliances or tools. Simply lift the shelf, adjust the horizontal beams to the desired height, and secure them back into the slots.



Figure 5.1: Demonstrates the adjustable crossbar feature for customized shelf heights.



Figure 5.2: Example of the shelving unit used in a kitchen or pantry for organizing food and appliances.



Figure 5.3: Example of the shelving unit used in a garage for organizing tools and supplies.

High Load Capacity:

The unit boasts a maximum load capacity of 2400 lbs, with each individual shelf capable of holding up to 485 lbs when weight is distributed evenly. This is supported by a widened steel frame and metal support ribs, ensuring structural integrity for heavy items.

Your browser does not support the video tag.

Video 5.1: Demonstrates the usage and load capacity of the ZEUKMXOO shelving unit in various settings.

6. Maintenance

To ensure the longevity and optimal performance of your ZEUKMXOO shelving unit, follow these simple maintenance guidelines:

- **Cleaning:** Wipe down the metal frame and shelves with a damp cloth and mild detergent as needed. Avoid abrasive cleaners that could damage the spray-painted surface.
- **Inspection:** Periodically check all connections and ensure that the horizontal beams are securely seated in the vertical posts. Tighten any loose components if necessary.
- **Corrosion Protection:** The shelving unit features a spray-painted surface for superior corrosion resistance. Avoid scratching or chipping the paint to maintain this protective layer.
- **Load Distribution:** Always distribute weight evenly across the shelves to prevent stress on individual components and maintain stability.

7. Troubleshooting

If you encounter any issues with your shelving unit, refer to the following common problems and solutions:

- **Unit Wobbles:**
  - Ensure the unit is placed on a level surface.
  - Verify that all horizontal beams are fully seated and tapped down with the rubber mallet.
  - If not already done, anchor the unit to a wall using the provided expansion bolts.

- **Shelf Boards Don't Sit Flat:**
  - Check that the horizontal beams supporting the shelf are correctly installed and level.
  - Ensure the fiberboard is not warped or damaged.
- **Difficulty Assembling Components:**
  - Ensure you are using the rubber mallet to gently tap components into place. Force should not be excessive.
  - Refer to the assembly video (Video 4.1) for visual guidance.

8. Specifications

Feature	Detail
Model Name	ZEUK-SHELF-72-5F
Dimensions (D x W x H)	16"D x 35.5"W x 72"H
Material	Metal (0.9mm thick columns)
Number of Shelves	5
Total Weight Capacity	2400 lbs (evenly distributed)
Per Shelf Weight Capacity	485 lbs (evenly distributed)
Shelf Material	High-Density Fiberboard (5mm thick)
Finish Type	Painted (Corrosion-resistant)
Color	Black
Mounting Type	Floor Mount (Wall anchoring optional)
Assembly Required	Yes
Item Weight	36 Pounds



Figure 8.1: Key dimensions of the shelving unit.

9. Warranty and Support

For any questions, concerns, or support needs regarding your ZEUKMXOO 5-Tier Heavy Duty Storage Shelving Unit, please contact our customer service. We are committed to providing high-quality products and support.
Please retain your purchase receipt for warranty claims. Specific warranty details may vary; refer to your purchase documentation for comprehensive information.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0F9JZ52YY

More documents and user manuals: **https://manuals.plus/**