

[Manuals.plus](#) /

› [Garwarm](#) /

› Garwarm 38.7-inch Gold Crystal Chandelier (Model TT-JD1002G-6) Instruction Manual

Garwarm TT-JD1002G-6

Garwarm 38.7-inch Gold Crystal Chandelier (Model TT-JD1002G-6) Instruction Manual

Model: TT-JD1002G-6 | Brand: Garwarm

1. INTRODUCTION

This manual provides detailed instructions for the safe installation, operation, and maintenance of your Garwarm 38.7-inch Gold Crystal Chandelier. Please read these instructions thoroughly before beginning installation and retain them for future reference.



Image 1.1: The Garwarm 38.7-inch Gold Crystal Chandelier in a kitchen setting.

2. SAFETY INFORMATION

To reduce the risk of electric shock, fire, or injury, always follow these safety precautions:

- **Disconnect Power:** Always turn off the electrical supply at the main circuit breaker or fuse box before installing, cleaning, or servicing the fixture.
- **Qualified Electrician:** If you are unsure about any part of the installation process, consult a qualified, licensed electrician.
- **Proper Grounding:** Ensure the fixture is properly grounded in accordance with local electrical codes.
- **Wiring Connections:** All electrical connections must be secure and made according to the wiring diagram and local electrical codes.
- **Bulb Wattage:** Do not exceed the maximum wattage specified for the bulbs (Max 60W per E26 bulb).
- **Indoor Use Only:** This fixture is designed for indoor use only.

3. PACKAGE CONTENTS

Carefully unpack all components and check for any damage. Keep all packaging materials until you are satisfied with the product. The package should include:

- Chandelier Frame (Gold Plated Iron Lamp Body)
- K9 Crystal Components
- Mounting Hardware (Crossbar, Screws, Wire Nuts)
- Instruction Manual

Note: E26 bulbs are not included.



Elegant Clear Crystal



Standard E26 Bulb Socket




Gold Plated Iron Lamp Body

Image 3.1: Detailed view of crystal, bulb socket, and frame construction.

4. SPECIFICATIONS

Feature	Specification
Brand	Garwarm
Model Number	TT-JD1002G-6
Product Dimensions (L x W x H)	38.7" x 9.56" x 10.62" (98.3cm x 24.3cm x 27cm)
Material	Crystal, Iron
Number of Light Sources	6
Bulb Base	E26
Max Wattage per Bulb	60W
Voltage	110 Volts (AC)
Installation Type	Flush Mount (Monopoint with Canopy)
Light Source Type	LED (Recommended, not included)
Indoor/Outdoor Usage	Indoor Only
Assembly Required	Yes



Work with Various E26 Bulbs
(Max 60w, not included)



Recommend 3-Color E26 LED Bulbs

Image 4.1: Chandelier dimensions (Length: 38.70in/98.3cm, Width: 9.56in/24.3cm, Height: 10.62in/27cm).

5. SETUP AND INSTALLATION

Installation of this chandelier requires basic electrical knowledge. If you are not confident in your abilities, please consult a professional electrician. An installation video may be available on the product's online listing by scanning the QR code provided in the physical manual.

Required Tools (Not Included):

- Screwdriver (Phillips and Flathead)
- Wire Strippers
- Pliers
- Electrical Tape
- Ladder
- Voltage Tester

Installation Steps:

1. **Turn Off Power:** Locate the circuit breaker controlling the light fixture's power supply and turn it OFF. Verify power is off using a voltage tester.
2. **Prepare Mounting Surface:** Remove any existing fixture and its mounting bracket from the junction box.
3. **Install Mounting Bracket:** Attach the new mounting bracket (crossbar) to the junction box using the provided screws. Ensure it is securely fastened. *Note: Some installations may require longer screws or a different crossbar for optimal fit and flush mounting.*
4. **Assemble Chandelier Frame:** If the chandelier frame requires assembly, follow the specific instructions provided in the physical manual.
5. **Wiring:**
 - Connect the fixture's ground wire (usually bare copper or green) to the house's ground wire and the mounting bracket's ground screw.
 - Connect the fixture's neutral wire (often blue or white) to the house's neutral wire (white) using a wire nut.
 - Connect the fixture's hot wire (often brown or black) to the house's hot wire (black) using a wire nut.
 - Secure all connections with electrical tape.
6. **Attach Chandelier to Mounting Bracket:** Carefully lift the chandelier and align the canopy with the mounting screws on the bracket. Secure the canopy with the decorative nuts or finials.
7. **Install Crystal Components:** Attach the K9 crystal components to the chandelier frame as indicated in the manual. Ensure they are securely hooked or fastened.
8. **Install Bulbs:** Screw 6 E26 base bulbs (Max 60W each, not included) into the sockets. LED bulbs are recommended.
9. **Restore Power:** Turn the power back ON at the circuit breaker.




Image 5.1: Top view illustrating the placement of the six E26 bulb sockets.

6. OPERATING INSTRUCTIONS

Your Garwarm chandelier is designed for simple operation via a standard wall switch.

3-Color Changing Function (with compatible bulbs):

If you use 3-color changing E26 LED bulbs (not included), you can cycle through different light temperatures:

- **Warm Light (2700K):** Provides a cozy and inviting ambiance.
- **Neutral Light (4500K):** Offers a balanced and natural illumination.
- **Cool Light (6000K):** Delivers bright and crisp lighting.

To change the light color, simply toggle your standard ON/OFF wall switch continuously. No dimmer switch is required for this function.

3 Color Changing



Press ON&OFF Continuously to Change the Light Color

Need 3 Color E26 LED Bulbs(Not included)



Image 6.1: Visual representation of the chandelier's 3-color changing capability.

7. MAINTENANCE

Regular maintenance will help preserve the appearance and functionality of your chandelier.

Cleaning:

- **Frame:** Dust the metal frame with a soft, dry cloth. Avoid abrasive cleaners that may damage the finish.
- **Crystals:** Gently wipe the crystal components with a soft, damp cloth. For stubborn marks, a mild glass cleaner can be used, followed by drying with a lint-free cloth. Ensure no liquid enters the electrical components.
- **Always turn off power before cleaning.**

Bulb Replacement:

- **Turn Off Power:** Disconnect power at the circuit breaker.
- **Allow to Cool:** Let the bulbs cool completely before touching them.
- **Replace:** Unscrew the old E26 bulb and screw in a new one. Ensure the replacement bulb does not exceed 60W.
- **Restore Power:** Turn power back on after all bulbs are replaced.

8. TROUBLESHOOTING

If you encounter issues with your chandelier, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Light does not turn on	No power, loose wiring, faulty bulb	Check circuit breaker. Verify all wire connections are secure. Test or replace bulbs.
Light flickers	Loose bulb, loose wiring, incompatible dimmer (if used)	Tighten bulbs. Check wiring connections. Ensure bulbs are compatible with any dimmer switch (though 3-color changing bulbs typically do not require a dimmer).
Chandelier not flush with ceiling	Mounting bracket issues, incorrect screw length	Adjust mounting bracket or use longer screws if necessary to ensure a snug fit against the ceiling.
Crystals are loose or fall off	Improper installation of crystals	Re-attach crystals securely to the frame.

9. WARRANTY AND SUPPORT

Garwarm provides a one-year after-sales service for this product. If you encounter any problems with installation or use, please contact Garwarm customer support for assistance.

For further support, please refer to the contact information provided with your purchase or visit the official Garwarm store online.

[Visit the Garwarm Store on Amazon](#)

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question