

[Manuals.plus](#) /

› [Papablic](#) /

› Papablic SafeguardPlus Baby Bottle Washer Instruction Manual

Papablic PAPA328AA

Papablic SafeguardPlus Baby Bottle Washer Instruction Manual

Model: PAPA328AA

1. INTRODUCTION

The Papablic SafeguardPlus Baby Bottle Washer is a comprehensive 5-in-1 system designed to filter, wash, sterilize, dry, and store baby bottles, pump parts, and other baby essentials. It integrates a built-in water purification system to ensure thorough cleaning and hygiene. This manual provides essential information for the safe and effective operation and maintenance of your device.



Figure 1: Papablic SafeguardPlus Baby Bottle Washer.

2. SAFETY INFORMATION

Please read all safety instructions before using the Papablic SafeguardPlus Baby Bottle Washer to prevent injury or damage to the appliance.

- Always keep the appliance out of reach of children.
- Do not immerse the main unit in water or other liquids.
- Ensure the power cord is not damaged and is properly connected to a grounded outlet.
- Do not operate the appliance if it has been damaged in any way. Contact customer support for assistance.
- Use only Papablic approved accessories and replacement parts.
- Always unplug the appliance before cleaning or performing maintenance.
- Allow the appliance to cool down before handling parts that become hot during operation.

3. WHAT'S IN THE BOX

Verify that all components are present upon unpacking your Papablic SafeguardPlus Baby Bottle Washer.



Figure 2: Included components.

1. PenetraFlow™ System (Main Unit)
2. Outer Water Tank
3. Inner Water Tank
4. PurifyClean™ Water Filter
5. Stainless Steel Tube
6. Power Cord
7. Drain Hose
8. Suction Hose
9. Instructions Manual (this document)
10. Detergent Tablets (60 count)

4. SETUP GUIDE

Follow these steps for initial setup of your bottle washer.

4.1 Initial Assembly



Figure 3: Easy setup steps.

1. **Placement:** Place the main unit and water tank on a stable, flat surface near a sink or drainage area. The water tank can be placed on the right, left, or back of the main unit, or sink-side for convenience.
2. **Connect Hoses:** Connect the suction hose to the designated inlet on the main unit and the stainless steel tube. Connect the drain hose to the outlet on the main unit and route it to a sink for drainage.
3. **Power Connection:** Plug the power cord into the appliance and then into a standard electrical outlet.

4.2 Adding Water and Detergent



Figure 4: Water input and detergent addition.

- **Water Input:** You can either pour water directly into the inner water tank or use the suction hose to draw water from a container or sink. The built-in purification system will filter the water.
- **Add Cleaning Tablet:** Place one Papapublic detergent tablet into the designated compartment before starting a wash cycle.

5. OPERATING INSTRUCTIONS

The SafeguardPlus system offers a comprehensive 5-in-1 process for cleaning and sanitizing baby essentials.

5.1 5-in-1 Cleaning System Overview



Clean-looking Isn't Always Clean

Beyond milk stains and limescale, baby bottles may also be exposed to invisible bacteria and tap water contaminants—which high heat alone isn't designed to remove.



LEAD*



PFAS



GERM



HARDNESS

*According to NRDC, up to 81% of U.S. households may have trace lead in tap water. For infants, even small amounts matter.

Figure 5: The SafeguardPlus 5-in-1 cleaning process.

1. **Filter:** Water is purified to remove lead, PFAS, and minerals.
2. **Wash:** Items are thoroughly cleaned with high-pressure water.
3. **Sterilize:** Items are sterilized to eliminate bacteria.
4. **Dry:** Items are dried using dual vertical turbo fans.
5. **Store:** Cleaned items can be stored hygienically for up to 72 hours within the unit.

5.2 Water Purification System

The integrated PurifyClean™ water purification system removes common tap water contaminants, ensuring a cleaner wash without the need for distilled water.



Figure 6: PurifyClean™ water purification layers and effectiveness.

The system is SGS-tested to reduce lead, PFAS, chlorine, limescale, Mn, and BPA from tap water.

5.3 Washing Modes and Capacity

The unit offers various cleaning cycles to suit your needs:

- **Quick Clean:** Approximately 12 minutes.
- **Standard Clean:** Approximately 29 minutes.
- **Heavy Clean:** Approximately 45 minutes, designed for deeper limescale removal.

The SafeguardPlus has an upgraded capacity, accommodating up to 8 bottles or 2 full pump sets per cycle.



Figure 7: Large capacity for bottles and pump parts.

5.4 Sterilization and Drying

The unit employs a triple-stage process for sterilization and drying.



Figure 8: Triple-stage sterilization and drying temperatures.

- **Washing Temperature:** 165°F (74°C)
- **Sterilization Temperature:** 212°F (100°C)
- **Drying Temperature:** 167°F (75°C)

Dual vertical turbo fans with 16 vents ensure thorough drying, preventing hidden residue and odors.

5.5 Official Product Videos

Watch these official videos for a visual guide on using your Papablic SafeguardPlus Baby Bottle Washer.

Video 1: Papablic Bottle Washer Pro overview. This video demonstrates the key features and operation of the Papablic SafeguardPlus Baby Bottle Washer.

Video 2: Papablic Built-in Water Purification Baby Bottle Washer. This video highlights the water purification capabilities of the bottle washer.

6. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your bottle washer.

6.1 Water Filter Replacement

The PurifyClean™ water filter should be replaced approximately every 30 wash cycles. The unit features a filter maintenance indicator to remind you.



Figure 9: Filter maintenance indicator and replacement steps.

1. When the filter maintenance indicator lights up, remove the old filter from the inner water tank.

- 2. Insert a new Papablic PurifyClean™ water filter into the inner water tank.
- 3. Press and hold the reset button for 3-5 seconds to reset the cycle count.



Figure 10: Papablic Replacement Water Filters.

6.2 Cleaning the Unit

- **Exterior:** Wipe the exterior of the unit with a damp cloth. Do not use abrasive cleaners.
- **Interior:** Periodically run a cleaning cycle with a descaling solution or a heavy clean cycle to remove limescale buildup, especially if you have hard water.
- **Water Tanks:** Clean the inner and outer water tanks regularly to prevent residue accumulation.

7. TROUBLESHOOTING

Refer to this section for solutions to common issues.

Problem	Possible Cause	Solution
Bottles are not completely dry after a cycle.	Overloading the unit; items overlapping; insufficient drying time.	Ensure items are loaded with adequate space for airflow. Try a longer drying cycle or the 'keep sterile' mode.
Unpleasant odor during or after operation.	Residue buildup; filter needs replacement; bottles not rinsed.	Perform a descaling cycle. Replace the water filter if due. Ensure bottles are rinsed of milk residue before placing in the washer.
Filter indicator light remains on after replacement.	Filter reset button not pressed.	Press and hold the filter reset button for 3-5 seconds.
Small particles visible on a new filter.	Natural filter materials.	This is normal. Simply rinse the new filter before its first use.
Condensation inside the filter.	Filter is pre-rinsed during manufacturing.	This is normal and does not affect performance.

7.1 Water Quality Improvement



Figure 11: Demonstrating water quality improvement with the PurifyClean™ system.

8. SPECIFICATIONS

Detailed technical specifications for the Papablic SafeguardPlus Baby Bottle Washer.

Feature	Detail
Product Dimensions	15.1 x 12.2 x 17.1 inches
Item Model Number	PAPA328AA
Item Weight	20.6 pounds
Batteries Required	No
Capacity	Up to 8 bottles or 2 full pump sets
Water Purification	Built-in PurifyClean™ system (removes lead, PFAS, minerals)
Sterilization Method	Triple-stage heat (up to 212°F / 100°C)
Drying Method	Dual vertical turbo fans (up to 167°F / 75°C)
Hygienic Storage	Up to 72 hours

8.1 Product Comparison



Figure 12: Feature comparison of SafeguardPlus with other cleaning methods.

9. WARRANTY AND SUPPORT

The Papablic SafeguardPlus Baby Bottle Washer is backed by a **3-year warranty**. For product support,

technical assistance, or warranty claims, please contact Papablic customer service. Refer to the contact information provided on the product packaging or the official Papablic website.