

Manuals.plus /

- › AXA /
- › AXA Fold Lite 80 Folding Bicycle Lock - Instruction Manual

AXA Fold Lite 80

AXA Fold Lite 80 Folding Bicycle Lock - Instruction Manual

Model: Fold Lite 80 | Brand: AXA

1. PRODUCT OVERVIEW

The AXA Fold Lite 80 is a lightweight and robust folding bicycle lock designed to provide optimal security for your bicycle. With a length of 80 cm and flexible joints, it allows for easy handling and secure attachment to various objects. The lock features a hardened steel construction with a soft coating to protect your bicycle frame from scratches.

Key features include a security level of 7, a convenient holder for transport, and a symmetrical key for user-friendly operation, even in low light conditions.





Figure 1: The AXA Fold Lite 80 folding bicycle lock in its unfolded state, ready for use.

2. PACKAGE CONTENTS

Please verify that all the following items are included in your package:

- AXA Fold Lite 80 Folding Bicycle Lock
- 2 Keys
- Mounting Bracket
- Mounting Strap (for frame attachment)



Figure 2: The AXA Fold Lite 80 lock and its accessories as typically presented in packaging.

3. SETUP AND INSTALLATION

The AXA Fold Lite 80 comes with a versatile holder that can be mounted in two ways:

3.1 Mounting on Bottle Cage Bosses

1. Locate the bottle cage bosses on your bicycle frame.
2. Align the mounting bracket with the bosses.
3. Secure the bracket using the provided screws (not explicitly mentioned but implied for bottle cage mounts).
4. Slide the folded lock into the mounted bracket. Ensure it clicks securely into place.



Figure 3: The mounting bracket attached to a bicycle frame, ready to hold the lock.

3.2 Mounting with Straps on Frame

1. Choose a suitable location on your bicycle frame where the bracket will not interfere with pedaling or other components.
2. Thread the included mounting strap through the designated slots on the bracket.
3. Wrap the strap around the bicycle frame and secure it tightly.
4. Slide the folded lock into the mounted bracket. The revolutionary locking mechanism ensures the lock sits firmly without rattling.




Figure 4: The AXA Fold Lite 80 lock securely stored in its holder on the bicycle frame.

4. OPERATING INSTRUCTIONS

4.1 Unlocking and Unfolding

1. Insert one of the provided keys into the lock cylinder.
2. Turn the key to the unlock position.
3. Remove the lock from its holder.
4. Unfold the lock segments by pulling them apart. The flexible joints allow for easy manipulation.

4.2 Securing Your Bicycle

1. Position your bicycle next to a fixed object (e.g., a lamppost, bike rack).
2. Wrap the unfolded lock around the bicycle frame (and wheel, if possible) and the fixed object.
3. Bring the two ends of the lock together and insert the locking pin into the mechanism.
4. Turn the key to the lock position and remove it. Ensure the lock is securely fastened.



Figure 5: A user demonstrating the process of locking a bicycle to a fixed structure.

4.3 Folding and Storing

1. Unlock the lock and remove it from the bicycle and fixed object.
2. Fold the segments back into their compact form.
3. Slide the folded lock back into its mounting bracket on your bicycle.

5. MAINTENANCE

- **Cleaning:** Periodically wipe the lock with a damp cloth to remove dirt and grime. Avoid harsh chemicals that may damage the soft coating.
- **Lubrication:** For optimal performance, especially in dusty or wet environments, lubricate the lock cylinder and folding joints with a suitable lock lubricant (e.g., graphite-based or silicone spray) once or twice a year.
- **Protection:** The soft cover on the lock segments is designed to protect your bicycle frame. Inspect it regularly for any damage and ensure it remains intact.

6. TROUBLESHOOTING

- **Key is stiff or difficult to turn:** Apply a small amount of lock lubricant into the keyhole and work the key in and out several times. Ensure the key is fully inserted.
- **Lock segments are stiff:** Lubricate the folding joints with a suitable lubricant.
- **Lock rattles in holder:** Ensure the lock is fully inserted and clicked into place within the holder. If using the strap mount, check that the strap is tightened securely.

7. SPECIFICATIONS

Feature	Detail
Model Number	59840895KB
Lock Type	Folding lock
Length	80 cm
Security Level	7 (AXA Security Index)
Material	Hardened steel with soft coating
Weight	560 Grams
Included Components	2 keys, holder
Dimensions (L x W x H)	5.91 x 2.76 x 1.18 inches (folded)

8. SUPPORT AND KEY SERVICE

For any questions or support regarding your AXA Fold Lite 80 lock, please refer to the official AXA website or contact their customer service.

AXA Key Service: In case you lose your keys or require additional copies, AXA offers a convenient online key service. You can order replacement keys directly by entering the unique code found on your original keys. This ensures a safe, fast, and reliable replacement process.

Please keep your key code in a safe place, separate from your keys.