Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

EMKE 100x140cm

EMKE Bathtub Shower Screen Instruction Manual

Model: 100x140cm

Brand: EMKE

1. Introduction

Thank you for choosing the EMKE 2-panel foldable bathtub shower screen. This manual provides detailed instructions for the safe installation, operation, and maintenance of your new shower screen. Please read this manual thoroughly before installation and keep it for future reference.



Figure 1: EMKE 100x140cm 2-panel foldable bathtub shower screen installed in a modern bathroom. This screen provides a clear and elegant barrier, enhancing the functionality of your bathtub.

2. Safety Instructions

Always follow these safety precautions to prevent injury or damage:

- Handle glass panels with extreme care. Tempered glass is strong but can shatter if struck at the edges.
- Wear appropriate personal protective equipment (PPE), including safety glasses and gloves, during installation.
- Ensure the installation surface (wall) is structurally sound and capable of supporting the weight of the shower screen.
- Do not attempt to install the product alone. Two people are recommended for safe handling and installation.
- Use only the provided hardware or suitable alternatives recommended by the manufacturer.
- Keep children and pets away from the installation area.

3. Package Contents

Before beginning installation, verify that all components are present and undamaged. If any parts are missing or damaged, contact customer support immediately.

- Glass Panels (Tempered Safety Glass, 6mm)
- Wall Profile (Aluminum)
- Hinges and Mounting Hardware
- Seals (PVC watertight seal)
- Screws and Wall Plugs
- Installation Manual

Note: The exact quantity of each component may vary slightly. Refer to the packing list for precise details.



Figure 2: Key components and features including 6mm tempered safety glass, 4mm lift-and-lower mechanism, durable hinges, and a PVC seal for water tightness.

4. Pre-Installation Checklist

Ensure the following conditions are met before starting installation:

- **Tools Required:** Drill, spirit level, measuring tape, pencil, screwdriver, silicone sealant gun, utility knife.
- **Wall Condition:** The wall where the shower screen will be mounted must be flat, clean, and capable of bearing the weight.
- **Measurements:** Confirm the dimensions of your bathtub and the installation area match the shower screen's specifications.




Figure 3: Technical diagram showing the dimensions (in mm) of the shower screen. Please verify these measurements against your installation space before proceeding.

5. Installation Guide

Follow these steps carefully for a successful installation:

1. **Marking the Wall Profile:**
   Position the wall profile against the wall at the desired height, ensuring it is perfectly vertical using a spirit level. Mark the drilling points through the pre-drilled holes in the profile.

2. **Drilling and Mounting the Wall Profile:**
   Drill holes at the marked points. Insert wall plugs into the drilled holes. Secure the wall profile to the wall using the provided screws. Ensure it is firmly attached.
3. **Attaching the First Glass Panel:**
   Carefully lift the first glass panel and insert it into the wall profile. Ensure it is seated correctly and securely. Tighten any securing screws on the profile to hold the glass in place.
4. **Installing Hinges and Second Glass Panel:**
   Attach the hinges to the first glass panel according to the instructions. Then, connect the second glass panel to the hinges. Ensure smooth movement and proper alignment.
5. **Applying Seals:**
   Install the PVC watertight seals along the bottom edge of the glass panels and where the panels meet the bathtub rim. This prevents water leakage.
6. **Silicone Sealing:**
   Apply a continuous bead of silicone sealant along the exterior joint between the wall profile and the wall, and along the bottom edge where the shower screen meets the bathtub. Allow the silicone to cure completely before using the shower (typically 24-48 hours).



Figure 4: The EMKE shower screen fully installed, showcasing its sleek design and functional integration with the bathtub.

6. Operation

The EMKE shower screen features a foldable design for convenience and space-saving.

- **Folding:** To fold the screen, gently push the outer panel inwards towards the wall. The hinges allow the panels to fold neatly against each other, maximizing access to the bathtub.
- **Unfolding:** To unfold, simply pull the panels back into their extended position. Ensure they are fully extended before showering to prevent water splashes.
- **Lift-and-Lower Mechanism:** The 4mm lift-and-lower mechanism ensures smooth and quiet operation, protecting the bottom seal from wear and tear when opening and closing the screen.



Figure 5: The swivel feature allows the shower screen to open both inwards and outwards, providing flexibility and ease of use.



Figure 6: The EMKE 2-panel foldable shower screen shown in its folded position, maximizing bathtub access and saving space.

7. Care and Maintenance

Proper care will ensure the longevity and appearance of your EMKE shower screen.

- **Daily Cleaning:** After each use, rinse the glass panels with clean water to remove soap residue and hard water spots. Use a squeegee or soft cloth to wipe the glass dry.
- **Regular Cleaning:** For a more thorough clean, use a mild, non-abrasive glass cleaner and a soft cloth. Avoid harsh chemicals, abrasive sponges, or scouring powders, as these can damage the nano-coating and glass surface.
- **Profile and Hinge Care:** Clean the aluminum profiles and hinges with a damp cloth and mild detergent. Dry thoroughly to prevent water spots.
- **Seal Maintenance:** Periodically check the PVC seals for wear or damage. Clean them regularly to prevent mold and mildew buildup. Replace seals if they become damaged or ineffective.

8. Troubleshooting

Here are some common issues and their solutions:

Problem	Possible Cause	Solution
Water leakage from bottom	Damaged or improperly installed bottom seal; insufficient silicone sealant.	Check and re-install/replace the bottom seal. Reapply silicone sealant along the bathtub edge.
Water leakage from wall side	Insufficient silicone sealant along the wall profile.	Ensure a continuous and adequate bead of silicone sealant is applied between the wall profile and the wall.
Glass panels do not fold smoothly	Hinges are dirty or stiff; misalignment.	Clean hinges and apply a silicone-based lubricant if necessary. Check for proper alignment during installation.
Scratches on glass	Use of abrasive cleaning materials.	Avoid abrasive cleaners and sponges. Use only soft cloths and mild glass cleaner. Scratches cannot be removed.

9. Technical Specifications

Feature	Detail
Brand	EMKE
Model Number	NFBSS10E-AVC
Item Model Number	100x140cm
Product Dimensions (L x W x H)	6 x 100 x 140 cm; 23 kilograms
Material	Tempered Glass
Glass Thickness	6 mm
Finish Type	Glossy
Color	Chrome
Door Style	Swing Doors
Installation Type	Freestanding (Wall-mounted)
Included Components	Glass, Seal, Screws, Wall Profile
Country of Origin	China

10. Warranty and Support

EMKE products are designed for long-term use. Enjoy worry-free use for up to 2 years. If you have any questions, require technical assistance, or need to report a missing/damaged part, please contact EMKE customer support. Please have your model number and purchase date ready when contacting support.
For further assistance, please visit the official EMKE website or contact your retailer.

© 2025 EMKE. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0F9Y2RQHQ

More documents and user manuals: **https://manuals.plus/**