

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Outsunny](#) /

› [Outsunny 5' x 3' Outdoor Storage Shed Instruction Manual \(Model 845-328V01YG\)](#)

Outsunny 845-328V01YG

Outsunny 5' x 3' Outdoor Storage Shed Instruction Manual

Model: 845-328V01YG

PRODUCT OVERVIEW

This manual provides essential information for the assembly, operation, and maintenance of your Outsunny 5' x 3' Outdoor Storage Shed. Designed with a weather-resistant metal frame and a pent roof, this shed offers a durable solution for outdoor storage. Please read these instructions thoroughly before beginning assembly or use.

Outsunny
by AOSOM



Image: The Outsunny storage shed with its door open, revealing an organized interior with shelves and various storage containers.



Image: The Outsunny storage shed in its closed position, showcasing its light green finish and compact footprint in an outdoor setting.


SETUP INSTRUCTIONS

Assembly of the Outsunny storage shed requires careful attention to detail. A level and stable foundation is crucial for the shed's stability and longevity, as a floor foundation is not included with this product. It is recommended to have at least two people for assembly.

1. **Prepare the Foundation:** Ensure the chosen site is level and firm. A concrete slab or a treated wood base is recommended. Refer to the dimensions in the specifications section to prepare an appropriately sized foundation.
2. **Unpack and Identify Parts:** Carefully unpack all components and verify them against the parts list provided in your packaging. Keep all small parts organized.
3. **Assemble Wall Panels:** Follow the numerical sequence in your detailed assembly guide to connect the pre-drilled galvanized steel panels. Ensure all screws are tightened securely but do not overtighten until the entire structure is aligned.
4. **Install the Roof:** Attach the pent roof panels, ensuring the sloped design is oriented correctly to facilitate water runoff. Secure all roof components as per the instructions.
5. **Attach the Door:** Install the door and its latch mechanism. Ensure the door swings freely and the

latch engages properly.

- Secure the Shed:** For increased stability and wind resistance, it is recommended to secure the shed to a permanent structure, such as a wall, using appropriate anchoring hardware (not included).



Note:

Before purchasing this product, it is recommended to measure the foundation size first.

-  Overall dimension
-  Bottom
-  Inner storage

Bottom Area = 12 ft² (1.07 m²)

Image: A detailed diagram illustrating the overall, bottom, and inner storage dimensions of the shed, crucial for foundation planning.



LEAN TO WALL DESIGN

To reduce wind exposure and increase stability, it is recommended to use against a wall



Image: The shed positioned against a wall, demonstrating the recommended 'Lean To Wall Design' for enhanced stability and reduced wind exposure.

OPERATING YOUR STORAGE SHED


The Outsunny storage shed is designed for straightforward operation, providing secure storage for your outdoor items.

- **Opening the Door:** To open, disengage the latch mechanism and pull the door outwards. The tall door provides easy access for larger items.
- **Closing and Securing:** Push the door firmly shut. Engage the latch mechanism to secure the door. For added security, a padlock (not included) can be used with the integrated latch.
- **Storage Capacity:** Utilize the spacious interior for garden tools, equipment, and other outdoor essentials. Consider adding shelving or hooks for optimal organization.

5.5 ft
(1.71 m)

LATCH DOOR

Add security for your tools



2.1 ft (0.63 m)

Image: A detailed view of the shed's latch door, highlighting the security mechanism.



Image: The shed with its door open, showcasing its capacity to store garden tools like rakes, shovels, and a small cart.

MAINTENANCE GUIDELINES

Regular maintenance will ensure the longevity and optimal performance of your Outsunny storage shed.

- **Cleaning:** Periodically clean the exterior surfaces with mild soap and water. Avoid abrasive cleaners or harsh chemicals that could damage the protective coating.
- **Rust Inspection:** Although made of galvanized steel with a weather-resistant coating, inspect the shed annually for any signs of rust, especially at joints or scratched areas. Address any rust promptly with appropriate rust-inhibiting paint.
- **Roof Clearance:** Ensure the sloped roof remains clear of debris (leaves, snow) to prevent accumulation and ensure proper water runoff.
- **Door and Latch Check:** Lubricate door hinges and the latch mechanism annually to ensure smooth operation. Check that the door closes and latches securely.
- **Foundation Check:** Periodically inspect the shed's foundation to ensure it remains level and stable.

GALVANISED STEEL STRUCTURE



Rain Protection



Snow Protection



Rust Prevention



Zero Maintenance



Image: An illustration detailing the benefits of the galvanized steel structure, including protection against rain, snow, and rust, and its low maintenance requirements.


TROUBLESHOOTING COMMON ISSUES

This section addresses common issues you might encounter with your storage shed.

- **Panels Not Aligning:** If panels do not align perfectly during assembly, try loosening adjacent screws to allow for minor adjustments. Ensure the shed is on a perfectly level surface. Slight manipulation may be required due to manufacturing tolerances.
- **Door Not Closing/Latching Properly:** Check for any obstructions around the door frame or hinges. Verify that the shed is level; an uneven foundation can cause the frame to twist, affecting door alignment. Adjust hinges if possible, or re-check the squareness of the shed structure.
- **Water Leakage:** Inspect all roof seams and wall panel overlaps for proper sealing. Ensure all screws are tightened. Verify that the roof's slope is clear of debris, allowing water to drain effectively. If necessary, apply an outdoor-grade sealant to problematic seams.

PRODUCT SPECIFICATIONS

Specification	Detail
Brand	Outsunny
Model Number	845-328V01YG
Color	Light Green
Material	Galvanized Steel (Alloy Steel)
Overall Dimensions	55.9" W x 33.1" D x 69.7"-74.4" H (142 x 84 x 177-189 cm)
Inner Size	50.4" W x 27.2" D (128 x 69 cm)
Bottom Size	53.1" W x 31.1" D (135 x 79 cm)
Floor Area	1.07 m ² (approximately 12 ft ²)
Door Size	24.8" W x 67.3" H (63 x 171 cm)
Item Weight	66 Pounds
Water Resistance Level	Waterproof
Assembly Required	Yes
UPC	673986383568



Note:

Before purchasing this product, it is recommended to measure the foundation size first.

- Overall dimension
- Bottom
- Inner storage

Bottom Area = 12 ft² (1.07 m²)

Image: A detailed diagram illustrating the overall, bottom, and inner storage dimensions of the shed for reference.

WARRANTY AND SUPPORT

For product support, inquiries, or to report any issues, please contact the manufacturer directly.

- **Manufacturer:** Aosom Canada
- **Contact Information:** Markham, Ontario, CA
- **Telephone:** 1-416-792-6088

Please retain your purchase receipt for warranty purposes.