

Manuals.plus /

- › eeTao /
- › eeTao Replacement Charger Instruction Manual for SNJORT S7MAX Max+ Cordless Leaf Blower 21V Batteries

eeTao SNJORT S7MAX Max+ Charger

eeTao Replacement Charger Instruction Manual

Compatible with SNJORT S7MAX Max+ Cordless Leaf Blower 21V Batteries

1. PRODUCT OVERVIEW

This manual provides instructions for the safe and efficient use of your eeTao Replacement Charger. This power supply adapter is designed to charge 21V UN38.3 LITHIUM batteries for SNJORT S7MAX Max+ Cordless Leaf Blowers.



Image 1.1: The eeTao replacement charger shown alongside various SNJORT S7MAX Max+ cordless leaf blowers and

their compatible 21V batteries. This image illustrates the product's intended use and compatibility.

2. SAFETY INFORMATION

Please read all safety instructions before using the charger. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Use the charger only with the specified 21V UN38.3 LITHIUM batteries for SNJORT S7MAX Max+ Cordless Leaf Blowers.
- Do not expose the charger to rain or wet conditions.
- Do not use the charger if the cord or plug is damaged.
- Keep the charger away from heat sources and direct sunlight.
- Always unplug the charger from the power outlet before attempting any cleaning or maintenance.
- This charger features Over Voltage Protection (OVP), Over Current Protection (OCP), and Short Circuit Protection (SCP) for enhanced safety.

Security Protection

Multiple professional protection, so that fast charge more safe



Image 2.1: An illustration highlighting the multiple security protection features integrated into the eeTao charger, such as temperature, overcharge, lightning, short circuit, and anti-interference protection, ensuring safe charging.

3. SETUP

1. **Unpack the Charger:** Carefully remove the charger from its packaging. Inspect it for any signs of damage.
2. **Connect to Power:** Plug the charger's AC power cord into a standard 100-240 VAC 50/60 Hz wall outlet. Ensure the outlet is easily accessible.
3. **Connect to Battery:** Insert the barrel connector of the charger into the charging port of the SNJORT S7MAX Max+ 21V battery. Ensure a firm connection.

4. OPERATING INSTRUCTIONS

Once the charger is properly connected to both the power outlet and the battery, the charging process will begin automatically. The charger is designed to provide a DC21V output suitable for your battery.

- **Charging Indication:** Most batteries and chargers have an indicator light (e.g., red for charging, green for fully charged). Refer to your battery's specific manual for detailed indicator behavior.
- **Charging Time:** Charging time will vary depending on the battery's capacity and its current charge level.
- **Disconnecting:** Once the battery is fully charged, disconnect the charger from the battery first, then unplug it from the wall outlet.




Image 4.1: A cutaway view of the charger's premium cable, illustrating its robust construction with an inner insulator, coarsening core for efficient power transfer, and a durable TPE protective outer layer.

5. MAINTENANCE

- **Cleaning:** Use a dry, soft cloth to clean the exterior of the charger. Do not use liquid cleaners or solvents.
- **Storage:** Store the charger in a cool, dry place away from direct sunlight and moisture when not in use.
- **Cable Care:** Avoid bending or kinking the power cord excessively. Do not wrap the cord tightly around the charger.

6. TROUBLESHOOTING

- **Charger Not Working:**
 - Ensure the charger is securely plugged into a working wall outlet.
 - Check if the wall outlet is receiving power by testing it with another device.
 - Inspect the charger cable and connector for any visible damage.
- **Battery Not Charging:**
 - Ensure the charger's barrel connector is fully inserted into the battery's charging port.
 - Verify that the battery is compatible with this charger (SNJORT S7MAX Max+ 21V UN38.3 LITHIUM BATTERIES).
 - **Important Note:** Rechargeable batteries are not permanent and have an average battery life of 1 to 3 years. If the battery is damaged or has reached the end of its lifespan, it may not be able to charge, even with a functional charger.

7. SPECIFICATIONS

Feature	Specification
Brand	eeTao
Model Number	SNJORT S7MAX Max+ Charger
Input Voltage	100-240 VAC, 50/60 Hz
Output Voltage	24.8 Volts (DC)
Output Current	0.8 Amps
Connector Type	Barrel Connector
Special Features	Short Circuit Protection, Over Voltage Protection, Over Current Protection
Compatible Devices	SNJORT S7MAX Max+ Cordless Leaf Blower 21V UN38.3 LITHIUM Batteries
Item Weight	4 Ounces

8. WARRANTY AND SUPPORT

eeTao offers a **30-day refund** policy and a **24-month satisfaction exchange** for this product. For warranty claims or technical support, please refer to your purchase documentation or contact the seller

directly through the platform where the product was purchased.

9. VIDEO RESOURCES

No official product videos from the seller meeting the specified criteria (m3u8 format, 'Seller' creator type, or useful 'preview' content) were available for embedding in this manual.