

ZEALOT P12

ZEALOT P12 Portable Bluetooth Speaker User Manual

Model: P12

INTRODUCTION

Thank you for purchasing the ZEALOT P12 Portable Bluetooth Speaker. This manual provides essential information for setting up, operating, and maintaining your speaker to ensure optimal performance and longevity. Please read this manual thoroughly before using the product and retain it for future reference.



Image: The ZEALOT P12 Portable Bluetooth Speaker, showcasing its design and handle.

SAFETY INFORMATION

To ensure safe and proper operation, please observe the following precautions:

- Do not expose the speaker to extreme temperatures, direct sunlight, or high humidity.

- Avoid dropping or subjecting the speaker to strong impacts.
- Keep the speaker away from medical devices, as it contains magnets.
- Do not attempt to disassemble, repair, or modify the speaker yourself. Refer all servicing to qualified personnel.
- Ensure all ports are securely closed when using the speaker near water to maintain its IPX6 waterproof rating.
- Use only the provided charging cable or a certified equivalent.



Image: The ZEALOT P12 speaker on rocks with water splashing, highlighting its IPX6 waterproof capability.

PACKAGE CONTENTS

Verify that all items are present in your package:

- ZEALOT P12 Portable Bluetooth Speaker
- USB Charging Cable

- User Manual (this document)



Image: The ZEALOT P12 speaker and its included accessories, such as USB cables.

PRODUCT OVERVIEW

The ZEALOT P12 speaker features a robust design with intuitive controls and multiple connectivity options.

Components:

- **Power Button:** Turns the speaker on/off.
- **Mode Button (M):** Switches between Bluetooth, AUX, USB, and TF card modes.
- **EQ Button:** Cycles through different equalizer sound modes.
- **Light Button:** Controls the LED light show modes.
- **Volume Up (+):** Increases volume. Long press for next track.
- **Volume Down (-):** Decreases volume. Long press for previous track.
- **Play/Pause Button:** Plays or pauses audio. Also used for answering/ending calls.
- **USB Port:** For USB drive playback and charging external devices.
- **TF Card Slot:** For MicroSD card playback.
- **AUX-in Port:** For wired audio connection via 3.5mm cable.
- **USB-C Charging Port:** For charging the speaker.



Image: Various angles of the ZEALOT P12 speaker, detailing its control panel and ports.



Image: An exploded view illustrating the internal speaker components, including the 10W tweeter, 50W woofer, and dual passive radiators.

SETUP

1. Charging the Speaker

Before first use, fully charge the speaker. Connect the provided USB charging cable to the USB-C charging port on the speaker and the other end to a USB power adapter (not included) or a computer's USB port. The charging indicator light will show charging status and turn off when fully charged.

2. Powering On/Off

- **To Power On:** Press and hold the Power button for 2-3 seconds until you hear an audible prompt and the indicator lights illuminate.
- **To Power Off:** Press and hold the Power button for 2-3 seconds until the indicator lights turn off.

3. Bluetooth Pairing

1. Ensure the speaker is powered on and in Bluetooth pairing mode (indicated by a flashing blue light). If not, press the 'M' (Mode) button to switch to Bluetooth mode.
2. On your device (smartphone, tablet, etc.), enable Bluetooth and search for available devices.
3. Select "ZEALOT P12" from the list of devices.
4. Once paired, the speaker will emit a confirmation sound, and the blue indicator light will remain solid.

4. Connecting via AUX, USB, or TF Card

- **AUX-in:** Connect a 3.5mm audio cable from your device's headphone jack to the speaker's AUX-in port. The speaker will automatically switch to AUX mode.
- **USB Drive:** Insert a USB flash drive into the USB port. The speaker will automatically switch to USB mode and begin playing audio files.
- **TF Card:** Insert a MicroSD (TF) card into the TF card slot. The speaker will automatically switch to TF card mode and begin playing audio files.

OPERATING INSTRUCTIONS

Basic Audio Playback

- **Play/Pause:** Press the Play/Pause button.
- **Volume Up:** Short press the '+' button.
- **Volume Down:** Short press the '-' button.
- **Next Track:** Long press the '+' button.
- **Previous Track:** Long press the '-' button.

EQ Modes

Press the 'EQ' button to cycle through different sound equalization modes (e.g., XBass, Vocal, 3D Sound) to suit your listening preference.

LED Light Show

Press the 'Light' button to change or turn off the dynamic LED light modes on the speaker's ends.

True Wireless Stereo (TWS) Pairing

You can pair two ZEALOT P12 speakers together for a true stereo sound experience.

1. Ensure both P12 speakers are powered on and not connected to any Bluetooth device.
2. On one speaker (this will be the primary speaker), double-press the Play/Pause button. It will enter TWS pairing mode.
3. The primary speaker will automatically search for and connect to the second speaker.
4. Once successfully paired, both speakers will emit a confirmation sound. The primary speaker's Bluetooth indicator will flash, and the secondary speaker's will be solid.
5. Now, connect your device to the primary speaker via Bluetooth as described in the "Bluetooth Pairing" section. Audio will play through both speakers in stereo.



Image: Two ZEALOT P12 speakers wirelessly connected, providing a stereo sound experience in an outdoor setting.

MAINTENANCE

- **Cleaning:** Wipe the speaker with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Storage:** Store the speaker in a cool, dry place away from direct sunlight and extreme temperatures.
- **Battery Care:** For optimal battery life, charge the speaker regularly, even if not in frequent use. Avoid fully discharging the battery for extended periods.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Speaker does not turn on.	Low battery; Power button not pressed long enough.	Charge the speaker; Press and hold the Power button for 2-3 seconds.
Cannot pair via Bluetooth.	Speaker not in pairing mode; Device Bluetooth off; Too far from speaker.	Ensure speaker is flashing blue; Turn on device Bluetooth; Move device closer (within 50ft).
No sound.	Volume too low; Incorrect mode selected; Device not playing audio.	Increase speaker and device volume; Press 'M' button to select correct mode; Check audio playback on device.
Sound distortion.	Volume too high; Low battery.	Reduce volume; Charge the speaker.
TWS pairing failed.	Speakers already connected to another device; Speakers too far apart.	Disconnect speakers from other devices; Ensure both speakers are P12 models; Place speakers closer together.

SPECIFICATIONS

- **Model Name:** ZEALOT-P12
- **Speaker Type:** Outdoor/Indoor/Portable/Home/Party/Wireless
- **Connectivity Technology:** Bluetooth 5.3
- **Speaker Maximum Output Power:** 80 Watts (Peak)
- **Frequency Response:** 20 Hz - 40 kHz
- **Waterproof Rating:** IPX6
- **Playtime:** Up to 25 hours (at 50% volume)
- **Product Dimensions:** 5.47"D x 10.87"W x 7.07"H
- **Item Weight:** 3.3 Pounds (approx. 1.5 kg)
- **Included Components:** USB cables




Image: Technical drawing illustrating the precise dimensions of the ZEALOT P12 speaker.

WARRANTY AND SUPPORT

ZEALOT products come with a standard manufacturer's warranty. For detailed warranty information, please refer to the warranty card included in your package or visit the official ZEALOT website. If you encounter any issues or have questions not covered in this manual, please contact ZEALOT customer support through their official channels or the seller from whom you purchased the product.

ZEALOT Official Store: [Visit ZEALOT Store on Amazon](#)

© 2025 ZEALOT. All rights reserved.

Related Documents



ZEALOT S55 Portable Bluetooth Speaker: Features, Specs, and Pairing Guide

Discover the ZEALOT S55 portable Bluetooth speaker. Learn about its features, IPX5 waterproof rating, wireless stereo pairing, technical specifications, and usage guidelines.

TECH SPEC

EN:
Input voltage: DC3V
Operating voltage: 3.2V
Standby current: 100uA
Sleep current: 100uA
Sleep time: 100s
Sleep current: 100uA
Dimensions: 105*45*20mm
Weight: 150g
Material: ABS+PC+TPU+Silicone
Color: Black, Blue, Red, Green, Yellow, Purple, Orange, White

DE:
Netzteilspannung: DC3V
Betriebsspannung: 3.2V
Standbystrom: 100uA
Schlafstrom: 100uA
Schlafzeit: 100s
Schlafstrom: 100uA
Abmessungen: 105*45*20mm
Gewicht: 150g
Material: ABS+PC+TPU+Silikon
Farbe: Schwarz, Blau, Rot, Grün, Gelb, Lila, Orange, Weiß

FR:
Tension d'entrée: DC3V
Tension de fonctionnement: 3.2V
Courant de veille: 100uA
Temps de sommeil: 100s
Courant de sommeil: 100uA
Dimensions: 105*45*20mm
Poids: 150g
Matériaux: ABS+PC+TPU+Silicone
Couleur: Noir, Bleu, Rouge, Vert, Orange, Violette, Blanc

ES:
Tensión de entrada: DC3V
Tensión de funcionamiento: 3.2V
Corriente de reposo: 100uA
Tiempo de sueño: 100s
Corriente de sueño: 100uA
Dimensiones: 105*45*20mm
Peso: 150g
Material: ABS+PC+TPU+Silicona
Color: Negro, Azul, Rojo, Verde, Naranja, Morado, Blanco

CH:
输入电压: DC3V
工作电压: 3.2V
待机电流: 100uA
睡眠电流: 100uA
睡眠时间: 100s
睡眠电流: 100uA
尺寸: 105*45*20mm
重量: 150g
材料: ABS+PC+TPU+Silicone
颜色: 黑色, 蓝色, 红色, 绿色, 黄色, 紫色, 白色

IT:
Tensione d'ingresso: DC3V
Tensione di funzionamento: 3.2V
Corrente di stand-by: 100uA
Tempo di sonno: 100s
Corrente di sonno: 100uA
Dimensioni: 105*45*20mm
Peso: 150g
Materiali: ABS+PC+TPU+Silicone
Colore: Nero, Blu, Rosso, Verde, Arancione, Viola, Bianco

PL:
Napięcie zasilania: DC3V
Napięcie pracy: 3.2V
Prąd zasuwki: 100uA
Czas spania: 100s
Prąd spania: 100uA
Wymiary: 105*45*20mm
Waga: 150g
Materiały: ABS+PC+TPU+Silikon
Kolor: Czarny, Niebieski, Czerwony, Zielony, Pomarańczowy, Fioletowy, Biały

ES:
Tensión de entrada: DC3V
Tensión de funcionamiento: 3.2V
Corriente de reposo: 100uA
Tiempo de sueño: 100s
Corriente de sueño: 100uA
Dimensiones: 105*45*20mm
Peso: 150g
Material: ABS+PC+TPU+Silicona
Color: Negro, Azul, Rojo, Verde, Naranja, Morado, Blanco

DE:
Netzteilspannung: DC3V
Betriebsspannung: 3.2V
Standbystrom: 100uA
Schlafstrom: 100uA
Schlafzeit: 100s
Schlafstrom: 100uA
Abmessungen: 105*45*20mm
Gewicht: 150g
Material: ABS+PC+TPU+Silikon
Farbe: Schwarz, Blau, Rot, Grün, Gelb, Lila, Orange, Weiß

FR:
Tension d'entrée: DC3V
Tension de fonctionnement: 3.2V
Courant de repos: 100uA
Temps de sommeil: 100s
Courant de sommeil: 100uA
Dimensions: 105*45*20mm
Poids: 150g
Matériaux: ABS+PC+TPU+Silikon
Couleur: Noir, Bleu, Rouge, Vert, Orange, Violette, Blanc

PL:
Napięcie zasilania: DC3V
Napięcie pracy: 3.2V
Prąd zasuwki: 100uA
Czas spania: 100s
Prąd spania: 100uA
Wymiary: 105*45*20mm
Waga: 150g
Materiały: ABS+PC+TPU+Silikon
Kolor: Czarny, Niebieski, Czerwony, Zielony, Pomarańczowy, Fioletowy, Biały

ES:
Tensión de entrada: DC3V
Tensión de funcionamiento: 3.2V
Corriente de reposo: 100uA
Tiempo de sueño: 100s
Corriente de sueño: 100uA
Dimensiones: 105*45*20mm
Peso: 150g
Material: ABS+PC+TPU+Silicona
Color: Negro, Azul, Rojo, Verde, Naranja, Morado, Blanco

CH:
输入电压: DC3V
工作电压: 3.2V
待机电流: 100uA
睡眠电流: 100uA
睡眠时间: 100s
睡眠电流: 100uA
尺寸: 105*45*20mm
重量: 150g
材料: ABS+PC+TPU+Silicone
颜色: 黑色, 蓝色, 红色, 绿色, 黄色, 紫色, 白色

IT:
Tensione d'ingresso: DC3V
Tensione di funzionamento: 3.2V
Corriente di stand-by: 100uA
Tempo di sonno: 100s
Corriente di sonno: 100uA
Dimensioni: 105*45*20mm
Peso: 150g
Materiali: ABS+PC+TPU+Silikon
Colore: Nero, Blu, Rosso, Verde, Naranja, Viola, Bianco

CE

RoHS

WEEE

REACH

ISO9001

ISO14001

ISO18001

ISO45001

ISO22716

ISO22717

ISO22718

ISO22719

ISO22720

ISO22721

ISO22722

ISO22723

ISO22724

ISO22725

ISO22726

ISO22727

ISO22728

ISO22729

ISO22730

ISO22731

ISO22732

ISO22733

ISO22734

ISO22735

ISO22736

ISO22737

ISO22738

ISO22739

ISO22740

ISO22741

ISO22742

ISO22743

ISO22744

ISO22745

ISO22746

ISO22747

ISO22748

ISO22749

ISO22750

ISO22751

ISO22752

ISO22753

ISO22754

ISO22755

ISO22756

ISO22757

ISO22758

ISO22759

ISO22760

ISO22761

ISO22762

ISO22763

ISO22764

ISO22765

ISO22766

ISO22767

ISO22768

ISO22769

ISO22770

ISO22771

ISO22772

ISO22773

ISO22774

ISO22775

ISO22776

ISO22777

ISO22778

ISO22779

ISO22780

ISO22781

ISO22782

ISO22783

ISO22784

ISO22785

ISO22786

ISO22787

ISO22788

ISO22789

ISO22790

ISO22791

ISO22792

ISO22793

ISO22794

ISO22795

ISO22796

ISO22797

ISO22798

ISO22799

ISO22790

ISO22791

ISO22792

ISO22793

ISO22794

ISO22795

ISO22796

ISO22797

ISO22798

ISO22799

ISO22790

ISO22791

ISO22792

ISO22793

ISO22794

ISO22795

ISO22796

ISO22797

ISO22798

ISO22799

ISO22790

ISO22791

ISO22792

ISO22793

ISO22794

ISO22795

ISO22796

ISO22797

ISO22798

ISO22799

ISO22790

ISO22791

ISO22792

ISO22793

ISO22794

ISO22795

ISO22796

ISO22797

ISO22798

ISO22799

ISO22790

ISO22791

ISO22792

ISO22793

ISO22794

ISO22795

ISO22796

ISO22797

ISO22798

ISO22799

ISO22790

ISO22791

ISO22792

ISO22793

ISO22794

ISO22795

ISO22796

ISO22797

ISO22798

<p>材质: 80g书写纸 尺寸:75*75mm 折法: 10页9折</p>	<p><u>Zealot S49 Wireless Speaker Quick Start Guide</u></p> <p>A concise guide to setting up and using the Zealot S49 wireless speaker, covering Bluetooth pairing, mode switching, playback controls, and technical specifications.</p>



WHAT'S IN THE BOX


BLUETOOTH PAIRING



PLAY



WIRELESS STEREO PAIRING



IPX6 WATERPROOF



TECH SPEC

EN	DE
Input voltage: DC3.7V	Input voltage: DC3.7V
Operating voltage: 3.7V	Operating voltage: 3.7V
Speaker: 4Ω, 10W	Speaker: 4Ω, 10W
Transmission range: 10M/33ft	Transmission range: 10M/33ft
Frequency response: 100Hz-20kHz	Frequency response: 100Hz-20kHz
Speaker: 4Ω, 10W	Speaker: 4Ω, 10W
Charging interface: Type-C	Charging interface: Type-C
Dimensions: 107*177*100mm ³	Dimensions: 107*177*100mm ³
Weight: 500g (1.1lb)	Weight: 500g (1.1lb)

IT:

Tensione di ingresso DC3.7V
Tensione di uscita 3.7V
Alimentazione: 3.7V
Ricezione di distanza: 10M/33ft
Risposta di frequenza: 100Hz-20kHz
Interfaccia di ricarica: Type-C
Dimensioni: 107*177*100mm³
Peso: 500g (1.1lb)

FR:

Tension d'entrée: DC3.7V
Tension de sortie: 3.7V
Alimentation: 3.7V
Distance de transmission: 10M/33ft
Réponse à la fréquence: 100Hz-20kHz
Interface de charge: Type-C
Dimensions: 107*177*100mm³
Poids: 500g (1.1lb)

DE:

Voltaje de entrada: DC3.7V
Voltaje de salida: 3.7V
Alimentación: 3.7V
Distancia de transmisión: 10M/33ft
Rango de frecuencia: 100Hz-20kHz
Interfaz de carga: Type-C
Dimensiones: 107*177*100mm³
Peso: 500g (1.1lb)

ES:

Voltaje de entrada: DC3.7V
Voltaje de salida: 3.7V
Alimentación: 3.7V
Distancia de transmisión: 10M/33ft
Rango de frecuencia: 100Hz-20kHz
Interfaz de carga: Type-C
Dimensiones: 107*177*100mm³
Peso: 500g (1.1lb)

DK:

Do not throw this product into the fire or water.
Do not modify, repair, or disassemble the speaker.
Do not drop or knock the speaker.
Please keep the device away from heat and direct sunlight.
Before using the device, make sure the device is not damaged.
Do not use the product when charging.
The use of a power source or device other than the one specified in the usage conditions will void the warranty.

CH:

請勿將此產品投入火中或水中。
請勿修改、修理或拆解喇叭。
請勿掉落或撞擊喇叭。
請勿將裝置遠離熱源或直曬太陽。
在使用裝置前，請確認裝置無損壞。
請勿在充電時使用產品。
若使用非指定的電源或裝置，將會使保固失效。

IT:

Non gettare questo prodotto nel fuoco o nell'acqua.
Non modificare, riparare o smontare il diffusore.
Non gettare o colpire il diffusore.
Tenere il dispositivo lontano dal calore e dalla luce diretta del sole.
Prima di utilizzare il prodotto, assicurarsi che il prodotto non sia danneggiato.
Non utilizzare il prodotto durante la ricarica.
L'utilizzo di una sorgente di corrente o di un dispositivo diverso da quelli specificati nelle condizioni di uso annullerà la garanzia.

DE:

Werfen Sie dieses Produkt nicht in den Wasser oder in den Feuer.

FR:

Ne pas jeter ce produit dans l'eau ou dans le feu.

ES:

No tirar este producto al agua o al fuego.
No modificar, reparar o desmontar el altavoz.

IT:

Non gettare questo prodotto nel fuoco o nell'acqua.
Non modificare, riparare o smontare il diffusore.
Non gettare o colpire il diffusore.
Tenere il dispositivo lontano dal calore e dalla luce diretta del sole.
Prima di utilizzare il prodotto, assicurarsi che il prodotto non sia danneggiato.
Non utilizzare il prodotto durante la ricarica.
L'utilizzo di una sorgente di corrente o di un dispositivo diverso da quelli specificati nelle condizioni di uso annullerà la garanzia.

EN:

No throw this product into the fire or water.
No modify, repair or disassemble a speaker.
No drop or knock a speaker.
Please keep the device away from heat and direct sunlight.
Before using the device, make sure the device is not damaged.
No use a product during charging.
The use of a power source or device other than the one specified in the usage conditions will void the warranty.

DE:

Werfen Sie dieses Produkt nicht in den Wasser oder in den Feuer.

FR:

Ne pas jeter ce produit dans l'eau ou dans le feu.

ES:

No tirar este producto al agua o al fuego.
No modificar, reparar o desmontar el altavoz.

IT:

Non gettare questo prodotto nel fuoco o nell'acqua.
Non modificare, riparare o smontare il diffusore.
Non gettare o colpire il diffusore.
Tenere il dispositivo lontano dal calore e dalla luce diretta del sole.
Prima di utilizzare il prodotto, assicurarsi che il prodotto non sia danneggiato.
Non utilizzare il prodotto durante la ricarica.
L'utilizzo di una sorgente di corrente o di un dispositivo diverso da quelli specificati nelle condizioni di uso annullerà la garanzia.

Zealot S53 Bluetooth Speaker User Guide and Technical Specifications

Comprehensive guide for the Zealot S53 Bluetooth speaker, covering setup, features like Bluetooth pairing, wireless stereo pairing, IPX6 waterproofing, and detailed technical specifications. Includes safety precautions and multilingual instructions.



[\[pdf\]](#) Test Report SAR Rating

HD 271 S1 Allo RF exposure report SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12

WIRELESS SPEAKER 2AFKR 2AFKRP12 p12


RF Exposure Evaluation Report Application No.: Applicant: Address of Applicant: EUT
Description: Mo ... District,BaiShi xia Community,Fu Yong street,BaoAn
District,ShenZhen China WIRELESS SPEAKER ZEALOT-P12 2AFKR-P12 Input:DC
5V; DC 7.4V from rechargeable lithium-ion battery ZEALOT 47 CFR Part 2.1093 F...
lang:en score:24 filesize: 986.4 K page_count: 8 document date: 2025-06-13



[pdf] Test Report

test report part1 SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12 WIRELESS SPEAKER
2AFKR 2AFKRP12 p12


FCC Test Report Application No.: Applicant: Address of Applicant: EUT Description: Model No.: FCC I ... District,BaiShi xia Community,Fu Yong street,BaoAn District,ShenZhen China WIRELESS SPEAKER ZEALOT-P12 2AFKR-P12 Input:DC 5V; DC 7.4V from rechargeable lithium-ion battery ZEALOT 47 CFR FCC Part 2, S... lang:en score:24 filesize: 3.8 M page_count: 17 document date: 0000-00-00



FCC Attestation Statement for ZEALOT P12 Wireless Speaker (FCC ID: 2AFKR-P12)

Attestation statement from SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO.,LTD confirming that the P12 Wireless Speaker (FCC ID: 2AFKR-P12) is not 'covered' equipment and does not contain prohibited cybersecurity software, ensuring compliance with FCC regulations.

lang:en score:24 filesize: 106.63 K page_count: 2 document_date: 2025-06-13



[pdf] Declaration of Conformity


Lu Bian SDOC letter SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12 WIRELESS SPEAKER 2AFKR 2AFKRP12 p12

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO.,LTD Federal Communications Commission Authorization and Evaluation Division 7435 Oakland Mills Road Columbia, MD 21046 Date: 2025/6/13 SUBJECT: 2AFKR-P12 To Whom It May Concern: I, the undersigned, hereby states this equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules, and will apply the Supplier's Declaration of Conformity procedure to the class B exemption. The equipment must be operated in accordance with the following FCC requirements:

1. Devices subject to the FCC technical regulations by a recognized accredited testing laboratory. The testing laboratory must be accredited by a Commission approved accreditation program, such as the National Voluntary Laboratory Accreditation Program (NVLAP) or the Mutual Recognition Agreement (MRA). A listing of these accredited testing laboratories can be found on the Commission's website at <https://www.fcc.gov/acs-test-reports/test-lab-accred> (last checked on October 2, 2017) containing the list of all FCC-recognized laboratories that time included in the Supplier's Declaration of Conformity, which must be supplied with each product sold. The SDOC must be signed and dated and must be included in the Supplier's Declaration of Conformity sheet. The info must contain the name, address, and phone number of the manufacturer, which must be located within the United States. According to 2.09(b), the responsible party is deemed to be the manufacturer or if the product is imported the importer.

Regards,
SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD


Jia Li



[pdf] User Manual Guide

MX PRINTER MANUAL bitsavers.org This user's manual obviously 2 Your new EPSON printer 3 A long box containing the ribbon cartridge 4 wire rack to guide paper Printer Manual 1982 textfiles epson informatik uni stuttgart de

MX PRINTER MANUAL with - EPSON EPSON AMERICA , INC. EPSON MX Printer Manual GRAFTAXPLUS by David ... ---- :CH:C CRO eNS 11 SYNC PI3 - 5lm , 10K ,f6. 96 8041 Ir--- JL.:6;:./flr2-U 5 P12-- --ADG i----,-..3,-3K_ - CRRU, - , 1.. 2K 18 VOO 5 -PROG P141 3I-1- LF A --_ _ _...

lang:en score:24 filesize: 110.58 K page_count: 1 document date: 2025-06-13



[pdf] Confidentiality Request Letter

APPLICANT'S LETTERHEAD Sid Sanders confidentiality letter SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12 WIRELESS SPEAKER 2AFKR 2AFKRP12 p12

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO.,LTD Federal Communications Commission Authorization and Evaluation Division Confidentiality Request regarding application for certification of FCC ID: 2AFKR-P12 Pursuant to Sections 0.457 and 0.459 of the Commission's Rules, we hereby request confidential treatment of information accompanying this application as outlined below:

Federal Communications Commission Authorization and Evaluation Division

Confidentiality Request regarding application for certification of FCC ID: 2AFKR-P12

Pursuant to Sections 0.457 and 0.459 of the Commission's Rules, we hereby request confidential treatment of information accompanying this application as outlined below:

Exhibit Type: Block Diagrams, Schematics, Operation Descriptions

File Name*: Block Diagram.pdf, Schematic.pdf, Operation Description.pdf

The above materials contain trade secrets and proprietary information not customarily released to the public. The public disclosure of these materials may be harmful to the applicant and provide unfair competitive advantage to the applicant's competitors.

The system information that pursuant to Section 0.457 of the Rules, disclosure of this application and all accompanying documentation will not be made before the date of the Grant for this application.

We request the following attachments to be kept confidential for a short period of time within 180 days from the date of submitting the FCC ID.

Pursuant to DMM-1705 June 15, 2004 of the Commission's public notice, we also request temporary confidential treatment of information accompanying this application as outlined below:

Exhibit Type: Test Results, Test Data, Test Reports, Test Reports of more accurate.pdf

File Name*: Test Results.pdf, Test Data.pdf, Test Reports.pdf

Sincerely,


Jia Li

Rev 11/2007

lang:en score:22 filesize: 115.15 K page_count: 1 document date: 2025-06-13



[pdf]

TIMCO Engineering Inc Valued Sony Customer POA letter SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12 WIRELESS SPEAKER 2AFKR 2AFKRP12 p12

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO.,LTD Federal Communications Commission Authorization and Evaluation Division 7435 Oakland Mills Road Columbia, MD 21046 Date: 2025/6/13 SUBJECT: FCC Application for 2AFKR-P12 To Whom It May Concern: We, the undersigned, hereby authorize Dongguan DN Testing Co., ...

We the undersigned hereby authorize Dongguan DN Testing Co., Ltd on our behalf to apply to the Federal Communications Commission. Any and all acts carried out by Apple on our behalf shall have the same effect as acts of our own.

This is to advise that we are in full compliance with the Anti-Drug Abuse Act. We, the applicant, are not subject to a denial of federal benefits pursuant to Section 5301 of the Anti-Drug Act of 1988, 21 USC§53a, and no party to the application is subject to a denial of federal benefits pursuant to that section.

Regards,


Jia Li

Jon Lin

lang:en score:22 filesize: 58.5 K page_count: 1 document date: 2025-06-13

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD
401-501, Building 3 NO. 3, Yong Tai Road east District, Bao'an District, Shenzhen, China
Fu Yong street, Bao'an District, Shenzhen, China
Phone: 0755-8767-0741
FCC ID: 2AB2H-ZEALOT-M1
Model Number: ZEALOT-M1, ZEALOT-S1, ZEALOT-S32, ZEALOT-S32pro, ZEALOT-S49, ZEALOT-S49pro, ZEALOT-S85, ZEALOT-S89, ZEALOT-S87, ZEALOT-ZE21, ZEALOT-S53, ZEALOT-S79, ZEALOT-S76, ZEALOT-P12, ZEALOT-S66, ZEALOT-S97, and ZEALOT-S98. These models share the same schematic, PCB layout, structure, and software, with differences limited to sales channels and model names.

To Whom It May Concern:
We, SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD. hereby declare that our product (Model: Speaker) Model Number: ZEALOT-M1, ZEALOT-S1, ZEALOT-S32, ZEALOT-S32pro, ZEALOT-S49, ZEALOT-S49pro, ZEALOT-S85, ZEALOT-S89, ZEALOT-S87, ZEALOT-ZE21, ZEALOT-S53, ZEALOT-S79, ZEALOT-S76, ZEALOT-P12, ZEALOT-S66, ZEALOT-S97, and ZEALOT-S98. These models share the same schematic, PCB layout, structure, and software, with differences limited to sales channels and model names.

Sincerely,


Printed Name of Signer: Jim Liu
Company: SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD
Address: 401-501, Building 3 NO. 3, Yong Tai Road east District, Bao'an District, Shenzhen, China
Phone: N/A
Email: N/A

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD - Declaration of Model Differences for Wireless Speakers

Declaration of model differences for various ZEALOT wireless speaker models including ZEALOT-M1, ZEALOT-S1, ZEALOT-S32, ZEALOT-S32pro, ZEALOT-S49, ZEALOT-S49pro, ZEALOT-S85, ZEALOT-S89, ZEALOT-S87, ZEALOT-ZE21, ZEALOT-S53, ZEALOT-S79, ZEALOT-S76, ZEALOT-P12, ZEALOT-S66, ZEALOT-S97, and ZEALOT-S98. This document confirms that these models are electrically identical, sharing the same schematic, PCB layout, structure, and software, with differences limited to sales channels and model names.

lang:en score:21 filesize: 88.31 K page_count: 1 document date: 2025-07-08

Confidentiality Request Letter
For Certification Service in the USA

Federal Communications Commission
Equipment Authorization Division, Application Processing Branch
7425 Oaklawn Mills Road
Columbia, MD 21048

To whom it may concern:

Pursuant to Section 0.457 and 0.459 of the Commission's Rules (47 C.F.R.) and Section 501(b) of the Freedom of Information Act, we request confidentiality for the documentation of the following products:

FCC ID:
2AB2H-ZEALOT-M1
Model Name: ZEALOT-M1, ZEALOT-S1, ZEALOT-S32, ZEALOT-S32pro, ZEALOT-S49, ZEALOT-S49pro, ZEALOT-S85, ZEALOT-S89, ZEALOT-S87, ZEALOT-ZE21, ZEALOT-S53, ZEALOT-S79, ZEALOT-S76, ZEALOT-P12, ZEALOT-S66, ZEALOT-S97, and ZEALOT-S98

For the products listed above, we request permanent confidentiality for all applicable exhibits as there are:

- the Operational Description
- the Block Diagram
- the Schematics

The above listed exhibits contain trade secrets and proprietary information that could be of benefit to our competitors.

If you have any questions, please feel free to contact us at the address shown below.

Sincerely,


Signature _____ Date: 2025-07-07

Printed Name of Signer: Jim Liu Manager
Company: SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD
Address: 401-501, Building 3 NO. 3, Yong Tai Road east District, Bao'an District, Shenzhen, China
Phone: N/A
Email: N/A

Confidentiality Request Letter for ZEALOT Products - SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD

Request for permanent confidentiality submitted to the FCC for ZEALOT product documentation, including operational descriptions, block diagrams, and schematics, by SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD.

lang:en score:21 filesize: 85.67 K page_count: 1 document date: 2025-07-07

Covered Equipment Attestation Letter
For Certification Service in the USA

Federal Communications Commission
Equipment Authorization Division, Application Processing Branch
7425 Oaklawn Mills Road
Columbia, MD 21048

To whom it may concern:

Pursuant to Section 2.111(b)(5)(ii)-(B) of the Commission's Rules (47 C.F.R.) we attest as follows for the products listed below:

FCC ID:
2AB2H-ZEALOT-M1
Model Name: ZEALOT-M1, ZEALOT-S1, ZEALOT-S32, ZEALOT-S32pro, ZEALOT-S49, ZEALOT-S49pro, ZEALOT-S85, ZEALOT-S89, ZEALOT-S87, ZEALOT-ZE21, ZEALOT-S53, ZEALOT-S79, ZEALOT-S76, ZEALOT-P12, ZEALOT-S66, ZEALOT-S97, and ZEALOT-S98

We, _____

Applicant	Company Name: SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD
Address	401-501, Building 3 NO. 3, Yong Tai Road east District, Bao'an District, Shenzhen, China
Phone	N/A

certify that the equipment for which authorization is sought is not "covered" equipment prohibited from receiving equipment authorization pursuant to section 2.903 of the FCC rules. This includes the cybersecurity and anti-spam software produced or provided by third parties. This includes the software produced or provided by third parties.

We certify that, as of the date of the filing of the application, the applicant is not identified on the FCC website as an entity producing "covered" equipment.

If you have any questions, please feel free to contact us at the address shown below.

Sincerely,


Signature _____ Date: 2025-07-07

Printed Name of Signer: Jim Liu
Company: SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD
Address: 401-501, Building 3 NO. 3, Yong Tai Road east District, Bao'an District, Shenzhen, China
Phone: N/A
Email: N/A

FCC Attestation Letter for ZEALOT Wireless Speakers by SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD

Official attestation letter from SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD to the Federal Communications Commission (FCC) for ZEALOT wireless speaker models, confirming compliance with FCC rules and absence of 'covered' equipment.

lang:en score:20 filesize: 83.12 K page_count: 1 document date: 2025-07-07

RF Exposure Evaluation for ZEALOT-M1 Wireless Speaker

This document details the RF exposure evaluation for the ZEALOT-M1 Wireless Speaker, confirming compliance with FCC regulations and SAR test exclusion criteria based on conducted power and separation distances.

lang:en score:20 filesize: 77.23 K page_count: 3 document date: 2025-07-05

[max. power of channel, including tune-up tolerance, mW/ λ^2]/(min. test separation distance, mm) \leq \mathcal{N} (f GHz) \leq 3.0 for 1-g SAR and \leq 7.5 for 10-g extremely SAR, where:

[\[pdf\]](#) Declaration of Conformity

wenliang li Letter of declaration model difference SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD
S46 2AFKBR 2AFKRS46 s46

SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD 401, 501, building 3, NO.8,
Yong Tai Road, east District ... 7, ZEALOT-S167, ZEALOT-MT01, ZEALOT-PT01,
ZEALOT-PT02, ZEALOT-PT11, ZEALOT-PT21, ZEALOT-P11, ZEALOT-**P12**,
ZEALOT-M1, ZEALOT-MP1, ZEALOT-ZE01, ZEALOT-ZE11, ZEALOT-ZE21,
ZEALOT-ZE41, ZEALOT-ZE51, ZEALOT-

lang:en score:19 filesize: 170.09 K page_count: 2 document_date: 2024-10-25


Confidentiality Request Letter
For Certification Service in the USA

[pdf] Confidentiality Request Letter

Microsoft Office Anwender Confidentiality request letter SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD. S16-2AEKPR-2AEKPR-S16-c16

Confidentiality Request Letter For Certification Service in the USA Federal
Communication Commissio ... 27, ZEALOT-S167, ZEALOT-MT01, ZEALOT-PT0
ZEALOPT02, ZEALOT-PT11, ZEALOT-PT21, ZEALOT-P11, ZEALOT-**P12**,
ZEALOT-M1, ZEALOT-MP1, ZEALOT-ZE01, ZEALOT-ZE11, ZEALOT-ZE21,
ZEALOT-ZE41, ZEALOTZE51, ZEALOT-S...

lang:en score:19 filesize: 196.09 K page_count: 2 document date: 2024-10-25



[\[pdf\] Specifications Diagram](#)

ljy87 antenna specification SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12 WIRELESS SPEAKER 2AFKR 2AFKRP12 p12

Product specification Quick Reference Date Antenna module on the system board Frequency 2.45GHz*1 Ant. Port Input Pwr. dBm 0 Typ. BT class 2 output power Tot. Rad. Pwr. dBm -2.3 Input pwr loss pwr Peak EIRP dBm 1.7 Directivity dBi 1 all direction antenna Efficiency dB -...

lang:en score:18 filesize: 529.28 K page_count: 4 document date: 2025-06-13






[\[pdf\] Product Photos Teardown](#)

pencils internal photos SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12 WIRELESS

SPEAKER 2AFKR 2AFKRP12 p12

DNT2504140337R3621-P01 Page: 1 of 4 PHOTO GRAPHS OF EUT FCC

ID:2AFKR-P12 Internal Photos Internal Photos Dongguan DN Testing Co., Ltd. Add: No. 1, West Fourth Street, Xingfa South Road, Wusha Community, Chang an Town, Dongguan City, Guangdong P.R.China Web: www.dn-testing.com Tel: 86-769-880... lang:tl **score:15** filesize: 2.13 M page_count: 4 document date: 2025-06-13




[\[pdf\] Product Photos](#)

pencils External photos SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12 WIRELESS

SPEAKER 2AFKR 2AFKRP12 p12

DNT2504140337R3621-P01 Page: 1 of 4 PHOTO GRAPHS OF EUT FCC

ID:2AFKR-P12 External Photos External Photos Dongguan DN Testing Co., Ltd. Add: No. 1, West Fourth Street, Xingfa South Road, Wusha Community, Chang an Town, Dongguan City, Guangdong P.R.China Web: www.dn-testing.com Tel: 86-769-880... lang:tl **score:15** filesize: 1.39 M page_count: 4 document date: 2025-06-13



[\[pdf\] Label](#)

Administrator label SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12 WIRELESS SPEAKER

2AFKR 2AFKRP12 p12

WIRELESS SPEAKER FCC ID:2AFKR-ZE12 ...

lang:tl **score:12** filesize: 72.34 K page_count: 1 document date: 2025-06-16

Report No.: DNT2504140337R3621-04781 Date: April 30, 2025 Page: 18 / 66

3.6 Hopping Channel Number

Test Requirement: 47 CFR Part 15C Section 15.247 a (1)
ANSI C63.10: 2013 Section 7.8.3

Test Setup:

Instruments Used: Refer to section 2.9
Test Mode: Hopping transmitting with all kind of modulation
Limit: At least 15 channels
Test Results: Pass

The detailed test data see: Appendix E

[pdf] Test Report

test report part2 SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12 WIRELESS SPEAKER
2AFKR 2AFKRP12 p12

Report No.: DNT2504140337R3621-04781 3.6 Hopping Channel Number DateApril 30, 2025 Test Requirement: 47 CFR Part 15C Section 15.247 a 1 Test Method: ANSI C63.10: 2013 Section 7.8.3 Test Setup: Page18 / 66 Instruments Used: Test Mode: Limit: Test Results: Refer to section 2.9 for details ...

lang:en **score:11** filesize: 3.3 M page_count: 17 document date: 0000-00-00

Report No.: DNT2504140337R3621-04781 Date: April 30, 2025 Page: 35 / 66



Remarks:
1. The following Quasi-Peak and Average measurements were performed on the EUT.
2. The Measurement (Result Level) is calculated by Reading Level adding the Correct Factor(maybe including LSN Factor and the Cable Factor etc.). The basic equation is as below:
Result Level=Reading Level + Correct Factor(including LSN Factor, Cable Factor etc.)

[pdf] Test Report

test report part3 SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12 WIRELESS SPEAKER
2AFKR 2AFKRP12 p12

Report No.: DNT2504140337R3621-04781 Neutral Line: DateApril 30, 2025 Page35 / 66 Final Data List NO. Freq. MHz 1 0.2141 2 0.3463 3 0.4833 4 2.9218 5 4.4545 6 9.4650 Factor dB 9.86 9.88 9.74 9.86 9.97 9.83 QP Value dBV 45.78 45.05 46.61 32.79 32.84 30.72 QP Limit dBV 63.0...

lang:en **score:11** filesize: 4.68 M page_count: 17 document date: 0000-00-00

Report No.: DNT2504140337R3621-04781 Date: April 30, 2025 Page: 52 / 66

Appendix F: Band edge measurements

Test Result	Antenna	ChName	Freq(MHz)	Result Level	Limit (dBm)	Unit	Vendor
DH5	Ant1	Low	2402	-21.69	>15.03	dBm	PASS
		Low	2402	-21.69	>15.03	dBm	PASS
		Low	2402	-21.69	>15.03	dBm	PASS
		Low	2402	-21.69	>15.03	dBm	PASS
		Low	2402	-21.69	>15.03	dBm	PASS
		Low	2402	-21.69	>15.03	dBm	PASS
2DH5	Ant1	Low	2402	-21.69	>15.03	dBm	PASS
		Low	2402	-21.69	>15.03	dBm	PASS
		Low	2402	-21.69	>15.03	dBm	PASS
		Low	2402	-21.69	>15.03	dBm	PASS
		Low	2402	-21.69	>15.03	dBm	PASS
		Low	2402	-21.69	>15.03	dBm	PASS
3DH5	Ant1	Low	2402	-21.69	>15.03	dBm	PASS
		Low	2402	-21.69	>15.03	dBm	PASS
		Low	2402	-21.69	>15.03	dBm	PASS
		Low	2402	-21.69	>15.03	dBm	PASS
		Low	2402	-21.69	>15.03	dBm	PASS
		Low	2402	-21.69	>15.03	dBm	PASS

[pdf] Test Report

test report part4 SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12 WIRELESS SPEAKER
2AFKR 2AFKRP12 p12

Report No.: DNT2504140337R3621-04781 Appendix F: Band edge measurements DateApril 30, 2025 Test Result TestMode Antenna DH5 Ant1 2DH5 Ant1 3DH5 Ant1 ChName Low High Low High Low High Low High Low High Low High Freq MHz 2402 2480 Hop_2402 Hop_2480 2402 2480 Hop_2402 Hop_2480 2402 2480 Hop...

lang:en **score:11** filesize: 4.9 M page_count: 15 document date: 0000-00-00

Report No.: DNT2504140337R3621-04781 Date: April 30, 2025 Page: 66 / 66

Federal Communications Commission
Authorization and Evaluation Division
7401 Oakdale Mills Road
Rockville, MD 20856
USA
Date: 2025/6/22
Ref: Attestation Statement for 2AFKR2AFKRP12
FCC ID or Grantee Code: 2AFKR2AFKRP12
Applicant HIN: 0032039791
SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD certifies that, as of the date of the filing of the application, ZEALOT is our designated U.S. agent for service of process for the above referenced FCC ID. SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO., LTD accepts to maintain an agent for no less than one year from the date of this filing and to remain an agent until the Commission's final disposition of any Commission-related proceeding involving the equipment.

ZEALOT INC. accepts, as of the date of the filing of the application, the obligation of the designated U.S. agent for service of process for the above referenced FCC ID.

Designated U.S. Agent Information:
Name: Liu
U.S. Agent FPN: 0032039791
Address: 24945 S VENOMANT AVE STE 307C, HARBOR CITY, CA 90710, USA
Country: United States
Tel.: (001) 424-3041315
Email: Thompson@zealot.us
Signature:



Rev 1/26/2023

[pdf] Agent Authorization

Administrator US Agent letter SHENZHEN ZEALOT DIGITAL TECHNOLOGY CO LTD P12 WIRELESS SPEAKER 2AFKR 2AFKRP12 p12

...

lang:tl score:11 filesize: 449.85 K page_count: 1 document date: 2025-06-13

Dungeons & Dragons 3.5 Edition Index – Prestige Classes
<http://www.crystalkeep.com/d20>
Collected by C... oints: 4 Attack: Wizard Good Save: Ref, Will Weap: -- Armor: -- Class Lvl: 10 Epic Lvl: 10 3.5up p12 Str: Climb, Jump, Swim. Dex: Balance, Escape Artist, Hide, Move Silently, Open Locks, Sleigh ...

Index	2	Feast Beverage Classes	33	Flame of Despair/Flame of	148
Basic Spell Lists	3	Food Beverage Classes	34	Despair	149
Basic Spell Lists	4	Food Beverage Classes	34	Flame of Despair/Flame of	150
Weapon Specials	5	Food Beverage Classes	34	Despair	151
Weapon Specials	6	Food Beverage Classes	34	Flame of Despair/Flame of	152
Weapon Specials	7	Food Beverage Classes	34	Despair	153
Weapon Specials	8	Food Beverage Classes	34	Flame of Despair/Flame of	154
Weapon Specials	9	Food Beverage Classes	34	Despair	155
Weapon Specials	10	Food Beverage Classes	34	Flame of Despair/Flame of	156
Weapon Specials	11	Food Beverage Classes	34	Despair	157
Weapon Specials	12	Food Beverage Classes	34	Flame of Despair/Flame of	158
Weapon Specials	13	Food Beverage Classes	34	Despair	159
Weapon Specials	14	Food Beverage Classes	34	Flame of Despair/Flame of	160
Weapon Specials	15	Food Beverage Classes	34	Despair	161
Weapon Specials	16	Food Beverage Classes	34	Flame of Despair/Flame of	162
Weapon Specials	17	Food Beverage Classes	34	Despair	163
Weapon Specials	18	Food Beverage Classes	34	Flame of Despair/Flame of	164
Weapon Specials	19	Food Beverage Classes	34	Despair	165
Weapon Specials	20	Food Beverage Classes	34	Flame of Despair/Flame of	166
Weapon Specials	21	Food Beverage Classes	34	Despair	167
Weapon Specials	22	Food Beverage Classes	34	Flame of Despair/Flame of	168
Weapon Specials	23	Food Beverage Classes	34	Despair	169
Weapon Specials	24	Food Beverage Classes	34	Flame of Despair/Flame of	170
Weapon Specials	25	Food Beverage Classes	34	Despair	171
Weapon Specials	26	Food Beverage Classes	34	Flame of Despair/Flame of	172
Weapon Specials	27	Food Beverage Classes	34	Despair	173
Weapon Specials	28	Food Beverage Classes	34	Flame of Despair/Flame of	174
Weapon Specials	29	Food Beverage Classes	34	Despair	175
Weapon Specials	30	Food Beverage Classes	34	Flame of Despair/Flame of	176
Weapon Specials	31	Food Beverage Classes	34	Despair	177
Weapon Specials	32	Food Beverage Classes	34	Flame of Despair/Flame of	178
Weapon Specials	33	Food Beverage Classes	34	Despair	179
Weapon Specials	34	Food Beverage Classes	34	Flame of Despair/Flame of	180
Weapon Specials	35	Food Beverage Classes	34	Despair	181
Weapon Specials	36	Food Beverage Classes	34	Flame of Despair/Flame of	182
Weapon Specials	37	Food Beverage Classes	34	Despair	183
Weapon Specials	38	Food Beverage Classes	34	Flame of Despair/Flame of	184
Weapon Specials	39	Food Beverage Classes	34	Despair	185
Weapon Specials	40	Food Beverage Classes	34	Flame of Despair/Flame of	186
Weapon Specials	41	Food Beverage Classes	34	Despair	187
Weapon Specials	42	Food Beverage Classes	34	Flame of Despair/Flame of	188
Weapon Specials	43	Food Beverage Classes	34	Despair	189
Weapon Specials	44	Food Beverage Classes	34	Flame of Despair/Flame of	190
Weapon Specials	45	Food Beverage Classes	34	Despair	191
Weapon Specials	46	Food Beverage Classes	34	Flame of Despair/Flame of	192
Weapon Specials	47	Food Beverage Classes	34	Despair	193
Weapon Specials	48	Food Beverage Classes	34	Flame of Despair/Flame of	194
Weapon Specials	49	Food Beverage Classes	34	Despair	195
Weapon Specials	50	Food Beverage Classes	34	Flame of Despair/Flame of	196
Weapon Specials	51	Food Beverage Classes	34	Despair	197
Weapon Specials	52	Food Beverage Classes	34	Flame of Despair/Flame of	198
Weapon Specials	53	Food Beverage Classes	34	Despair	199
Weapon Specials	54	Food Beverage Classes	34	Flame of Despair/Flame of	200
Weapon Specials	55	Food Beverage Classes	34	Despair	201
Weapon Specials	56	Food Beverage Classes	34	Flame of Despair/Flame of	202
Weapon Specials	57	Food Beverage Classes	34	Despair	203
Weapon Specials	58	Food Beverage Classes	34	Flame of Despair/Flame of	204
Weapon Specials	59	Food Beverage Classes	34	Despair	205
Weapon Specials	60	Food Beverage Classes	34	Flame of Despair/Flame of	206
Weapon Specials	61	Food Beverage Classes	34	Despair	207
Weapon Specials	62	Food Beverage Classes	34	Flame of Despair/Flame of	208
Weapon Specials	63	Food Beverage Classes	34	Despair	209
Weapon Specials	64	Food Beverage Classes	34	Flame of Despair/Flame of	210
Weapon Specials	65	Food Beverage Classes	34	Despair	211
Weapon Specials	66	Food Beverage Classes	34	Flame of Despair/Flame of	212
Weapon Specials	67	Food Beverage Classes	34	Despair	213
Weapon Specials	68	Food Beverage Classes	34	Flame of Despair/Flame of	214
Weapon Specials	69	Food Beverage Classes	34	Despair	215
Weapon Specials	70	Food Beverage Classes	34	Flame of Despair/Flame of	216
Weapon Specials	71	Food Beverage Classes	34	Despair	217
Weapon Specials	72	Food Beverage Classes	34	Flame of Despair/Flame of	218
Weapon Specials	73	Food Beverage Classes	34	Despair	219
Weapon Specials	74	Food Beverage Classes	34	Flame of Despair/Flame of	220
Weapon Specials	75	Food Beverage Classes	34	Despair	221
Weapon Specials	76	Food Beverage Classes	34	Flame of Despair/Flame of	222
Weapon Specials	77	Food Beverage Classes	34	Despair	223
Weapon Specials	78	Food Beverage Classes	34	Flame of Despair/Flame of	224
Weapon Specials	79	Food Beverage Classes	34	Despair	225
Weapon Specials	80	Food Beverage Classes	34	Flame of Despair/Flame of	226
Weapon Specials	81	Food Beverage Classes	34	Despair	227
Weapon Specials	82	Food Beverage Classes	34	Flame of Despair/Flame of	228
Weapon Specials	83	Food Beverage Classes	34	Despair	229
Weapon Specials	84	Food Beverage Classes	34	Flame of Despair/Flame of	230
Weapon Specials	85	Food Beverage Classes	34	Despair	231
Weapon Specials	86	Food Beverage Classes	34	Flame of Despair/Flame of	232
Weapon Specials	87	Food Beverage Classes	34	Despair	233
Weapon Specials	88	Food Beverage Classes	34	Flame of Despair/Flame of	234
Weapon Specials	89	Food Beverage Classes	34	Despair	235
Weapon Specials	90	Food Beverage Classes	34	Flame of Despair/Flame of	236
Weapon Specials	91	Food Beverage Classes	34	Despair	237
Weapon Specials	92	Food Beverage Classes	34	Flame of Despair/Flame of	238
Weapon Specials	93	Food Beverage Classes	34	Despair	239
Weapon Specials	94	Food Beverage Classes	34	Flame of Despair/Flame of	240
Weapon Specials	95	Food Beverage Classes	34	Despair	241
Weapon Specials	96	Food Beverage Classes	34	Flame of Despair/Flame of	242
Weapon Specials	97	Food Beverage Classes	34	Despair	243
Weapon Specials	98	Food Beverage Classes	34	Flame of Despair/Flame of	244
Weapon Specials	99	Food Beverage Classes	34	Despair	245
Weapon Specials	100	Food Beverage Classes	34	Flame of Despair/Flame of	246
Weapon Specials	101	Food Beverage Classes	34	Despair	247
Weapon Specials	102	Food Beverage Classes	34	Flame of Despair/Flame of	248
Weapon Specials	103	Food Beverage Classes	34	Despair	249
Weapon Specials	104	Food Beverage Classes	34	Flame of Despair/Flame of	250
Weapon Specials	105	Food Beverage Classes	34	Despair	251
Weapon Specials	106	Food Beverage Classes	34	Flame of Despair/Flame of	252
Weapon Specials	107	Food Beverage Classes	34	Despair	253
Weapon Specials	108	Food Beverage Classes	34	Flame of Despair/Flame of	254
Weapon Specials	109	Food Beverage Classes	34	Despair	255
Weapon Specials	110	Food Beverage Classes	34	Flame of Despair/Flame of	256
Weapon Specials	111	Food Beverage Classes	34	Despair	257
Weapon Specials	112	Food Beverage Classes	34	Flame of Despair/Flame of	258
Weapon Specials	113	Food Beverage Classes	34	Despair	259
Weapon Specials	114	Food Beverage Classes	34	Flame of Despair/Flame of	260
Weapon Specials	115	Food Beverage Classes	34	Despair	261
Weapon Specials	116	Food Beverage Classes	34	Flame of Despair/Flame of	262
Weapon Specials	117	Food Beverage Classes	34	Despair	263
Weapon Specials	118	Food Beverage Classes	34	Flame of Despair/Flame of	264
Weapon Specials	119	Food Beverage Classes	34	Despair	265
Weapon Specials	120	Food Beverage Classes	34	Flame of Despair/Flame of	266
Weapon Specials	121	Food Beverage Classes	34	Despair	267
Weapon Specials	122	Food Beverage Classes	34	Flame of Despair/Flame of	268
Weapon Specials	123	Food Beverage Classes	34	Despair	269
Weapon Specials	124	Food Beverage Classes	34	Flame of Despair/Flame of	270
Weapon Specials	125	Food Beverage Classes	34	Despair	271
Weapon Specials	126	Food Beverage Classes	34	Flame of Despair/Flame of	272
Weapon Specials	127	Food Beverage Classes	34	Despair	273
Weapon Specials	128	Food Beverage Classes	34	Flame of Despair/Flame of	274
Weapon Specials	129	Food Beverage Classes	34	Despair	275
Weapon Specials	130	Food Beverage Classes	34	Flame of Despair/Flame of	276
Weapon Specials	131	Food Beverage Classes	34	Despair	277
Weapon Specials	132	Food Beverage Classes	34	Flame of Despair/Flame of	278
Weapon Specials	133	Food Beverage Classes	34	Despair	279
Weapon Specials	134	Food Beverage Classes	34	Flame of Despair/Flame of	280
Weapon Specials	135	Food Beverage Classes	34	Despair	281
Weapon Specials	136	Food Beverage Classes	34	Flame of Despair/Flame of	282
Weapon Specials	137	Food Beverage Classes	34	Despair	283
Weapon Specials	138	Food Beverage Classes	34	Flame of Despair/Flame of	284
Weapon Specials	139	Food Beverage Classes	34	Despair	285
Weapon Specials	140	Food Beverage Classes	34	Flame of Despair/Flame of	286
Weapon Specials	141	Food Beverage Classes	34	Despair	287
Weapon Specials	142	Food Beverage Classes	34	Flame of Despair/Flame of	288
Weapon Specials	143	Food Beverage Classes	34	Despair	289
Weapon Specials	144	Food Beverage Classes	34	Flame of Despair/Flame of	290
Weapon Specials	145	Food Beverage Classes	34	Despair	291
Weapon Specials	146	Food Beverage Classes	34	Flame of Despair/Flame of	292
Weapon Specials	147	Food Beverage Classes	34	Despair	293
Weapon Specials	148	Food Beverage Classes	34	Flame of Despair/Flame of	294
Weapon Specials	149	Food Beverage Classes	34	Despair	295
Weapon Specials	150	Food Beverage Classes	34	Flame of Despair/Flame of	296
Weapon Specials	151	Food Beverage Classes	34	Despair	297
Weapon Specials	152	Food Beverage Classes	34	Flame of Despair/Flame of	298
Weapon Specials	153	Food Beverage Classes	34	Despair	299
Weapon Specials	154	Food Beverage Classes	34	Flame of Despair/Flame of	300
Weapon Specials	155	Food Beverage Classes	34	Despair	301
Weapon Specials	156	Food Beverage Classes	34	Flame of Despair/Flame of	302
Weapon Specials	157	Food Beverage Classes	34	Despair	303
Weapon Specials	158	Food Beverage Classes	34	Flame of Despair/Flame of	304
Weapon Specials	159	Food Beverage Classes	34	Despair	305
Weapon Specials	160	Food Beverage Classes	34	Flame of Despair/Flame of	306
Weapon Specials	161	Food Beverage Classes	34	Despair	307
Weapon Specials	162	Food Beverage Classes	34	Flame of Despair/Flame of	308
Weapon Specials	163	Food Beverage Classes	34	Despair	309
Weapon Specials	164	Food Beverage Classes	34	Flame of Despair/Flame of	310
Weapon Specials	165	Food Beverage Classes	34	Despair	311
Weapon Specials	166	Food Beverage Classes	34	Flame of Despair/Flame of	312
Weapon Specials	167	Food Beverage Classes	34	Despair	313
Weapon Specials	168	Food Beverage Classes	34	Flame of Despair/Flame of	314
Weapon Specials	169	Food Beverage Classes	34	Despair	315
Weapon Specials	170	Food Beverage Classes	34	Flame of Despair/Flame of	316
Weapon Specials	171	Food Beverage Classes	34	Despair	317
Weapon Specials	172	Food Beverage Classes	34	Flame of Despair/Flame of	318
Weapon Specials	173	Food Beverage Classes	34	Despair	319
Weapon Specials	174	Food Beverage Classes	34	Flame of Despair/Flame of	320
Weapon Specials	175	Food Beverage Classes	34	Despair	321
Weapon Specials	176	Food Beverage Classes	34	Flame of Despair/Flame of	322
Weapon Specials	177	Food Beverage Classes	34	Despair	323
Weapon Specials	178	Food Beverage Classes	34	Flame of Despair/Flame of	324
Weapon Specials	179	Food Beverage Classes	34	Despair	325
Weapon Specials	180	Food Beverage Classes	34	Flame of Despair/Flame of	326
Weapon Specials	181	Food Beverage Classes	34	Despair	327
Weapon Specials	182	Food Beverage Classes	34	Flame of Despair/Flame of	328
Weapon Specials	183	Food Beverage Classes	34	Despair	329
Weapon Specials	184	Food Beverage Classes	34	Flame of Despair/Flame of	330
Weapon Specials	185	Food Beverage Classes	34	Despair	331
Weapon Specials	186	Food Beverage Classes	34	Flame of Despair/Flame of	332
Weapon Specials	187	Food Beverage Classes	34	Despair	333
Weapon Specials	188	Food Beverage Classes	34	Flame of Despair/Flame of	334
Weapon Specials	189	Food Beverage Classes	34	Despair	335
Weapon Specials	190	Food Beverage Classes	34	Flame of Despair/Flame of	336
Weapon Specials	191	Food Beverage Classes	34	Despair	337
Weapon Specials	192	Food Beverage Classes	34	Flame of Despair/Flame of	338
Weapon Specials	193	Food Beverage Classes	34</		

