

Airoak AZ1810

Airoak AZ1810 Replacement Filter for Shark Vertex DuoClean Upright Vacuum Instruction Manual

Model: AZ1810

1. INTRODUCTION

This manual provides essential information for the installation and maintenance of Airoak AZ1810 Replacement Filters, designed for the Shark Vertex DuoClean Upright Vacuum AZ1810. Regular filter replacement is crucial for maintaining optimal vacuum performance and air quality.



Image 1: Airoak AZ1810 Replacement Filters, including foam and felt filters.

The package includes 4 foam filters and 4 felt filters. These filters are designed to be efficient, washable, and reusable, contributing to a fresh environment.

2. PRODUCT COMPONENTS AND DIMENSIONS

The Airoak AZ1810 filter set includes both foam and felt filters, engineered for compatibility with your Shark Vertex DuoClean vacuum. The foam filters offer high elasticity and effective filtration, while the felt filters feature a convenient pull-tab design for easy handling.



High Quality Filter

what you get?

4 Felt Filters

4 Foam



Image 2: Detailed dimensions of the foam and felt filters. Felt filter: 4.92 inches (12.5 cm) length, 4.53 inches (11.5 cm) width, 0.98 inches (2.5 cm) thickness. Foam filter: 4.84 inches (12.3 cm) diameter, 4.44 inches (11.3 cm) height.



Image 3: Close-up view highlighting the pull tab design on the felt filter and the high elasticity of the foam filter, which effectively filters dust smaller than 0.3 microns.

3. INSTALLATION

Follow these steps to replace the filters in your Shark Vertex DuoClean Upright Vacuum AZ1810:

1. Disconnect the vacuum from the power source.
2. Remove the dust cup from the vacuum cleaner.
3. Locate and remove the old foam and felt filters from their compartments.
4. Insert the new felt filter first, ensuring the pull tab is facing upwards for easy removal later.
5. Place the new foam filter on top of the felt filter.
6. If your model includes a HEPA filter, locate its compartment (typically at the bottom of the dust cup or vacuum base), remove the old HEPA filter, and insert the new one.
7. Reattach the dust cup and ensure all components are securely in place before operating the vacuum.

Your browser does not support the video tag.

Video 1: Demonstration of filter replacement for Shark AZ1810 Upright Vacuum. This video illustrates the process of removing old filters and installing new foam and felt filters.

Your browser does not support the video tag.

Video 2: A detailed display of the AZ1810 filters, showing their features and how they fit together, which can aid in proper installation.

4. MAINTENANCE

To ensure your vacuum operates at peak performance and to prolong the life of your filters, regular cleaning and timely replacement are recommended:

- **Cleaning:** The foam and felt filters can be rinsed with clean water. After rinsing, allow them to air dry completely before reinstallation. Do not use a washing machine or dryer.
- **Frequency:** It is recommended to clean the filters monthly and replace them every 2-3 months, or more frequently depending on usage and household conditions (e.g., presence of pets, high dust levels).



Image 4: Illustration of how to wash and reuse the filters by hand rinsing them under water.

5. TROUBLESHOOTING

If you experience a decrease in vacuum suction or notice an unusual odor, the filters may be clogged or require replacement. Refer to the maintenance section for cleaning instructions or replace the filters as

recommended.

6. SPECIFICATIONS

Feature	Detail
Brand	Airoak
Model Number	AIRSKAZ1810-4P
Compatible Device	Shark Vertex DuoClean Upright Vacuum AZ1810
Material Type	Foam, Felt
Included Components	4 Foam filters, 4 Felt filters
Item Weight	2.08 ounces
Product Dimensions	4.92 x 4.53 x 0.99 inches

7. SUPPORT

For any questions or concerns regarding your Airoak replacement filters, please contact our customer support. We aim to respond to all inquiries within 24 hours.