



[Manuals.plus](#) /

> [VASAGLE](#) /

> VASAGLE LJB168K01 Swivel Bar Stools (Set of 2) - Instruction Manual

VASAGLE LJB168K01

VASAGLE LJB168K01 Swivel Bar Stools (Set of 2) - Instruction Manual

Model: LJB168K01 | Brand: VASAGLE

1. INTRODUCTION

Thank you for choosing the VASAGLE LJB168K01 Swivel Bar Stools. This manual provides essential information for the safe assembly, operation, and maintenance of your new bar stools. Please read these instructions carefully before use and retain them for future reference.



The VASAGLE LJB168K01 bar stools feature a comfortable, height-adjustable, and swivel design with an ergonomic backrest and a stable metal base, suitable for various kitchen and bar environments.

2. SAFETY INSTRUCTIONS

- **Maximum Static Load Capacity:** Do not exceed a static load of 120 kg (264 lbs) per stool. Exceeding this limit may cause damage to the product or personal injury.
- Ensure all screws and connections are tightened securely before use. Periodically check and re-tighten as necessary.
- Do not stand on the stool. Use it only for sitting.
- Keep children away from the assembly area. Small parts can be a choking hazard.
- Avoid sudden movements or leaning excessively while seated, especially when swiveling or adjusting height, to prevent tipping.
- Place the stools on a flat, stable surface.

VASAGLE

by SONGMICS HOME



The diagram illustrates the maximum static load capacity of 120 kg for each stool. Please adhere to this limit for safety.

3. PACKAGE CONTENTS

Before assembly, verify that all components are present and undamaged. If any parts are missing or damaged, please contact customer support.

- Seat (2x)

- Gas Lift Cylinder (2x)
- Footrest Ring (2x)
- Base (2x)
- Hardware Pack (screws, washers, Allen key)
- Instruction Manual

4. SETUP AND ASSEMBLY

Assembly of the VASAGLE bar stools is designed to be straightforward. Follow these steps carefully:

3 étapes de montage

Montez ce tabouret en un rien de temps!



Step-by-step Assembly:

1. **Step 1: Attach Seat to Mechanism.** Secure the seat to the top of the gas lift mechanism using the provided screws. Ensure all screws are tightened firmly.
2. **Step 2: Insert Gas Lift into Footrest.** Insert the gas lift cylinder into the footrest ring.
3. **Step 3: Connect to Base.** Place the assembled seat, gas lift, and footrest unit onto the center hole of the stool base. The gas lift will sit securely in the base.

After assembly, test the stability and functionality of the stool before regular use.

5. OPERATING INSTRUCTIONS

Your VASAGLE bar stools are designed for comfort and versatility.



Height Adjustment:

- To raise the seat: Stand up and pull the lever located under the seat upwards. The seat will rise automatically. Release the lever at the desired height.
- To lower the seat: Sit on the stool and pull the lever located under the seat upwards. The seat will lower. Release the lever at the desired height.

Swivel Function:

- The seat can rotate 360 degrees. Simply turn the seat in the desired direction.

Footrest:

- Utilize the wide footrest to support your feet and maintain a comfortable posture, especially during extended periods of sitting.



The ergonomic design of the backrest provides support for your dorsal, lumbar, and gluteal regions, promoting comfort during long sitting periods.

6. MAINTENANCE

Proper care will extend the life and appearance of your bar stools.

- **Cleaning:** For the PU seat, wipe with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that may damage the material. For the metal base, wipe with a dry or slightly damp cloth.
- **Inspection:** Periodically check all screws and connections to ensure they remain tight. Re-tighten if necessary to maintain stability.
- **Avoid Direct Sunlight:** Prolonged exposure to direct sunlight can cause the PU material to fade or crack.
- **Spills:** Clean spills immediately to prevent staining, especially on the PU seat.



The high-quality PU material is soft and durable, requiring simple cleaning to maintain its condition.

7. TROUBLESHOOTING

If you encounter any issues with your bar stools, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Stool feels unstable or wobbly.	Loose connections or uneven surface.	Ensure all screws are tightened. Place the stool on a flat, level surface.
Difficulty adjusting height.	Gas lift mechanism obstruction or malfunction.	Check for any obstructions around the lever. Ensure the plastic cap on the gas lift cylinder is removed during assembly. If the issue persists, contact support.
Swivel function is stiff or makes noise.	Lack of lubrication or debris in the swivel mechanism.	Apply a small amount of silicone-based lubricant to the swivel mechanism. Ensure no debris is obstructing the rotation.
Stool makes squeaking noises.	Loose connections or friction between parts.	Re-tighten all screws. Apply lubricant to any moving parts that may be causing friction.



The wide base of the VASAGLE bar stools is designed for enhanced stability. If instability occurs, ensure the base is properly seated and all connections are secure.

8. SPECIFICATIONS

Feature	Detail
Model Number	LJB168K01
Brand	VASAGLE
Color	Caramel Brown
Seat Material	Polyurethane (PU)
Frame Material	Metal

Feature	Detail
Style	Modern
Item Weight	15.4 Kilograms (for the set of 2)
Number of Pieces	2
Assembly Required	Yes
UPC	194343444505
Overall Height Range	88.5 - 109.5 cm (34.8 - 43.1 inches)
Seat Height Range	63 - 84 cm (24.8 - 33.1 inches)
Seat Width	34 cm (13.4 inches)
Seat Depth	45 cm (17.7 inches)
Base Diameter	45 cm (17.7 inches)
Maximum Static Load Capacity	120 kg (264 lbs)

9. WARRANTY AND SUPPORT

VASAGLE products are manufactured with quality and customer satisfaction in mind. For information regarding warranty coverage, please refer to the documentation provided at the time of purchase or visit the official VASAGLE website.

If you have any questions, require assistance with assembly, or need to report a missing/damaged part, please contact VASAGLE customer support. Contact details can typically be found on the product packaging or the brand's official website.