

DWVO MADWVdYiyZ

DWVO 20x40FT Large Party Tent Instruction Manual

Model: MADWVdYiyZ | Brand: DWVO



1. INTRODUCTION AND OVERVIEW

This manual provides detailed instructions for the assembly, operation, and maintenance of your DWVO 20x40FT Large Party Tent. Designed for various outdoor events, this canopy offers substantial shelter and a versatile space. Please read all instructions carefully before beginning assembly to ensure safe and correct usage.



Image: The DWVO 20x40FT Large Party Tent fully assembled, showcasing its spacious design suitable for various outdoor gatherings.

2. SAFETY INFORMATION

Your safety is paramount. Adhere to the following guidelines:

- **Assembly Personnel:** This tent requires a minimum of 3-4 individuals for safe and efficient assembly due to its size and weight. Attempting to assemble alone may result in injury or damage to the product.
- **Anchoring:** Always secure the tent firmly to the ground using the provided ground nails, ropes, and expansion screws. For added stability, especially in windy conditions or on uneven ground, consider using additional sandbags or weights at the base of each leg.
- **Weather Conditions:** While the tent is water-resistant and offers UV protection, it is not designed for extreme weather conditions such as heavy winds, snow, or severe thunderstorms. Disassemble the tent if adverse weather is anticipated.
- **Site Selection:** Choose a level, clear area free from overhead obstructions (e.g., power lines, tree branches) and sharp objects on the ground.

3. PACKAGE CONTENTS

Upon unpacking, verify that all components are present and undamaged. The package typically includes:

- Galvanized Steel Frame Pipes (various lengths and connectors, labeled)
- Canopy Cover (White, Wave Roof Design)
- Removable Sidewalls with Arched PVC Windows
- Ground Nails and Ropes
- Expansion Screws
- Durable Storage Bags (4 included)
- Assembly Instructions Manual



20FT×40FT




Image: All major components of the party tent, including the canopy, frame pieces, and storage bags, laid out for inspection.

4. SETUP INSTRUCTIONS

Follow these steps for proper assembly. All parts are labeled for easier identification.

1. **Preparation:** Lay out all frame components, canopy, and sidewalls in the designated assembly area. Sort the labeled parts into piles according to their type to streamline the process.
2. **Frame Assembly:** Begin by connecting the galvanized steel pipes according to the provided diagrams in the instruction manual. Ensure all locking pins are securely engaged to form a rigid and stable frame. The seamless welded joints contribute to the frame's strength and corrosion resistance.



Image: Detail of a seamless welded joint, highlighting the robust construction of the frame.



Image: Thickened tubing used for the tent frame, designed to increase load-bearing capacity.

3. **Canopy Installation:** Carefully drape the white canopy cover over the assembled frame. Align the edges and secure it using the provided fasteners. Ensure the wave roof design is correctly oriented.
4. **Sidewall Attachment:** Attach the removable sidewalls to the tent frame. The arched PVC windows can be positioned as desired. Use the bouncy ball fixing system to secure the sidewalls to the poles, allowing for adaptability to different items and sizes.

PVC LARGE WINDOWS



Waterproof



Heat Insulation



Image: A large PVC window on the tent sidewall, providing natural light and weather protection.



REMOVEABLE SIDEWALL DOORS

Suitable for all seasons



Image: The tent with its removable sidewall doors, offering versatility for various weather conditions.

BOUNCY BALL FIXING

THE ELASTICITY OF THE BOUNCY
BALL ALLOWS IT TO ADAPT TO
DIFFERENT SIZES AND SHAPES OF ITEMS



Image: The bouncy ball fixing system, providing flexible and secure attachment for the tent fabric.

5. **Anchoring:** Once the tent structure is complete, use the provided ground nails, ropes, and expansion screws to firmly anchor the tent to the ground. This is crucial for stability and safety.

NYLON WIND ROPES AND SPIKES

EFFECTIVELY HELPS TO SECURE EQUIPMENT FOR SAFETY AND COMFORT



Image: Nylon wind ropes and spikes, essential for securing the tent and ensuring safety.

5. OPERATING INSTRUCTIONS

The DWVO Party Tent is designed for flexibility:

- **Sidewall Management:** The removable sidewalls can be easily attached or detached to adapt to changing weather conditions, provide shade, ensure privacy, or control internal temperature and airflow.
- **Entry/Exit:** Designate clear entry and exit points. Ensure pathways are unobstructed for guest safety.



Image: The spacious interior of the tent, set up for an event, demonstrating the utility of the arched windows.

6. MAINTENANCE

Proper maintenance extends the life of your tent:

- **Cleaning:** Clean the canopy and sidewalls with mild soap and water. Avoid harsh chemicals or abrasive materials that could damage the fabric or PVC windows. Allow all parts to dry completely before storage.
- **Inspection:** Regularly inspect the frame for any signs of rust or damage, and the fabric for tears or excessive wear. Address any issues promptly.
- **Storage:** When not in use, disassemble the tent and store all components in the provided durable storage bags in

a dry, cool place away from direct sunlight.

7. TROUBLESHOOTING

Common issues and their solutions:

- **Tent Instability:** Ensure all frame connections are fully locked with pins. Verify that all anchoring ropes and ground nails are securely fastened. Consider adding more weight (e.g., sandbags) to the base of the poles, especially in windy conditions.
- **Difficulty Assembling:** Confirm that you have sufficient personnel (3-4 people recommended). Double-check that all parts are correctly identified using their labels and follow the step-by-step instructions precisely.
- **Rust on Metal Parts:** Some surface rust may appear on galvanized steel pipes over time, especially with exposure to moisture. This is generally cosmetic and does not affect structural integrity if maintained properly. Clean and dry parts thoroughly after use.

8. SPECIFICATIONS

Feature	Detail
Brand	DWVO
Model Number	MADWVdYiyZ
Product Dimensions	480"L x 240"W x 144"H (20x40 FT, 12FT Height)
Item Weight	358.91 Pounds
Color	White
Frame Material	Galvanized Steel (Metal)
Water Resistance Level	Water Resistant
Ultraviolet Light Protection	Yes
Assembly Required	Yes
UPC	199449783855



Image: Dimensional diagram of the 20FT x 40FT tent, indicating its overall size.

9. WARRANTY AND SUPPORT

For any questions, concerns, or support regarding your DWVO Party Tent, please contact DWVO Customer Support. Refer to your purchase documentation for specific warranty details and contact information.