

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Merax](#) /

> [Merax 36-inch Bathroom Vanity Instruction Manual](#)

Merax Merax 36-inch Bathroom Vanity (White)

Merax 36-inch Bathroom Vanity Instruction Manual

Model: Merax 36-inch Bathroom Vanity (White)

INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your Merax 36-inch Bathroom Vanity. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

SAFETY INFORMATION

- Always assemble on a clean, flat, and soft surface to prevent scratches.
- Ensure all parts are present before assembly. Refer to the parts list.
- Do not overtighten screws.
- Keep small parts away from children.
- Two people are recommended for assembly due to the size and weight of the vanity.
- Handle ceramic sink top with care to prevent chipping or breakage.

PACKAGE CONTENTS

Verify that all components listed below are included in your package. If any parts are missing or damaged, please contact Merax customer support.

- Vanity Cabinet Frame
- Ceramic Sink Top
- Drawers (3 sets)
- Glass Doors (2)
- Cremona Bolt Hardware
- Door Hinges
- Drawer Slides
- Assembly Hardware (screws, dowels, etc.)
- Side Storage Shelf



Image: Overview of the Merax 36-inch Bathroom Vanity, showcasing its design with three drawers, glass doors, and side storage.

SETUP AND ASSEMBLY

Follow these steps carefully for proper assembly. It is recommended to have two people for this process.

- 1. Unpack and Identify Parts:** Lay out all components on a soft, clean surface. Refer to the parts list to ensure everything is present.
- 2. Assemble the Main Cabinet Frame:** Connect the side panels to the base and back panels using the provided hardware. Ensure all connections are secure but do not overtighten.
- 3. Install Drawer Slides:** Attach the drawer slides to the designated areas within the cabinet frame. Ensure they are level and aligned.
- 4. Assemble Drawers:** Construct the three drawers. Insert the drawer bottoms and attach the front panels. Install the corresponding drawer slides onto the assembled drawers.
- 5. Insert Drawers into Cabinet:** Carefully slide the assembled drawers into the cabinet, ensuring they operate smoothly.
- 6. Attach Glass Doors:** Secure the hinges to the cabinet frame and the glass doors. Mount the doors to the cabinet. Adjust hinges as needed for proper alignment and soft-close functionality.

7. **Install Cremone Bolt:** Attach the vintage cremone bolt hardware to the glass doors as per the instructions.
8. **Install Side Storage Shelf:** Secure the side storage shelf to the cabinet.
9. **Place Ceramic Sink Top:** Carefully lift and place the ceramic sink top onto the assembled cabinet. Ensure it is centered and stable. (Note: Faucet is not included and must be installed separately).




Image: Detailed dimensional drawing of the vanity, showing internal measurements for drawers, cabinet, and side storage.



Image: Close-up view of the hazy glass cabinet door and an illustration of the soft-close door mechanism.



Image: Visual representation of the vanity's storage capabilities, highlighting the three full-extension drawers and the main cabinet space.

OPERATING AND USAGE

Your Merax Bathroom Vanity is designed for functional storage and aesthetic appeal in your bathroom.

- **Storage:** Utilize the three full-extension drawers for smaller bathroom essentials. The main cabinet with glass doors provides spacious storage for larger items, while the side shelf offers convenient access to frequently used items or decorative displays.
- **Sink Usage:** The ceramic sink top is designed for daily bathroom use. It features three pre-drilled holes for an 8-inch widespread faucet (faucet not included) and an overflow drain to prevent spillage.
- **Door Operation:** The glass doors are equipped with soft-close hinges for quiet and gentle closing.

Partition Storage

3 Full Extension Drawers



Basin Sink Platform



1 Large Storage Cabinet



Image: The vanity with its drawers pulled out and cabinet doors open, illustrating the accessible storage space.

Meet your diverse storage needs

Waterproof Painted Finish



High-Quality MDF Boards



Solid Wood Frame



Delicate Golden Handle



Image: Detailed view of the glossy ceramic basin, highlighting the three pre-drilled faucet holes and the anti-spill overflow hole.

MAINTENANCE AND CARE

Proper care will ensure the longevity and appearance of your vanity.

- **Cleaning the Cabinet:** Wipe the cabinet surfaces with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that may damage the finish.
- **Cleaning the Ceramic Sink:** The ceramic sink is non-stain and scratch-resistant. Clean with mild soap and water. For tougher stains, use a non-abrasive bathroom cleaner. Rinse thoroughly after cleaning.
- **Glass Doors:** Clean glass with a standard glass cleaner and a soft cloth.
- **Hardware:** Periodically check and tighten any loose screws on hinges, drawer slides, or handles. Clean the cremone bolt and other metal hardware with a soft, dry cloth.
- **Spills:** Wipe up any water spills immediately to prevent water damage to the wood components.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Missing parts or damaged components upon arrival.	Shipping damage or packaging error.	Contact Merax customer support immediately with your order details and photos of the damage.
Difficulty with assembly, instructions unclear.	Complex assembly steps, misinterpretation of diagrams.	Review the assembly steps carefully. Ensure all parts are oriented correctly. If specific steps are unclear, contact customer support for clarification or additional guidance. Ensure dowel holes are not too small; gently widen if necessary.
Drawers do not slide smoothly or are misaligned.	Drawer slides not installed level or correctly; drawer box assembled incorrectly.	Check that drawer slides are securely attached and perfectly level. Re-check drawer assembly to ensure all components are flush and square.
Cabinet doors are uneven or have a gap.	Hinges not properly adjusted or installed.	Adjust the screws on the hinges to align the doors. Most hinges have multiple adjustment points for horizontal, vertical, and depth alignment.
Water leakage from sink or faucet area.	Improper faucet installation or drain connection.	Ensure all plumbing connections (faucet, drain) are properly sealed with plumber's putty or silicone and tightened according to plumbing fixture instructions. Consult a professional plumber if unsure.
Ceramic sink appears chipped or cracked.	Impact during shipping or handling.	This is typically a manufacturing or shipping defect. Contact Merax customer support for a replacement.

SPECIFICATIONS

Feature	Detail
Brand	Merax
Color	White
Product Dimensions	18.3"D x 36"W x 33.9"H
Special Feature	Glass Door
Mounting Type	Floor Mount
Room Type	Bathroom
Door Style	Glass Door
Base Type	Legs
Assembly Required	Yes

Feature	Detail
UPC	196986459625
Manufacturer	Merax
ASIN	B0FC4TCCPL
Date First Available	June 6, 2025

WARRANTY AND SUPPORT

For information regarding product warranty, please refer to the documentation included with your purchase or visit the official Merax website.

If you encounter any issues or have questions not covered in this manual, please contact Merax customer support.

- **Merax Official Website:** [Visit Merax Store on Amazon](#)
- **Customer Service:** Refer to your purchase receipt or the Merax website for contact information.