

[Manuals.plus](#) /

› [SEALIGHT](#) /

› SEALIGHT SUV Tents Blue 10FT x 8FT x 7.3FT Instruction Manual

SEALIGHT SUV TENT

SEALIGHT SUV Tents Instruction Manual

Model: SUV TENT

1. INTRODUCTION

Thank you for choosing the SEALIGHT SUV Tent. This manual provides essential information for the proper setup, operation, maintenance, and troubleshooting of your new tent. Please read this manual thoroughly before use to ensure a safe and enjoyable camping experience.

The SEALIGHT SUV Tent is designed for versatility and ease of use, offering a comfortable and secure shelter for your outdoor adventures. It can be attached to the rear of most SUVs and CUVs or used as a standalone tent.



Image 1.1: The SEALIGHT SUV Tent in its primary configuration, attached to the rear of a vehicle, showcasing its spacious design and integration with the vehicle's cargo area.

2. PRODUCT COMPONENTS

Before beginning setup, ensure all components are present and accounted for. The package includes the following items:

- Tent body
- Rainfly
- Tent Bag
- Stake Bag
- Connectors
- Suction Cups (2)
- Stakes (8)
- Guy Lines (4)
- Clasps (4)



Image 2.1: An illustration detailing the various components included with the SEALIGHT SUV Tent, along with its overall dimensions: 10FT long, 8FT wide, and 7.2FT high.

3. SETUP INSTRUCTIONS

The SEALIGHT SUV Tent features a quick-open design for easy setup, typically taking 3-5 minutes with 1-2 people. Follow these steps for proper installation:

1. Step 1: Unfold the Tent

Lay the tent flat on the ground in your desired camping spot. Ensure there is enough clear space around the tent for full extension.

2. Step 2: Extend the Poles

Locate the quick-release bracket at the top of the tent. Gently pull the poles outwards until they click into place, forming the tent's frame.



Image 3.1: Detail of the quick release bracket mechanism, designed for automatic and rapid tent frame assembly.

3. **Step 3: Secure Pole Clips**

Attach the tent fabric to the poles using the integrated clips. Ensure all clips are securely fastened along the pole structure.

QUICK RELEASE BRACKET



Automatic bracket for quick and easy installation. Installation can be completed in as little as 3~5 minutes. Ready for camping




Image 3.2: A close-up view of a tent fabric clip securely attached to a tent pole, illustrating the method for securing the tent body to its frame.

4. Step 4: Attach to Vehicle (Optional)

Position the tent's rear opening against the back of your SUV or CUV. Use the adjustable straps and connectors to secure the tent to the vehicle's tailgate or roof rack.

HOW TO QUICKLY INSTALL



STEP 1



STEP 2



STEP 3




STEP 4



STEP 5



STEP 6



STEP 7



STEP 8

Image 3.3: A tent attachment strap fastened around a car door handle, demonstrating one method of securing the tent to the vehicle.

5. Step 5: Use Suction Cups

For additional stability and sealing, attach the included suction cups to smooth surfaces on your vehicle, such as windows or the tailgate, and connect them to the tent's attachment points.

MULTIFUNCTIONAL USE LOTS OF SPACE

Use for 4-6 people,
Maximize Your Adventure Space



Image 3.4: A suction cup attached to a car window for tent stability, alongside a strap secured around a vehicle tire, illustrating two key attachment points.

6. Step 6: Stake Down the Tent

Use the provided stakes to secure the tent to the ground. Drive the stakes through the tent's loops at the base and any guy lines for maximum stability, especially in windy conditions.



Image 3.5: A tent stake being driven into the ground to secure the tent's base, ensuring stability against wind and movement.

7. Step 7: Install Rainfly

Drape the rainfly over the tent, aligning it with the tent's structure. Secure the rainfly to the tent poles or base using its integrated buckles or ties.

QUICK RELEASE BRACKET

Automatic Bracket for quick and easy setup, ready for camping



Image 3.6: A comprehensive visual guide showing eight sequential steps for quickly installing the SEALIGHT SUV Tent, from unfolding to final setup.

4. OPERATION AND FEATURES

The SEALIGHT SUV Tent is designed for comfort and convenience, offering several features to enhance your camping experience:

- **2-in-1 Use:** This tent can be used attached to the rear of compatible vehicles (CUVs, SUVs like Toyota RAV4, Tesla Model Y, Honda CRV, Ford Explorer, Jeep Grand Cherokee) or as a standalone tent when detached.



Image 4.1: A family enjoying their camping trip with the tent attached to their SUV, alongside an inset showing the tent's versatility as a standalone unit.

- **Maximum Ventilation:** Three large mesh windows and a skylight ensure excellent airflow, reducing condensation and providing panoramic views.



Image 4.2: An interior perspective of the tent, highlighting the expansive views and ample ventilation provided by the large mesh windows.

- **Spacious Interior:** Measuring 8ft long, 7.2ft wide, and 10ft high, the tent offers comfortable standing room and accommodates 4-6 people.
- **Storage Pockets:** Conveniently located internal storage pockets help keep your essentials organized and within reach. A sturdy hanging lamp hook supports up to 2kg for lighting.

5. MAINTENANCE AND CARE

Proper maintenance will extend the life of your SEALIGHT SUV Tent:

- **Cleaning:** The tent fabric is made from 210D Oxford fabric with a PU 3000mm coating. For cleaning, *dry clean only* is recommended. Avoid harsh chemicals or abrasive cleaners that could damage the waterproof coating.
- **Waterproofing:** The tent features a PU 3000mm waterproof coating and factory-sealed seams for excellent rain protection. Ensure the rainfly is properly installed during wet conditions.




Image 5.1: A magnified view of the tent's fabric surface, showing water beading on its waterproof coating, illustrating its excellent water resistance.

- **Drying:** Always ensure the tent is completely dry before packing it away to prevent mildew and odor. If you must pack it wet, unpack and dry it as soon as possible.

- **Storage:** Store the tent in its original tent bag in a cool, dry place, away from direct sunlight and extreme temperatures.

6. TROUBLESHOOTING

Here are some common issues and their potential solutions:

Problem	Possible Cause	Solution
Tent not standing upright/stable	Poles not fully extended or locked; insufficient staking; loose guy lines.	Ensure all quick-release brackets are locked. Re-stake the tent firmly, using all provided stakes and adjusting guy lines for tension.
Water leakage	Rainfly not properly installed; damaged fabric/seams.	Verify rainfly is correctly positioned and secured. Check for visible damage; if significant, contact support.
Condensation inside tent	Insufficient ventilation; high humidity.	Open mesh windows and skylight for better airflow. Ensure proper air circulation.
Difficulty attaching to vehicle	Incorrect positioning; straps not adjusted properly.	Ensure vehicle is parked on level ground. Adjust straps and suction cups for a snug fit around the tailgate or roof rack. Refer to setup instructions.

7. SPECIFICATIONS

Brand	SEALIGHT
Model Name	SUV TENT
Product Dimensions (L x W x H)	96.5" x 86.6" x 120.1" (10FT x 8FT x 7.3FT)
Item Weight	9.8 Kilograms (21.6 Pounds)
Occupancy	4-6 Person
Seasons	4 Season
Material	210D Oxford fabric (Tent), Polyester (Rainfly)
Water Resistance Technology	PU 3000mm coating
Installation Type	Attached to Vehicle Back / Standalone
Assembly Required	Yes

8. WARRANTY AND SUPPORT

The SEALIGHT SUV Tent comes with a **1-Year Warranty** from the date of purchase, covering manufacturing defects. Please retain your proof of purchase for warranty claims.

For technical support, warranty inquiries, or any questions regarding your SEALIGHT SUV Tent, please contact SEALIGHT customer service through the official brand store or website. Provide your product model and purchase details for efficient assistance.

Visit the [SEALIGHT Store on Amazon](#) for more information and contact options.

© 2025 SEALIGHT. All rights reserved.
Manual Version: 1.0

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question