

## TOOLPORT 1062

# TOOLPORT Pagoda Tent Pavilion 3x3 m Instruction Manual

Model: 1062

## INTRODUCTION

---

This manual provides detailed instructions for the assembly, operation, and maintenance of your TOOLPORT Pagoda Tent Pavilion 3x3 m, Model 1062. Designed for events, catering, and private parties, this pavilion features a robust galvanized steel frame and durable white PVC fabric, offering reliable protection against weather conditions.

## SETUP INSTRUCTIONS

---


The TOOLPORT Pagoda Tent Pavilion is designed for quick and tool-free assembly thanks to its innovative click system. Follow these steps for proper installation:

1. **Unpack Components:** Carefully unpack all parts and verify against the packing list. Ensure all galvanized steel tubes, connectors, and PVC fabric sections are present and undamaged.
2. **Assemble the Frame:** Begin by connecting the steel tubes using the integrated click system. Press the large push-button and insert the tube until it locks securely. This system ensures a stable connection without loose parts.



*Image: Detail of the quick-assembly click system on a galvanized steel pole.*

- 3. Install Footplates:** Attach the large footplates to the base of the vertical poles. These provide a stable foundation for the pavilion.



*Image: A galvanized steel pole secured to a footplate, resting on grass.*

- 4. Attach Roof and Side Panels:** Drape the PVC roof fabric over the assembled frame. Secure the side panels using the provided elastic cords and eyelets. The side panels feature zippers for flexible entry points and large church-style windows for light.




*Image: Interior view of the pavilion showing the roof structure and arched window panels.*

5. **Secure to Ground:** For optimal stability and long-term use, secure the pavilion to the ground using tent pegs. The extra-long ground skirt also helps protect against wind and rain.



*Image: Securing the tent fabric to the ground using a tent peg and hammer.*

Refer to the dimension diagram for structural understanding:



*Image: Technical drawing illustrating the pavilion's dimensions: 3.00m x 3.00m base, 2.11m side height, and 3.36m peak height.*

## OPERATING INSTRUCTIONS

The TOOLPORT Pagoda Tent Pavilion is designed for versatile outdoor use. To operate effectively:


- **Entry and Exit:** Utilize the zippered side walls to create flexible entry and exit points as needed.
- **Light and Ventilation:** The large church windows allow ample natural light into the pavilion. For ventilation, partially open the zippered side walls.
- **Weather Protection:** The robust PVC fabric is 100% waterproof and UV-resistant, providing full protection against rain, wind, and sun. Ensure all side panels are securely fastened during adverse weather conditions.

## MAINTENANCE

---

Regular maintenance will extend the lifespan of your pavilion:

- **Cleaning the Fabric:** Clean the PVC fabric with mild soap and water. Avoid harsh chemicals or abrasive cleaners, as these can damage the material. Rinse thoroughly and allow to air dry completely before storage.



*Image: Close-up of the durable, waterproof PVC fabric.*

- **Frame Inspection:** Periodically inspect the galvanized steel frame for any signs of rust or damage. The galvanization protects against corrosion, but scratches or impacts can expose the steel. Address any damage promptly to prevent further deterioration.



*Image: Cross-section of a galvanized steel tube, highlighting its protective coating.*

- **Storage:** When not in use, disassemble the pavilion and store all components in a dry, protected area to

prevent damage and prolong material life.

## TROUBLESHOOTING

---

If you encounter issues during setup or use, consider the following:

- **Parts Not Fitting:** Double-check that you are using the correct components for each step as per the instructions. Ensure no parts are bent or damaged. If parts are incorrect or missing, contact customer support.
- **Instability in Wind:** Ensure the pavilion is properly anchored to the ground using all available tent pegs. For increased stability in windy conditions, consider using additional heavy-duty ground anchors and tension straps (not included) to secure the frame. Never leave the pavilion unattended in strong winds.
- **Water Leakage:** Verify that all fabric panels are correctly installed and overlap properly. Ensure all zippers are fully closed. The PVC fabric is waterproof, so leaks typically indicate improper assembly or damage to the fabric.

## SPECIFICATIONS

---

<b>Brand</b>	TOOLPORT
<b>Model</b>	1062
<b>Size</b>	3x3 m
<b>Product Dimensions (L x W x H)</b>	3.36L x 3W x 3.36H Meters
<b>Floor Area</b>	9 Square Meters
<b>Color</b>	White
<b>Material (Fabric)</b>	Polyethylene (PE) / PVC Fabric
<b>Frame Material</b>	Alloy Steel (Galvanized Steel)
<b>Waterproof Level</b>	Waterproof
<b>UV Protection</b>	30 years (UV-resistant)
<b>Assembly Required</b>	Yes
<b>Recommended Uses</b>	Event, catering, private parties

## WARRANTY INFORMATION

---

Specific warranty details for the TOOLPORT Pagoda Tent Pavilion 3x3 m are not provided in this manual. Please refer to the product packaging, your purchase receipt, or contact the seller or manufacturer directly for comprehensive warranty terms and conditions.

## CUSTOMER SUPPORT

---

For further assistance, technical support, or inquiries regarding your TOOLPORT Pagoda Tent Pavilion, please contact the seller or visit the official TOOLPORT website. Ensure you have your model number (1062) and purchase details available when seeking support.

