

ANENG 623

ANENG 623 Digital Automotive Multimeter Instruction Manual

Model: 623 | Brand: ANENG

1. INTRODUCTION

This manual provides detailed instructions for the safe and effective use of your ANENG 623 Digital Automotive Multimeter. The ANENG 623 is a versatile 20,000-count multimeter designed for precise automotive diagnostics and general electrical measurements. It features a unique 180° flip-cover design for protection and portability, a large backlit LCD screen, and a rechargeable lithium battery.

Key measurement capabilities include engine RPM, dwell angle, pulse width, AC/DC voltage, AC/DC current, resistance, duty cycle, circuit continuity, diode testing, capacitance, and temperature.

2. SAFETY INFORMATION

Always observe safety precautions when using electrical testing equipment. Failure to do so may result in injury or damage to the device or the item being tested.

- Ensure the multimeter is in good working condition before use.
- Do not exceed the maximum input values for any function.
- Use appropriate personal protective equipment (PPE) such as safety glasses.
- Verify the correct function and range settings before making measurements.
- Avoid contact with live circuits.
- The device features double fuse protection against overloading.

3. PACKAGE CONTENTS

Verify that all items are present in your package:

- 1x ANENG 623 Multimeter Analyzer
- 1x Multimeter Kit (4x connection sockets, 2x PVC cables, 2x copper needles, 2x U-shaped inserts, 2x meter pens, 2x alligator clips, 2x puncture needles)
- 1x Circuit Test Lead
- 1x Temperature Line
- 1x Charging Cable

- 1x Instruction Manual
- 1x Storage Bag



Figure 1: ANENG 623 Multimeter with all included accessories, such as test leads, alligator clips, temperature probe, and charging cable.

4. PRODUCT OVERVIEW

The ANENG 623 features a compact design with a protective flip-cover and a large, easy-to-read LCD display. Below is a diagram highlighting key components and controls.



Figure 2: Front view of the ANENG 623 Multimeter, showing the display, function buttons, and input jacks.

4.1 Key Features

- **20,000 Counts Display:** High precision for detailed readings.
- **180° Flip-Cover Design:** Protects the screen and enhances portability.
- **Rechargeable Lithium Battery:** Convenient charging via USB cable.
- **Automotive Functions:** RPM, Dwell Angle, Pulse Width for engine diagnostics.
- **Non-Contact Voltage (NCV) Sensing:** For detecting AC voltage without direct contact.
- **Backlit LCD Screen:** Improves readability in various lighting conditions.
- **Auto Power Off:** Conserves battery life when not in use.



Figure 3: The 180-degree flip screen design of the ANENG 623, offering flexibility and protection.

5. SETUP

5.1 Charging the Battery

The ANENG 623 is equipped with a rechargeable lithium battery. Before first use, or when the battery indicator shows low power, charge the device using the provided USB charging cable.

1. Connect the small end of the charging cable to the charging port on the multimeter.
2. Connect the standard USB end to a compatible USB power adapter (e.g., phone charger) or a computer USB port.
3. The charging indicator will illuminate during charging and turn off when fully charged.

Lithium battery



Figure 4: The ANENG 623 Multimeter being charged via its USB port, indicating the rechargeable lithium battery feature.

5.2 Connecting Test Leads

Proper connection of test leads is crucial for accurate and safe measurements.

1. Insert the black test lead into the "COM" (Common) input jack.
2. For most voltage, resistance, capacitance, diode, and temperature measurements, insert the red test lead into the "INPUT" jack.
3. For current measurements (mA/A), insert the red test lead into the corresponding "mA/A" or "10A" input jack, depending on the expected current range.
4. Ensure all connections are secure before proceeding with measurements.

6. OPERATING INSTRUCTIONS

This section details how to use the ANENG 623 for various measurements.

6.1 Power On/Off

Press the power button to turn the multimeter on or off. The device features an auto power-off function to conserve battery life after a period of inactivity.

6.2 Basic Measurements (Voltage, Current, Resistance, Continuity)

The ANENG 623 often operates in an intelligent auto-ranging mode, simplifying basic measurements. Select the desired function using the mode buttons.

- **Voltage (AC/DC):** Select the 'V~' for AC voltage or 'V=' for DC voltage. Connect test leads in parallel with the circuit.
- **Current (AC/DC):** Select 'mA/A~' for AC current or 'mA/A=' for DC current. Connect test leads in series with the circuit. Ensure correct input jack for current range.
- **Resistance (Ω):** Select ' Ω '. Connect test leads across the component. Ensure the circuit is de-energized.
- **Continuity:** Select the continuity mode (often indicated by a buzzer icon). The device will beep if a continuous path is detected.



Figure 5: Examples of the ANENG 623 performing various measurements including AC voltage, temperature, capacitance, resistance, and current.

6.3 Automotive Diagnostics

The ANENG 623 is specifically designed for automotive applications.

6.3.1 Engine RPM Measurement

To measure engine revolutions per minute (RPM):

1. Select the 'RPM' function on the multimeter.
2. If the vehicle uses a distributor-less ignition system, connect the red test lead to the TACH signal line.
3. If the vehicle uses a distributor ignition system, connect the red test lead to the engine end of the primary ignition coil.
4. Connect the black test lead to a good ground terminal of the car battery.
5. Start the engine and observe the RPM reading on the display.




Figure 6: Illustrated steps for connecting the ANENG 623 to an engine for RPM measurement.

6.3.2 Dwell Angle Measurement

To measure the dwell angle (for 1-8 cylinder engines):

1. Select the 'DWEELL' function (often labeled '1-8CYL' or similar).
2. Connect the test leads as per the vehicle's service manual for dwell angle measurement. Typically, the red lead connects to the distributor's primary coil terminal and the black lead to ground.
3. Start the engine and read the dwell angle in degrees on the display.

6.3.3 Pulse Width Measurement

To measure pulse width (up to 999.9ms):

1. Select the 'mS PULSE' function.
2. Connect the test leads to the signal source (e.g., fuel injector pulse).
3. Observe the pulse width reading in milliseconds.

6.4 Non-Contact Voltage (NCV) Sensing

The NCV function allows for detection of AC voltage without direct contact with conductors.

1. Select the 'NCV' or 'Live' function.
2. Bring the top of the multimeter (where the NCV sensor is located) close to the suspected AC voltage source.
3. The instrument will beep and the LCD analog bar will display the induction intensity, indicating the presence of AC voltage.



**20000 Counts
Easy-to-Read**

Backlit LCD Display, high definition large screen, the value is clear at a glance

Lithium battery

New upgrade says goodbye to the battery era, data cable charging is more convenient, built-in 3.7V/1800mAh lithium battery



4 Features

Flip Multimeter

New way to play the tool, handy with work, 180 ° adjustment suitable angle measurement, easy to carry



Multifunction

It features an large display and is easy to use, offering AC/DC Voltage, Amp, Ohm, Backlit LCD, Data Hold, Precision RPM and Dwell Angle Testing Made Easy!



Figure 7: The ANENG 623 Multimeter detecting non-contact voltage, showing the visual and auditory indicators.

7. MAINTENANCE

7.1 Cleaning

Wipe the multimeter with a damp cloth and mild detergent. Do not use abrasives or solvents. Ensure the device is off and disconnected from any power source before cleaning.

7.2 Battery Care

To prolong battery life, charge the device regularly and avoid fully discharging it for extended periods. If storing for a long time, charge the battery to approximately 50%.

7.3 Storage

Store the multimeter in a cool, dry place, away from direct sunlight and extreme temperatures. Use the provided storage bag to protect it from dust and physical damage.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Multimeter does not power on.	Low or depleted battery.	Charge the battery using the provided USB cable.

Problem	Possible Cause	Solution
Inaccurate readings.	Incorrect function/range selected; poor test lead connection; damaged test leads.	Verify function and range. Ensure test leads are securely connected. Inspect test leads for damage and replace if necessary.
No continuity beep.	Open circuit; continuity mode not selected.	Ensure the circuit is closed. Select the continuity mode.
Display shows "OL" (Overload).	Measurement exceeds selected range or device capability.	Switch to a higher range (if applicable) or ensure the measurement is within the device's specifications.

9. SPECIFICATIONS

Feature	Specification
Display Counts	20,000
Engine RPM Range	2/4 cylinder: 300-19,999 RPM
Dwell Angle	1-8 cylinders, 0.1° resolution
Pulse Width	Up to 999.9ms
Power Source	Rechargeable Lithium Ion Battery (included)
Dimensions	Approximately 14.7cm x 8.6cm x 3.72cm (5.78 x 3.38 x 1.46 inches)
Safety Rating	Double fuse anti-burn protection





Figure 8: Diagram showing the physical dimensions of the ANENG 623 Multimeter.


10. WARRANTY AND SUPPORT

ANENG provides service and technical support for its products. For warranty claims, technical assistance, or further inquiries, please refer to the contact information provided with your purchase or visit the official ANENG website. The package includes an instruction manual and a storage bag to help maintain your device. For additional support, please contact ANENG customer service.



Related Documents - 623

Touch Meter User Manual 	ANENG 683 Touch Meter User Manual: Features, Specs & Operation Guide Comprehensive user manual for the ANENG 683 digital multimeter. Covers safety, specifications, measurement functions (voltage, current, resistance, etc.), and operational guidance for electrical testing.
Smart Meter User Manual 	ANENG 681 Digital Multimeter User Manual - Features, Specifications, and Operation Guide Comprehensive user manual for the ANENG 681 Digital Multimeter. Learn about safety, specifications, test ranges, operation instructions, maintenance, and troubleshooting for this versatile measuring tool.
Инструкция по эксплуатации Токовые клещи-мультиметр ANENG ST212 	ANENG ST212 Clamp Meter Multimeter User Manual User manual for the ANENG ST212 clamp meter multimeter, providing detailed instructions on its features, operation, and various measurement functions including voltage, current, resistance, capacitance, and temperature.
Инструкция к мультиметру ANENG 683 	ANENG 683 Digital Multimeter User Manual and Specifications Comprehensive user manual for the ANENG 683 digital multimeter, covering safety instructions, technical specifications, operating procedures, maintenance, and package contents. Learn how to accurately measure voltage, current, resistance, capacitance, and temperature.
Large screen digital intelligent multimeter Operating instruction  All rights reserved. Specifications are subject to change without notice.	ANENG 616 Digital Intelligent Multimeter: Operating Instructions and Specifications Comprehensive operating instructions and detailed specifications for the ANENG 616 digital intelligent multimeter. Learn how to measure voltage, current, resistance, capacitance, frequency, and temperature safely and effectively.



[ANENG ST212 Digital Clamp Meter User Manual](#)

Comprehensive user manual for the ANENG ST212 Digital Clamp Meter, covering safety information, specifications, operation guides, and maintenance for AC/DC current, voltage, resistance, capacitance, and temperature measurements.

Documents - ANENG – 623

Январская акция в Суперайс						
Время акции: с 01.01.2025 г. по 31.01.2025 г.						
Код батарей	Наименование товара	Цена за шт.	Скидка %, шт.	Зачислено	Изображение	
13 855	Трехканальный блок питания высоковольтного типа MATTEO MP5 2000W-3 (100V, 5A)	37 420	43 80%	4 380		
13 645	Источник питания постоянного тока T800000 (150V, 50A, 7.5 kW)	176 977	195 53%	19 553		
20 222	Блок питания с регулируемой LADRI MP1217 (1000W, 50V, 20A, 1200W, 50V)	294 890	260 100%	26 010		
9 700	Лабораторный блок питания TSCN 2100V	34 460	40 34%	6 082		
10 917	Блок питания регулируемый KTC00000 470V-150A (150V, 60A) без разъемов BNC	21 380	26 60%	5 820		
12 446	Новый источник питания постоянного тока Wipac KPS40SD (600V, 5A)	6 840	9 120%	2 280		
13 918	Лабораторный источник питания KTC00000 470V-150A (150V, 60A)	7 920	9 760%	2 440		
Прогнозируемые итоги акции по состоянию на 01.01.2025						
Код батарей	Наименование товара	Цена за шт.	Скидка %, шт.	Зачислено	Изображение	
13 182	Специализированный источник питания KTC00000 470V-150A (150V, 60A)	150 813	175 57%	17 587		
14 749	Лабораторный регулируемый источник питания T800000 (150V, 50A)	171 053	190 05%	19 050		
12 950	Постоянный блок питания KPS00000 470V-150A (150V, 60A)	282 294	310 66%	31 066		
13 409	Новый источник питания Wipac KPS40SD Ruscom KPS40SD 470V-150A (150V, 60A)	52 807	70 410%	17 410		
17 015	Блок питания с USB-порт Wipac KPS100SD (100V, 5A, 100W)	10 470	14 760%	4 470		

Декабрьская акция в Суперайс						
Время акции: с 01.12.2023 г. по 31.12.2023 г.						
Код батарей	Наименование товара	Цена за шт.	Скидка %, шт.	Зачислено	Изображение	
7 191	Специализированный источник питания KTC00000 470V-150A (150V, 60A)	41 123	57 120%	7 191		
12 044	Лабораторный блок питания Wipac KPS40SD (600V, 5A)	7 007	9 000%	1 000		
12 044	Лабораторный блок питания Wipac KPS40SD (600V, 5A)	7 000	9 000%	1 000		
12 044	Лабораторный блок питания Wipac KPS40SD (600V, 5A)	7 000	9 000%	1 000		
10 917	Блок питания регулируемый KTC00000 470V-150A (150V, 60A) без разъемов BNC	27 123	37 120%	3 712		

Мартовская акция в Суперайс						
Время акции: с 01.03.2025 г. по 31.03.2025 г.						
Код батарей	Наименование товара	Цена за шт.	Скидка %, шт.	Зачислено	Изображение	
1 292	Лабораторный блок питания (источник питания) KPS00000 MP1217 (1000W, 50V, 20A)	15 920	17 40%	1 770		
14 676	Высоковольтный блок питания постоянного тока T800000 (150V, 50A, 7.5 kW)	137 805	151 150%	15 115		
13 645	Источник питания постоянного тока T800000 (150V, 50A, 7.5 kW)	137 805	151 219%	15 219		
14 680	Постоянный источник питания постоянного тока T800000 (150V, 50A, 7.5 kW)	137 805	150 794%	16 979		
21 400	Постоянный блок питания Wipac KPS40SD (600V, 5A, 100W)	0 704	10 29%	1 040		
13 321	Лабораторный блок питания KTC00000 470V-150A (150V, 60A)	10 445	21 700%	2 205		
15 094	Цифровой источник питания LADRI LADRI (1000W, 50V, 20A)	20 260	33 25%	4 989		
15 188	Промышленный цифровой источник питания LADRI LADRI (1000W, 50V, 20A)	85 581	41 76%	6 266		
4 029	Лабораторный источник питания KPS00000 MP1217 (1000W, 50V, 20A)	75 906	89 360%	13 484		
20 022	Блок питания LADRI MP1217 (1000W, 50V, 20A)	123 360	145 130%	21 170		
14 746	Высоковольтный блок питания T800000 (150V, 50A, 7.5 kW)	201 097	209 516%	10 619		
15 229	Специальный регулируемый блок питания LADRI LADRI (1000W, 50V, 20A)	15 079	40 34%	13 870		
4 027	Лабораторный источник питания KPS00000 MP1217 (1000W, 50V, 20A)	56 382	80 34%	24 044		

[Январская акция на оборудование Суперайс](#)

Каталог оборудования Суперайс с январскими скидками на лабораторные блоки питания, микроскопы, паяльные станции, осциллографы и многое другое. Акция действует с 01.01.2025 по 31.01.2025.

lang:tl **score:17** filesize: 392.05 K page_count: 8 document date: 2025-01-31

[Comprehensive Catalog of Electronic Test Equipment, Power Supplies, and Tools](#)

A detailed catalog featuring a wide range of electronic test and measurement equipment, power supplies, soldering stations, microscopes, and related tools from various global manufacturers. Includes model numbers, specifications, and pricing information for easy comparison.

lang:fi **score:16** filesize: 896.4 K page_count: 34 document date: 2023-12-28

[Superice March Sale: Electronic Test & Measurement Equipment](#)

Discover a wide range of electronic test equipment, power supplies, soldering stations, and repair tools from leading brands during the Superice March Sale event.

lang:id **score:15** filesize: 378.8 K page_count: 9 document date: 2025-02-27

Мартовская акция в Суперайс						
Период: с 01.03.25 г. по 31.03.25 г.						
Лабораторные блоки питания постоянного тока						
Код	Наименование товара	Цена	Старая цена	Скидка	Изображение	Изображение
Батарея		млн.	млн.	%		
1 392	Лабораторный блок питания Автоматический R45000000 RPS1500 (150 В, 3 А)	15 928	17 600	10%	1 770	
14 476	Высоковольтный блок питания постоянного тока T3-серия T30330-05 (1000, 30А)	137 805	151 350	10%	15 315	
19 445	Блок питания постоянного тока T3-серия T300-50 (100 В, 50 А, 7,5 кВт)	137 949	151 299	10%	15 330	
14 480	Полупроводниковый блок питания постоянного тока T3-серия T3000-200-1 (1000, 200 А)	132 824	147 794	10%	16 979	
21 438	Полупроводниковый блок питания Универсальный RPS0000 (1000, 5А, 1500В)	9 754	10 299	15%	1 545	
1 321	Лабораторный блок питания Автоматический R45000000 RPS1500 (150В, 3А)	18 445	21 700	15%	3 255	
15 094	Цифровой источник питания Линейный 12-2000-500 (500В, 5А)	20 268	33 257	15%	4 989	
15 118	Программируемый источник питания постоянного тока L2- 2000-211 (100, 10А)	95 581	41 767	15%	6 265	
4 029	Лабораторный источник питания R45000000 RPS1500-00 (150 В, 300 А)	75 956	89 360	15%	12 404	
20 022	Блок питания L4001 RPS0000 (100 В, 600 мА, 600 Вт)	123 360	145 130	15%	21 770	
14 745	Высоковольтный блок питания T3-серия T300-115-115 (115В, 115А)	231 897	269 516	15%	3 819	
15 229	Специальный регулируемый блок питания постоянного тока 1000 (1000В, 1 А)	10 479	49 349	10%	13 870	
4 027	Лабораторный источник питания постоянного тока R45000000 RPS0000 (100 В, 5 А)	16 392	80 147	10%	24 044	

[Мартовская распродажа: Каталог электронного измерительного оборудования и инструментов | Суперайс](#)

Изучите мартовский каталог распродаж от Суперайс, включающий широкий ассортимент лабораторных блоков питания, осциллографов, мультиметров, микроскопов, паяльных станций и многого другого. Найдите сниженные цены на необходимое электронное измерительное оборудование.

lang:id score:15 filesize: 378.8 K page_count: 9 document date: 2025-02-27

Январская акция в Суперайс						
Период: с 01.01.25 г. по 31.01.25 г.						
Лабораторные блоки питания постоянного тока						
Код	Наименование товара	Цена	Старая цена	Скидка	Изображение	Изображение
Батарея		млн.	млн.	%		
1 385	Программируемый блок питания постоянного тока MATRICE RPS 50000-1 (100В, 1А)	39 420	41 800	10%	4 380	
19 445	Блок питания постоянного тока T3-серия T300-50 (100 В, 50 А, 7,5 кВт)	175 971	195 530	10%	19 553	
20 222	Блок питания с регулятором L4001 RPS1500 (1500 В, 200 мА, 1200 Вт)	234 090	260 100	10%	26 010	
9 708	Лабораторный блок питания RPS 15000V	34 466	40 549	15%	6 082	
1 397	Блок питания регулируемый СТОПЭЛЕКТРОН 4700-1000 (100В, 60А) без расширения BEMO	21 280	26 400	20%	5 320	
1 346	Новый источник питания постоянного тока Ультракompact (600В, 5А)	6 040	9 120	35%	2 280	
1 314	Лабораторный источник питания СТОПЭЛЕКТРОН 4700-1000 (100В, 10А)	7 120	9 740	25%	2 440	
Программируемые источники питания постоянного тока						
Код	Наименование товара	Цена	Старая цена	Скидка	Изображение	Изображение
Батарея		млн.	млн.	%		
1 382	Специализированный источник питания RPS0000 (100В, 25А)	158 010	176 570	10%	17 557	
14 749	Лабораторный регулируемый источник питания T3-серия (100В, 500А)	171 053	190 059	10%	19 056	
12 989	Полупроводниковый блок питания MAXIMOS 1000-4000 (1000В, 20А)	282 294	312 660	10%	31 366	
1 349	Новый источник питания RPS RPS00-100-1 (100В, 1А)	52 807	70 490	25%	17 613	
17 015	Блок питания с USB интерфейсом Новый RPS 1000 (100В, 1А, 1000Вт)	10 470	34 969	30%	4 491	

Апрельская акция в Суперайс						
Период: с 01.04.25 г. по 30.04.25 г.						
Лабораторные блоки питания постоянного тока						
Код	Наименование товара	Цена	Старая цена	Скидка	Изображение	Изображение
Батарея		млн.	млн.	%		
15 147	Блок питания Ультракompact RPS0000 с регулируемым диапазоном (100В, 5А)	5 140	5 482	5%	280	
3 110	Лабораторный блок питания Kiosel K468-000 (40 В, 5 А)	22 575	24 290	5%	1 715	
14 104	Лабораторный источник питания крупного тока УТОЭЛЕКТРОН 4700-1000 (100В, 10А)	44 266	46 576	5%	2 310	
13 068	Двухканальный программируемый источник питания R45000000 RPS 60000-1 (100В, 1А)	65 425	68 869	5%	3 443	
21 422	Полупроводниковый блок питания Универсальный RPS0000 (100В, 5А, 1500В)	9 074	10 080	10%	1 008	
20 044	Блок питания постоянного тока RPS00000000 RPS 1100	25 643	284 491	10%	2 849	
2 092	Линейный источник питания универсальный TPO 2000-20	20 887	81 200	10%	9 121	
11 718	Одноканальный блок питания Ультракompact RPS1100 (10 В, 10 А)	20 640	31 845	10%	3 185	
14 245	Блок питания постоянного тока УТОЭЛЕКТРОН 4700-1000 (100В, 10А)	20 247	42 497	10%	4 250	
7 991	Полупроводниковый источник питания MAXIMOS RPS22000 (120В, 20А)	63 410	70 476	10%	7 049	
4 026	Лабораторный блок питания MAXIMOS RPS22000 (220 В, 10 А)	63 942	71 049	10%	7 107	
20 376	Блок питания постоянного тока L4001 RPS0000 (10 000 В, 60 мА, 600 Вт)	240 042	280 936	10%	28 094	

[Апрельская распродажа электроники в Суперайс: Блоки питания, микроскопы, осциллографы и другое](#)

Специальные предложения на лабораторные блоки питания, программируемые источники питания, AC-DC блоки питания, микроскопы, осциллографы, генераторы сигналов, мультиметры, паяльные станции и другое оборудование. Акция с 1 по 30 апреля 2025 г. от Суперайс.

lang:tl score:13 filesize: 376.93 K page_count: 8 document date: 2025-04-01

Апрельская акция в Суперайс						
Период акции: с 01.04.25 по 30.04.25 г.						
Лабораторные блоки питания постоянного тока						
Код товара	Наименование товара	Цена	Скидка	Скидка, %	Изображение	Изображение
15 167	Блок питания Умный MP2000W с регулируемым давлением (10В, 6А)	5 369	5 682	5%	288	
2 198	Лабораторный блок питания Кинет K4000 10 (40 В, 5 А)	22 575	24 290	5%	1 710	
14 154	Лабораторный источник питания импульсного типа КТО000003 475 3005 (40В, 5А)	44 266	46 576	5%	2 230	
13 808	Детекторный линейный источник питания МАТРЕС МР5-60000-3 (40В, 5А)	65 425	68 869	5%	3 440	
21 412	Источники блок питания Умный W P3000R (10В, 5А, 150Вт)	9 074	10 083	10%	1 000	
20 644	Блок питания постоянного тока GORNET CP5 2322	25 643	28 493	10%	2 849	
2 592	Линейный источник питания регулируемый ТПС 3005-20	28 887	31 288	10%	3 121	
11 718	Одноканальный блок питания Умный KP11000 (10В, 10А)	28 660	31 065	10%	3 105	
14 245	Блок питания постоянного тока КТО000003 475 3005 (10В, 5А)	28 247	42 497	10%	4 250	
7 881	Источники источник питания МАК00000 МР22000 (10В, 20А)	62 428	70 476	10%	7 040	
4 616	Лабораторный блок питания МАК00000 МР22000 (220 В, 10 А)	62 942	71 069	10%	7 107	
20 176	Блок питания постоянного тока LAD01 MP1600 (10 000 В, 0,01 А, 600 Вт)	260 842	288 936	10%	28 994	

[Electronic Test Equipment Catalog - Power Supplies, Oscilloscopes, and More](#)

A catalog featuring a wide range of electronic test and measurement equipment, including power supplies, oscilloscopes, multimeters, soldering stations, and accessories from various manufacturers. Details product models, specifications, and associated data.

lang:tl score:13 filesize: 375.09 K page_count: 8 document date: 2025-04-18

Апрельская акция в Суперайс						
Период акции: с 01.04.25 по 30.04.25 г.						
Лабораторные блоки питания постоянного тока						
Код товара	Наименование товара	Цена	Скидка	Скидка, %	Изображение	Изображение
15 167	Блок питания Умный MP2000W с регулируемым давлением (10В, 6А)	5 369	5 682	5%	288	
2 198	Лабораторный блок питания Кинет K4000 10 (40 В, 5 А)	22 575	24 290	5%	1 710	
14 154	Лабораторный источник питания импульсного типа КТО000003 475 3005 (40В, 5А)	44 266	46 576	5%	2 230	
13 808	Детекторный линейный источник питания МАТРЕС МР5-60000-3 (40В, 5А)	65 425	68 869	5%	3 440	
21 412	Источники блок питания Умный W P3000R (10В, 5А, 150Вт)	9 074	10 083	10%	1 000	
20 644	Блок питания постоянного тока GORNET CP5 2322	25 643	28 493	10%	2 849	
2 592	Линейный источник питания регулируемый ТПС 3005-20	28 887	31 288	10%	3 121	
11 718	Одноканальный блок питания Умный KP11000 (10В, 10А)	28 660	31 065	10%	3 105	
14 245	Блок питания постоянного тока КТО000003 475 3005 (10В, 5А)	28 247	42 497	10%	4 250	
7 881	Источники источник питания МАК00000 МР22000 (10В, 20А)	62 428	70 476	10%	7 040	
4 616	Лабораторный блок питания МАК00000 МР22000 (220 В, 10 А)	62 942	71 069	10%	7 107	
20 176	Блок питания постоянного тока LAD01 MP1600 (10 000 В, 0,01 А, 600 Вт)	260 842	288 936	10%	28 994	

[Апрельская акция в Суперайс: Скидки на электронику и оборудование](#)

Каталог товаров Суперайс с акционными ценами на лабораторные блоки питания, микроскопы, осциллографы, паяльные станции и другое оборудование. Скидки действуют с 1 по 30 апреля 2025 года.

lang:tl score:13 filesize: 375.09 K page_count: 8 document date: 2025-04-18

Январская акция в Суперайс						
Период акции: с 01.01.25 по 31.01.25 г.						
Лабораторные блоки питания постоянного тока						
Код товара	Наименование товара	Цена	Скидка	Скидка, %	Изображение	Изображение
13 855	Трехканальный блок питания импульсного типа МАТРЕС МР5-20000-3 (10В, 5А)	21 420	41 800	10%	4 380	
19 645	Источники питания постоянного тока Т80000 (15 В, 50 А, 7,5 кВт)	375 971	395 230	10%	19 553	
20 122	Блок питания с регулятором LAD01 MP1217 (000 В, 240 мА, 1200 Вт)	234 090	260 100	10%	26 010	
2 700	Лабораторный блок питания ТПС 2205IV	34 666	40 549	15%	6 082	
18 997	Блок питания импульсный КТО000003 475 1504 (10В, 6А) (без регулятора 230В)	21 380	26 460	20%	5 210	
12 446	Новые источники питания постоянного тока Умный KP5000 (10В, 5А)	6 840	9 120	25%	2 200	
13 916	Лабораторный источник питания КТО000003 475 2010 (10В, 10А)	7 320	9 760	25%	2 440	
Регулируемые источники питания постоянного тока						
Код товара	Наименование товара	Цена	Скидка	Скидка, %	Изображение	Изображение
12 182	Одноканальный источник питания Умный MP10100 (10В, 20А)	168 010	175 570	10%	17 557	
14 749	Лабораторный регулируемый источник питания Т80000 (10В, 50А)	371 051	390 059	10%	19 000	
12 950	Источники блок питания МАК00000 WSD-40000 (40В, 20А)	282 294	323 668	10%	31 966	
12 895	Цифровой одноканальный источник питания МАК00000 WSD-10000 (10В, 20А)	343 402	368 974	15%	35 247	
13 659	Новые источники питания PowerWing Ресурс МРР-100-3 (10В, 3А)	52 807	70 490	25%	17 623	

[Январская распродажа 2025: Электроника и оборудование от Суперайс](#)

Каталог товаров Январской акции 2025 года от магазина Суперайс. Широкий ассортимент электронных компонентов, измерительных приборов, инструментов и оборудования со скидками до 30%.

lang:tl score:13 filesize: 413.27 K page_count: 9 document date: 2025-01-04

Декабрьская акция в Суперайс						
Всего, с 11.12.21 г. по 31.12.21 г.						
Наименование товара		Цена закупки	Цена продажи	Сколько	Выручка	Изображение
7.180	Гарниш из картофельных чипсов-палочек TESCO® 400g (100, 100, 100)	43,133	57,120	1476	7 301	
12.024	Докторский напиток из яблочного сока TESCO® 370g (100, 100, 100)	7,480	6,000	1076	1 300	
13.103	Алкогольный напиток-сбитен TESCO® 400ml (100, 100, 100)	2,880	3,000	1 000	1 000	
13.104	Алкогольный напиток-сбитен TESCO® 400ml (100, 100, 100)	7,440	8,000	1076	1 347	
16.051	Сладкий напиток-сбитен TESCO® 470g (100, 100, 100)	17,120	18,120	1476	2 688	

lang:fi score:12 filesize: 896.4 K page_count: 34 document date: 2023-12-28

[pdf] User Manual Specifications

68X96 cdr Administrator User manual ANENG 623 MultimeteANENG Car Multimeter Engine speed test Digital Auto AC DC Voltage Current Ohm meters Capacitance Pulse Width Test ToolsS758facc243f340579c693c70d020866ceae01 alicdn kf S758facc243f340579c693c70d020866ce MultimeteUser ToolsANENG Repair Multimete 20000 Counts Curren NCV Induction Diode Buzzer Tester ToolsS25f2e45aa36d49d4b2c7744f3e09c3b3dae01 S758facc243f340579c693c70d020866ceae01 S25f2e45aa36d49d4b2c7744f3e09c3b3d MultimeterUser Smart Built in Rechargeable Lithium Battery Count Voltmeter Multitester Meter ToolsS52c8b58cf359407b94f3a7e973ddeb1vae01 S52c8b58cf359407b94f3a7e973ddeb1vae01 ToolsAuto Tools

MultimeteS52c8b58cf359407b94f3a7e973ddeb1vS79e45478bf234c39ae118bef47d47619gae01 S25f2e45aa36d49d4b2c7744f3e09c3b3dae01 S79e45478bf234c39ae118bef47d47619g ||| ||| USER S MANUAL Multi-purpose 20000-Count Multimeter CYL STR mS RPM 0 5 10 15 20 mA/A mA/A 1-8CYL mS PULSE RPM 2/4STR *The manufacturer reserves the right to change specifications without prior notice. *Note: Please read this manual carefully ||| USER S MANUAL Multi-purpose 20000-Count Multimeter CYL STR mS RPM 0 5 10 15 20 mA/A mA/A 1-8CYL mS PULSE RPM 2/4STR *The manufacturer reserves the right to change specifications without prior notice. *Note: Please read this manual carefully ||| USER S MANUAL Multi-purpose 20000-Count Multimeter CYL STR mS RPM 0 5 10 15 20 mA/A mA/A 1-8CYL mS PULSE RPM 2/4STR *The manufacturer reserves the right to change specifications without prior notice. *Note: Please read this manual carefully

USER S MANUAL Multi-purpose 20000-Count Multimeter CYL STR mS RPM 0 5 10 15 20 mA/A mA/A 1-8CYL mS PULSE RPM 2/4STR *The manufacturer reserves the right to change specifications without prior notice. *Note: Please read this manual carefully before use. *The pictures are for illustrative p...

lang:it score:12 filesize: 2.18 M page_count: 21 document date: 2024-06-22



Декабрьская акция в Сутерейс						
Вступившие с 1.12.23 г. по 30.12.23г.						
Вид операции	Описание операции	Входная сумма	Средняя цена	Средняя сумма	Выходная	Изображение
7184	Пополнение депозитного счета клиента (СДП) 1000000 RUB (1000000 RUB, 1000000 RUB)	491 223	67 123	3496	7 987	
10 084	Списание депозитной суммы со счета клиента (СДП) 1000000 RUB (1000000 RUB, 1000000 RUB)	5 881	6 594	3396	1 584	
10 102	Дебетовый перевод денег со счета клиента (СДП) 1000000 RUB (1000000 RUB, 1000000 RUB)	7 880	8 880	3376	1 123	
10 103	Пополнение депозитного счета клиента (СДП) 1000000 RUB (1000000 RUB, 1000000 RUB)	7 881	8 176	3396	1 843	
10 104	Списание депозитной суммы со счета клиента (СДП) 1000000 RUB (1000000 RUB, 1000000 RUB)	10 103	10 103	3396	1 843	

[pdf]

user aktsiya december2023 supereyes ru img info |||

1.12.23 . 30.12.23 . 7 909 MAISHENG MP25010D 250, 10 49 123 ... SOMPOM S-400-12 12, 33.3 2 295 3 279 30 984 3 605 , 12, 3.2, 40 519 799 35 280 3 623 , 9, 2, 18 378 630 40 252 3 615 , 12, 5, 60 725 1 209 40 484 USB 1...

lang:fi score:11 filesize: 1 M page_count: 35 document date: 2023-12-08

Акция на август в Сунерайс						
Срок проведения: с 01.08.24 по 31.08.24 г.						
Лабораторные блоки питания постоянного тока						
Код битрикс	Наименование товара	Цена, руб.	Средняя цена	Скидка	Эквивалент	Изображение
13438	Одноканальный блок питания 0-30V, 3750WDF (20A, 3A)	4 301	4 779	10%	478	
13236	Полноточный Амперметр блок питания 0-30V, 600W (0-30V, 5.2A)	8 000	8 900	10%	890	
14077	Двухканальный блок питания 0-30V 1200W	9 713	10 790	10%	1 079	
15206	Цифровой источник блок питания 0-30V, 11200W (0-30V, 3.5A)	5 778	6 420	10%	642	
17455	Блок питания регулируемый 0-30V, 1500W (0-30V, 5.2A) 300W	13335	15 020	10%	1 504	
7829	Регулируемый блок питания 0-30V, 600W (0-30V, 5.2A)	42407	47 430	10%	4 743	
7887	Цифровой источник питания постоянного тока 0-30V, 11200W (0-30V, 3.5A)	56891	62 990	10%	6 299	
13919	Полноточный амперметр блок питания 0-30V, 600W (0-30V, 5.2A)	8211	9 060	10%	1 049	
13936	Полноточный блок питания 0-30V, 600W (0-30V, 5.2A)	9 945	11 080	10%	1 155	
18908	Самонагреваемый регулируемый блок питания 0-30V, 11200W (0-30V, 3.5A)	33456	39 340	10%	3 904	

[pdf]

Ангелина Дроздова august 2024 supereyes ru img UT70A news |||

: 01.08.24 . 31.08.24 . 13 434 Wanptek KPS303DF 30, 3 13 204 ... 19 880

Hangjiasheng HJS-480-0300 300 , 1.6 22 693 JINGRUIAN 0100V-2A-12A 7 590 7

623 11 584 12 813 Fengshuo 48V250W 48, 5.2 2 303 12 309 Hangjiasheng HJS480-0-12 15, 40...

lang:tl **score:11** filesize: 669.97 K page_count: 18 document date: 2024-07-31

Лабораторные блоки питания постоянного тока						
Код битрикс	Наименование товара	Средняя цена	Цена акции	Скидка	Эквивалент	
13 133	Регулируемый интегральный блок питания MAISHENG MS1520DS (0-30V, 20.2A)	8 389	7 550	10%	859	
325	Полноточный блок питания постоянного тока 0-30V, 300W (0-30V, 3A)	15 800	17 820	10%	1 980	
1 518	Лабораторный блок питания (источник питания) MAISHENG MS1520DS (0-30V, 20.2A)	26 438	18 387	10%	2 043	
13 196	Самонагреваемый интегральный блок питания Умный KP2032-02 (0-30V, 20A)	21 579	19 421	10%	2 158	
13 110	Регулируемый лабораторный источник питания MAISHENG MS1520DS (0-30V, 5A)	141 930	127 738	10%	14 193	
10 496	Цифровой блок питания постоянного тока MAISHENG MS1520DS (0-30V, 5A)	14 930	13 665	10%	2 205	
Регулируемые источники питания постоянного тока						
Код битрикс	Наименование товара	Средняя цена	Цена акции	Скидка	Эквивалент	
14 261	Регулируемый лабораторный блок питания 0-30V, 300W (0-30V, 3A, 30A)	25 900	23 310	10%	2 590	
3 760	Регулируемый источник питания Keyoh K-0310P	27 478	26 369	30%	11 381	
Одноканальные цифровые источники						
Код битрикс	Наименование товара	Средняя цена	Цена акции	Скидка	Эквивалент	
4 788	Цифровой источник питания лабораторный Hameg HPS1512 (0-30V, 1.2A, 10A)	3 640	32 948	10%	3 641	
Одноканальные регулируемые						
Код битрикс	Наименование товара	Средняя цена	Цена акции	Скидка	Эквивалент	
641	Цифровой регулируемый лабораторный 0-30V, 0-500mA (0-30V, 0.5A, 10A)	16 539	14 958	10%	2 481	
Одноканальные USB источники						
Код битрикс	Наименование товара	Средняя цена	Цена акции	Скидка	Эквивалент	
9 974	Цифровой USB источник 0-30V, 0-500mA (0-30V, 0.5A, 10A)	13 290	13 061	10%	2 219	
8 987	Цифровой USB источник 0-30V, 0-500mA (0-30V, 0.5A, 10A)	9 347	7 997	15%	1 351	
Цифровые USB источники						
Код битрикс	Наименование товара	Средняя цена	Цена акции	Скидка	Эквивалент	
2 483	Цифровой мультиметр с датчиком температуры 20-255C	7 860	6 664	15%	1 176	
Блок питания и трансформатор питания						
Код битрикс	Наименование товара	Средняя цена	Цена акции	Скидка	Эквивалент	
2 652	Трансформатор питания 0-30V, 0-500mA (0-30V, 0.5A, 10A)	23 819	21 437	10%	2 382	
17 077	Цифровой трансформатор питания 0-30V, 0-500mA (0-30V, 0.5A, 10A)	16 999	29 552	20%	7 398	

Лабораторный блок питания постоянного тока					
Код барcodes	Наименование товара	Старая цена	Новая цена	Скидка	Эквивалент
10 198	Цифровой блок питания постоянного тока MAX300 RPS 1000W (100В, 5А)	14 900	13 410	10%	1 490
13 133	Регулируемый лабораторный блок питания MAX3000 RPS 1000W (100В, 20 А)	8 660	6 912	20%	1 728
13 175	Специальный источник питания MAX3000 RPS 1000W (110В, 5 А)	13 800	8 871	20%	2 118
10 094	Цифровой источник питания Locom 12-1000W 100V 50Hz 5A	19 100	23 335	20%	5 004
7 804	Цифровой блок питания MAX3000 RPS 1000W 100V 5A	44 270	35 343	20%	8 886
10 364	Цифровой регулируемый блок питания MAX3000 RPS 1000W (100В, 5, 10)	7 340	4 990	30%	2 342
13 193	Новый регулируемый блок питания Vinterlab VPS 1000W (100В, 10 А)	7 790	5 452	30%	2 337
13 158	Регулируемый источник питания MAX3000 RPS 1000W (100В, 5 А)	10 600	6 918	35%	3 721
7 911	Цифровой источник питания MAX3000 RPS 1000W (100В, 10А)	82 900	51 885	35%	29 015
13 221	Максимальный источник питания Vinterlab VPS 1000W (100В, 10А)	7 620	4 577	40%	3 052
14 084	Компактный лабораторный источник питания MAX3000 RPS 1000W (100В, 10А)	8 660	5 181	40%	3 456
9 078	Лабораторный блок питания RICH K30100 (20 В, 20 А)	18 420	6 252	40%	4 168
1 018	Лабораторный блок питания (регулируемый) MAX3000 RPS 1000W RPS 12 (115 В, 10 А)	18 400	12 268	40%	6 172
9 074	Лабораторный блок питания RICH K30100 (10 В, 5 А)	7 400	4 302	40%	3 097
7 640	Источники блок питания MAX3000 RPS 1000W (100В, 10А)	7 620	4 386	40%	3 425
7 708	Регулируемый регулируемый источник питания MAX3000 RPS 1000W (100В, 20)	23 600	13 624	40%	10 056
Программируемый источник питания многоканальный					
Код барcodes	Наименование товара	Старая цена	Новая цена	Скидка	Эквивалент
10 600	Регулируемый канал блок питания Haidilong RPS 10 RPS 10-30 (10В, 30А)	17 700	46 100	20%	11 540
14 070	Источники программируемый источник питания KTHORPOWER 470A-1000P (100В, 20)	13 300	10 020	25%	3 340
9 097	Программируемый источник питания Kithor K-1000P	23 120	16 590	25%	5 530
9 091	Программируемый источник питания Kithor K-1000A	82 600	62 010	25%	20 672
13 097	Программируемый источник питания Haidilong RPS 10 RPS 10-30 (10В, 30А)	16 000	10 900	35%	5 115
12 740	Источники программируемый блок питания MAX3000 RPS 1000W (100В, 30А)	7 6000	49 970	35%	26 912
7 437	Программируемый регулируемый источник питания Kithor K-1000C (100В, 5А)	13 910	7 346	40%	4 764

[pdf]

User Весь список товаров со скидками вы найдёте здесь Июньские скидки в Суперайс 2023

снижение цен на оборудование до 45 % iyunskaya asktsiya2023 supereyes ru img info |||

10 198 13 133 13 175 15 094 7 854 15 364 13 193 13 158 7 911 13 221 14 084 3 678

1 318 3 676 7 640 ... 3 147 12 317 15 2 174 11 818 KUNKIN KL6250 42 490 31 868

25 10 623 5 652 5 656 5 657 RLC ESR, LCR XJW01 LCR XJW01 LCR XJW01 ...

lang:tl score:11 filesize: 228.77 K page_count: 10 document date: 2023-06-21