



Manuals.plus /

› JUMMICO /

› JUMMICO 3x6m Marquee Gazebo Instruction Manual

JUMMICO 0384

JUMMICO 3x6m Marquee Gazebo Instruction Manual

Model: 0384

1. INTRODUCTION

This manual provides essential instructions for the safe assembly, operation, maintenance, and troubleshooting of your JUMMICO 3x6m Marquee Gazebo. Please read this manual thoroughly before assembly and retain it for future reference.

1.1 Safety Information

- Always secure the tent with stakes and ropes, especially in windy conditions, to prevent damage or injury.
- Follow all assembly instructions carefully for safe installation.
- Be aware that transparent PVC windows can become hot under direct sunlight. Avoid prolonged contact.
- Do not use open flames or heating appliances inside or near the gazebo.
- Ensure adequate ventilation if using any appliances that produce fumes.
- In severe weather conditions (heavy rain, strong winds, snow), disassemble the gazebo to prevent damage.

2. PRODUCT OVERVIEW

The JUMMICO 3x6m Marquee Gazebo is designed for outdoor events, offering a spacious and protected area. It features a robust galvanized steel frame and durable PE tarpaulin for weather resistance.



Figure 0: An assembled JUMMICO 3x6m Marquee Gazebo with side panels and windows, set up in an outdoor environment.

2.1 Key Features

- **Integrated Steel Frame:** Fully galvanized steel tube frame (0.8mm wall thickness) for high load-bearing capacity and resistance to compression and bending.
- **Enhanced Stability:** Double reinforced with 8 ground pegs and 4 windproof ropes. Additional triangular bracing for increased wind protection.
- **Durable Fabric:** Top cover made from 170G high-density PE UV cloth, and perimeter cloth from 140G thickened PE. UV protection rate over 95%.
- **Weather Resistant:** Waterproof design with double-pressing glue treatment at seams to resist moisture cracking.
- **Flexible Enclosures:** Three double-zipper door enclosures for easy access and two PVC panoramic window panels for light and ventilation. Removable enclosures allow flexible configuration.

2.2 Components

Familiarize yourself with the main components before starting assembly.




INTEGRATED STEELFRAME

Containing Full-link Ground Tubes, High Load-bearing capacity




Figure 1: Illustration of the integrated galvanized steel frame structure, designed for high load-bearing capacity. This image shows the roof and leg components of the frame.

Upgraded structure and materials for 45% more stability



✓ JUMMICO: Galvanised steel tubes against rust and bump marks



✓ JUMMICO: Additional triangular bracing for 45% more wind protection

VS



✗ other: Plastic sprayed steel pipe is easy to rust and break, easy to leave marks when knocked

VS



✗ other: Unsupported stability is weaker

Figure 2: Comparison highlighting the JUMMICO gazebo's galvanized steel tubes against rust and bump marks, and additional triangular bracing for enhanced wind protection, compared to alternative designs.



Figure 3: Details on the JUMMICO gazebo's fabric weight (170 g/m²) and pipe wall thickness (0.8mm), illustrating material quality.

3. SETUP INSTRUCTIONS

Assembly of the JUMMICO gazebo is designed to be straightforward. It is recommended that at least two people assist with the assembly process.

3.1 Pre-Assembly Checklist

- Unpack all components and verify against the parts list (not provided in JSON, so general advice).
- Ensure you have sufficient clear space for assembly.
- Check for any damaged or missing parts. Contact customer service if necessary.
- You will receive the product in two separate boxes, which may be delivered on different days.




Figure 4: Overview of the gazebo's dimensions (3m width, 6m length, 2.8m height) and information regarding delivery in two boxes.

3.2 Assembly Steps

1. Begin by assembling the roof frame using the galvanized steel tubes and connectors. The reinforced connecting ring design allows for tool-free assembly.
2. Attach the leg tubes to the assembled roof frame.
3. Carefully drape the top cover (170G high-density PE UV cloth) over the frame. Ensure it is centered and secured.
4. Attach the perimeter cloth (140G thickened PE) to the sides of the frame. These include the double-zipper door enclosures and PVC panoramic window panels.
5. Secure the entire structure to the ground using the provided 8 ground pegs and 4 windproof ropes. Ensure ropes are taut and pegs are firmly anchored.



Figure 5: Key components for gazebo stability, including 14 stakes (ground pegs), fixed tent cover attachments, the stable triangular structure of the frame, 4 ropes, and fully galvanized steel tubes.

4. OPERATING INSTRUCTIONS

The JUMMICO gazebo offers versatile use for various outdoor activities.

4.1 Flexible Space Management

- The three double-zipper door enclosures allow for easy entry and exit and can be rolled up or removed to create open spaces.
- The two PVC panoramic window panels enhance light and provide an outdoor view. These can also be removed or adjusted depending on weather and preference.
- Combine or remove enclosures flexibly to adapt to different weather conditions, such as keeping rain out or opening for ventilation on sunny days.

4.2 Weather Protection

- The top cloth provides over 95% UV protection, effectively blocking harmful ultraviolet rays.

- The waterproof PE fabric and sealed seams offer protection against rain.




Figure 6: Depiction of the gazebo's performance in both sunny and rainy conditions, highlighting the high-definition window design that enhances light and outdoor visibility.

5. MAINTENANCE

Proper maintenance will extend the lifespan of your JUMMICO gazebo.

- **Cleaning:** Clean the PE tarpaulin and PVC windows with mild soap and water. Avoid harsh chemicals or abrasive cleaners that could damage the material. Rinse thoroughly and allow to air dry completely before storage.
- **Frame Care:** Periodically inspect the galvanized steel frame for any signs of rust or damage. Clean any dirt or debris from the frame.
- **Storage:** When not in use for extended periods, or during severe weather, disassemble the gazebo. Store all components in a dry, cool place, away from direct sunlight and extreme temperatures. Ensure the fabric is completely dry to prevent mildew.
- **Inspection:** Regularly check all connections, ropes, and pegs for wear and tear. Replace any damaged parts immediately.

6. TROUBLESHOOTING

This section addresses common issues you might encounter.

- **Gazebo is unstable:** Ensure all ground pegs are firmly anchored and windproof ropes are taut. Check that all frame connections are securely fastened. In very windy conditions, additional anchoring may be required, or the gazebo should be disassembled.
- **Water leakage:** Verify that the top cover is correctly positioned and taut, allowing water to run off. Check seams for any damage; the fabric has double-pressing glue treatment at seams for waterproofing.
- **Difficulty with assembly:** Refer to the assembly steps in Section 3.2. Ensure all parts are correctly oriented. The design allows for tool-free assembly, but some force may be needed for tight connections. If parts do not fit, double-check the instructions and part identification.
- **Missing or damaged parts:** If you discover any missing or damaged components upon unpacking, please contact JUMMICO customer service immediately for assistance.

7. SPECIFICATIONS

Feature	Detail
Brand	JUMMICO
Model Number	0384
Product Dimensions (L x W x H)	236.22" x 118.11" x 110.24" (6m x 3m x 2.8m)
Floor Area	18 Square Meters
Item Weight	113.32 Pounds (approx. 51.4 kg)
Frame Material	Fully Galvanized Alloy Steel (0.8mm wall thickness)
Top Cover Material	170G High-density PE UV Cloth
Perimeter Cloth Material	140G Thickened PE
UV Protection Level	50+ (over 95% UV blocking)
Water Resistance Level	Waterproof
Color	White
Required Assembly	Yes
UPC	788418913395

8. WARRANTY AND SUPPORT

JUMMICO is committed to providing high-quality products and customer service.

- **Customer Service:** We offer 24-hour high-quality customer service to assist with building and maintenance questions.

- **Contact:** If you encounter any problems during use, assembly, or if you have questions regarding your product, please contact JUMMICO customer support. Refer to your purchase documentation or the JUMMICO brand store on Amazon for contact details.