

Saved from manuals.plus.

Open the live page for links to other documents and user manuals.

[Manuals.plus](#) /

› [JUMMICO](#) /

› JUMMICO 3x4m Outdoor Gazebo UV 50+ Resistant Party Tent - Model 0384 Instruction Manual

JUMMICO 0384

JUMMICO 3x4m Outdoor Gazebo UV 50+ Resistant Party Tent - Model 0384

Instruction Manual

INTRODUCTION

Thank you for choosing the JUMMICO 3x4m Outdoor Gazebo. This manual provides essential information for the safe assembly, operation, and maintenance of your gazebo. Please read these instructions carefully before use and retain them for future reference.



Image: A fully assembled JUMMICO 3x4m outdoor gazebo, showcasing its spacious design and suitability for various outdoor events.

SAFETY INFORMATION

To ensure safe use and prevent damage, observe the following safety guidelines:

- **Anchoring:** Ensure the tent is firmly anchored to the ground using stakes and ropes, especially in windy conditions.
- **Sharp Edges:** Be aware of sharp edges on the steel frame components and handle them with care during assembly.
- **Ventilation:** Ensure adequate ventilation within the tent to prevent carbon monoxide buildup if using heat sources.
- **Weather Conditions:** This gazebo is designed for temporary use. Do not leave it unattended in severe weather conditions such as heavy rain, strong winds, or snow. Disassemble and store the gazebo during such conditions to prevent damage.
- **Assembly:** Assembly should ideally be performed by two or more adults.

PACKAGE CONTENTS

Before beginning assembly, verify that all components listed below are present and undamaged. If any parts are missing or damaged, please contact customer support.



INTEGRATED STEELFRAME

Containing Full-link Ground Tubes, High Load-bearing capacity



Image: Integrated steel frame components, including full-link ground tubes, designed for high load-bearing capacity.





Image: Key components including 14 stakes, 4 ropes, fixed tent cover, stable triangular structure, and fully galvanized steel tubes.

The package typically includes:

- Galvanized Steel Tubes (various lengths and connectors)
- PE Fabric Cover (170g, waterproof and UV resistant)
- PVC Windows (2 transparent windows)
- Ground Stakes (14 pieces)
- Wind Ropes (4 pieces)
- Connection Rings and Tapes
- Assembly Guide



High Definition Window Design

Enhance the light permeability of the space and enjoy the view from the window

Image: The product is typically delivered in two separate boxes, which may arrive on different days.

SETUP INSTRUCTIONS

Follow these steps for easy and secure assembly of your JUMMICO gazebo. It is recommended to have at least two people for assembly.

- Unpack Components:** Carefully unpack all parts and lay them out on a clean, flat surface. Refer to the package contents list to ensure all pieces are present.
- Assemble the Steel Frame:** Connect the galvanized steel tubes using the seamless connectors. Ensure all connections are secure. The frame features a stable triangular structure for enhanced stability.
- Attach the Roof Cover:** Carefully drape the PE fabric roof cover over the assembled frame. Ensure it is centered and evenly distributed.
- Secure the Fabric:** Fix the PE fabric cover to the frame using the connection rings and tapes. Ensure the cover is taut to prevent water accumulation.
- Install Side Walls and Windows:** Attach the side walls, including the PVC windows, to the frame. The double-door

design with zippers allows for easy entry and exit.

6. **Anchor the Gazebo:** Use the provided ground stakes and wind ropes to firmly anchor the gazebo to the ground. This is crucial for stability, especially in windy conditions. The unique extended spike design helps secure it deeply into the soil.




Image: Schematic diagrams illustrating the simple installation process, from frame assembly to attaching walls and roof.




Image: Detail showing the ground anchoring system with ropes and stakes, emphasizing enhanced stability.

OPERATING INSTRUCTIONS


The JUMMICO gazebo is designed for outdoor events, picnics, and camping, providing shelter and comfort.

- **UV Protection:** The PE fabric offers UV 50+ protection, shielding occupants from harmful sun rays.
- **Water Resistance:** The waterproof cover protects against light rain. The innovative sloped roof design prevents rainwater accumulation.
- **Ventilation:** The two high-quality PVC windows allow natural light and maintain good ventilation for fresh air circulation.
- **Entry/Exit:** Utilize the double-door design with zippers for convenient access.
- **Wind Resistance:** The 37mm diameter galvanized steel tubes and extended spikes, combined with wind ropes, provide stability in moderate wind conditions. However, always monitor weather forecasts and disassemble the gazebo during strong winds.

JUMMICO




✓ Fabric weight 560 g/m2



✓ Pipe diameter wall thickness 0.8mm

VS

other



✗ Fabric weight 180 g/m2



✗ Pipe diameter wall thickness 0.5mm

VS

Image: The gazebo shown under both sunny and rainy skies, demonstrating its UV protection and waterproof capabilities. A close-up of the high-definition window design is also featured.

MAINTENANCE

Proper maintenance will extend the life of your JUMMICO gazebo.

- **Cleaning:** Clean the fabric cover and frame with mild soap and water. Avoid harsh chemicals or abrasive cleaners that could damage the material. Rinse thoroughly and allow to air dry completely before storage.
- **Inspection:** Regularly inspect the frame for any signs of rust or damage. Check the fabric cover for tears or wear. Ensure all connections are tight and secure.
- **Storage:** When not in use for extended periods or during severe weather, disassemble the gazebo and store all components in a dry, protected area. Ensure the fabric is completely dry to prevent mold and mildew.

TROUBLESHOOTING

Here are solutions to common issues you might encounter:

- Gazebo is unstable:**

Ensure all frame connections are fully engaged and tightened. Verify that all ground stakes are securely driven into the soil and wind ropes are properly tensioned and anchored. In very soft ground, consider using additional or longer stakes.
- Water pooling on the roof:**

Check that the roof cover is taut and evenly stretched over the frame. Adjust the tension of the cover and ensure the sloped design is maintained. Heavy rain may still cause some pooling if not properly tensioned.
- Difficulty with assembly:**


Refer to the detailed assembly guide. Ensure you have enough people (at least two) to assist with lifting and connecting larger frame sections. Double-check that you are using the correct tubes and connectors for each step.
- Fabric tears or damage:**

Small tears can often be repaired with a suitable fabric repair kit. For significant damage, replacement parts may be available. Contact customer support for assistance.

SPECIFICATIONS

Feature	Detail
Brand	JUMMICO
Model Number	0384
Product Dimensions (L x W x H)	4L x 3W x 2.8H meters
Color	White
Frame Material	Galvanized Steel Alloy
Cover Material	170g PE Fabric
UV Protection Level	UPF 50+
Water Resistance Level	Waterproof
Assembly Required	Yes
Recommended Uses	Outdoor events, picnics, camping

Upgraded structure and materials for 45% more stability




✓ JUMMICO: Galvanised steel tubes
against rust and bump marks



✓ JUMMICO: Additional triangular
bracing for 45% more wind protection

VS



✗ other: Plastic sprayed steel pipe
is easy to rust and break, easy to
leave marks when knocked



✗ other: Unsupported stability
is weaker

VS

Image: Comparison highlighting JUMMICO's use of galvanized steel tubes against rust and bumps, and additional triangular bracing for 45% more wind protection, compared to less stable alternatives.



Image: Comparison showing JUMMICO's fabric weight of 560 g/m² and pipe diameter wall thickness of 0.8mm, indicating higher quality materials than typical 180 g/m² fabric and 0.5mm pipes.

WARRANTY AND SUPPORT

JUMMICO is committed to providing quality products. For any questions during use, please do not hesitate to contact us. We aim to provide satisfactory solutions within 24 hours.

Please refer to your purchase documentation for specific warranty details. Keep your proof of purchase for any warranty claims.

Contact Information: Refer to the seller's contact details on the platform where the product was purchased.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0FCSLXG2Y>

More documents and user manuals: **<https://manuals.plus/>**