

manuals.plus /

› [GAOMON](#) /

› [GAOMON 12000 BTU Portable Air Conditioner User Manual \(Model ZMS0609Geu\)](#)

## GAOMON ZMS0609Geu

# GAOMON 12000 BTU Portable Air Conditioner User Manual

Model: ZMS0609Geu | Brand: GAOMON

## 1. INTRODUCTION

This manual provides essential information for the safe and efficient operation of your GAOMON 12000 BTU Portable Air Conditioner. This versatile 3-in-1 unit offers cooling, dehumidification, and fan functions, designed to provide comfort in rooms up to 550 square feet. Please read all instructions carefully before use.



Figure 1: GAOMON 12000 BTU Portable Air Conditioner and Remote Control.



Figure 2: Cooling capacity of the 12000 BTU unit.

## 2. IMPORTANT SAFETY INSTRUCTIONS

To reduce the risk of fire, electrical shock, or injury when using your air conditioner, follow these basic precautions:

- Read all instructions before using the appliance.
- Ensure the power supply matches the requirements specified on the unit's label.
- Do not operate the unit with a damaged cord or plug.
- Keep the air inlet and outlet clear of obstructions.
- Do not insert objects into the air outlet.
- Unplug the unit before cleaning or servicing.
- Keep the unit on a firm, level surface to prevent water leakage.
- Do not operate in close proximity to walls, curtains, or other objects that may block the air inlet and outlet.
- Avoid direct sunlight and heat sources.
- Do not install the unit in rooms that exceed 4 m<sup>2</sup> or where inflammable gas may leak.

## 3. PACKAGE CONTENTS

---

Verify that all items are present and in good condition:

- GAOMON 12000 BTU Portable Air Conditioner Unit
- Remote Control
- Exhaust Hose
- Hose Connector (for unit)
- Window Kit Adapter (for window)
- Window Slider Panels (adjustable)
- Drain Pipe
- Sealing Foam Tape
- User Manual

Your browser does not support the video tag.

Video 1: Unboxing and overview of included components for the Portable Air Conditioner.

---

## 4. SETUP AND INSTALLATION

Follow these steps to properly set up your portable air conditioner:

### 1. Prepare the Window Kit:

- Assemble the window slider panels to match the length of your window opening.
- Secure the panels using the provided butterfly screws.
- Apply the sealing foam tape along the edges of the window opening to ensure a tight seal.

### 2. Install the Exhaust Hose:

- Connect one end of the exhaust hose to the hose connector.
- Connect the other end of the exhaust hose to the window kit adapter.
- Insert the assembled window kit into your window frame and close the window securely against it.
- Attach the hose connector to the exhaust air outlet of the air conditioner unit.

### 3. Position the Unit:

- Place the unit on a firm, level surface, ensuring at least 19 inches (45cm) of free space around it for proper air circulation.
- Plug the unit into a standard electrical outlet.



Figure 3: Easy installation steps for the exhaust hose and window kit.

Your browser does not support the video tag.

Video 2: Detailed installation process for the portable air conditioner, including window kit and hose attachment.

## 5. OPERATING MODES

---

Your GAOMON Portable Air Conditioner offers three primary operating modes:

- **Cool Mode:** Provides powerful cooling for small to medium rooms. Adjust the temperature settings to your desired comfort level.
- **Dehumidify Mode:** Effectively removes excess moisture from the air, ideal for humid conditions.
- **Fan Mode:** Circulates air without cooling, providing gentle airflow for ventilation.

Switch between modes using the 'Mode' button on the control panel or remote control.



Figure 4: Control panel showing 3-in-1 functions.



Figure 5: Illustration of the three operating modes.

## 6. KEY FEATURES

- **24-Hour Timer:** Program the unit to automatically turn on or off within a 24-hour period.



- **Silent Cooling:** Operates at a low noise level of 45dB, ensuring minimal disturbance, especially during sleep.
- **Sleep Mode:** Automatically reduces sound output and dims the display light for uninterrupted nighttime use.
- **Remote Control:** Conveniently adjust settings from across the room.
- **Eco-Smart Technology:** Designed for energy efficiency with intelligent temperature regulation.
- **Mobility:** Equipped with smooth-rolling 360° wheels for easy relocation between rooms.




Figure 6: Sleep mode functionality for quiet operation.



Figure 7: Remote control for convenient operation.

## 7. CLEANING AND MAINTENANCE

- **Filter Cleaning:** The unit features a dual filtration system. Remove, rinse under running water, and reinstall the reusable filter every two weeks to maintain peak efficiency.
- **Water Drainage:** The unit has a drain outlet for water removal. For continuous drainage in dehumidify mode, connect the provided drain pipe. If the "HL" icon shows on the panel or the device is unused for a long time, drain water from the bottom drain hole.

Your browser does not support the video tag.

Video 3: Demonstrates filter cleaning and water drainage procedures.

## 8. TROUBLESHOOTING

If you encounter issues, refer to the table below for common problems and solutions:

Problem	Possible Cause	Solution
Unit does not operate	No power supply; Power cord not securely connected.	Check power connection; Ensure plug is fully inserted.
Unit operates with reduced capacity	Air filter is dirty; Air duct is blocked; Room door/window is open.	Clean the air filter; Clear obstructions; Close doors and windows.
Water leakage	Drain hose is detached or kinked; Unit is not level.	Securely attach/straighten drain hose; Place unit on a firm, level surface.
Excessive noise	Loose or vibrating parts; Noise from flowing refrigerant.	Secure and tighten parts; Noise from refrigerant is normal.
"HL" icon displayed	Water tank is full.	Drain water from the unit.

## 9. SPECIFICATIONS

- **Brand:** GAOMON
- **Model Info:** ZMS0609Geu
- **Cooling Power:** 12000 BTU
- **Cools Area:** Up to 550 Sq. Ft.
- **Item Weight:** 76.3 pounds
- **Product Dimensions:** 18.5"D x 15.35"W x 35.24"H
- **Noise Level:** 45dB (Silent Mode) / 52 Decibels (General)
- **Voltage:** 115V
- **Seasonal Energy Efficiency Ratio (SEER):** 7.22
- **Special Feature:** 4 Way Swing





Figure 8: Product dimensions.

## 10. WARRANTY AND SUPPORT

For warranty information, technical support, or service inquiries, please refer to the contact details provided in the original product packaging or visit the GAOMON official website. Keep your purchase receipt for warranty claims.