

## ZHRCLY 100GA22-67/4-5.5

# ZHRCLY 100GA22-67/4-5.5 Submersible Pump Accessory Instruction Manual

## 1. INTRODUCTION

This manual provides essential information for the safe and effective use of the ZHRCLY Submersible Pump Accessory, model 100GA22-67/4-5.5. Please read these instructions thoroughly before installation, operation, or maintenance to ensure proper function and longevity of the product.

## 2. SAFETY INFORMATION

### WARNING:

Failure to follow these safety instructions may result in personal injury, property damage, or product malfunction.

- Always disconnect power to the submersible pump before installing, servicing, or performing any maintenance on this accessory.
- Ensure all electrical connections are made by a qualified electrician and comply with local codes.
- Do not operate the pump or accessory if any part is damaged.
- This accessory is designed for specific SHIMGE submersible pump models. Verify compatibility before installation.
- Keep children and unauthorized personnel away from the pump and accessory during operation.

## 3. PRODUCT OVERVIEW

The ZHRCLY 100GA22-67/4-5.5 is a general accessory designed for specific SHIMGE submersible pump models, including 100GA15-91/6-5.5, 100GA15-125/8-7.5, 100GA15-148/10-11, 100GA22-23/2-2.2, 100GA22-52/3-4.0, and 100GA22-67/4-5.5. This component is crucial for the optimal performance and integration of your submersible pump system.



*Figure 1: ZHRCLY Submersible Pump Accessory. This image displays the general appearance of the ZHRCLY submersible pump accessory, model 100GA22-67/4-5.5. It is a compact component, likely made of metal, designed to integrate with SHIMGE submersible pumps.*

## 4. SETUP AND INSTALLATION

Proper installation is critical for the accessory's function and the pump's performance. Consult the specific SHIMGE pump manual for detailed instructions regarding accessory integration.

1. **Verify Compatibility:** Ensure the accessory model (100GA22-67/4-5.5) matches the requirements of your SHIMGE submersible pump.
2. **Power Disconnection:** Before beginning, ensure the submersible pump's power supply is completely disconnected and secured against accidental re-connection.
3. **Inspect Components:** Carefully inspect the accessory for any signs of damage during shipping. Do not install if damaged.
4. **Follow Pump Manual:** Refer to your specific SHIMGE submersible pump's instruction manual for precise steps on how to attach or integrate this accessory. Connection points and methods may vary by pump model.
5. **Secure Connections:** Ensure all connections are tight and secure to prevent leaks or disconnections during operation.
6. **Post-Installation Check:** After installation, double-check all connections and ensure the accessory is correctly seated and aligned.

## 5. OPERATING INSTRUCTIONS

This accessory functions as an integral part of your SHIMGE submersible pump system. Its operation is directly tied to the pump's operation.

- Once the accessory is correctly installed and all safety checks are complete, restore power to the submersible pump.
- Operate the pump according to its manufacturer's instructions. The accessory will function automatically as part of the pump system.
- Monitor the pump and accessory during initial operation for any unusual noises, vibrations, or performance issues.

## 6. MAINTENANCE

---

Regular inspection and maintenance ensure the longevity and reliable performance of the accessory and the overall pump system.

- **Periodic Inspection:** Periodically inspect the accessory for wear, corrosion, or damage. The frequency of inspection depends on the operating environment and usage.
- **Cleaning:** If necessary, clean the exterior of the accessory using a soft cloth. Avoid harsh chemicals that could damage materials.
- **Connection Checks:** Ensure all connections remain tight and free from leaks.
- **Replacement:** If the accessory shows significant wear or damage, replace it with an original ZHRCLY part to maintain system integrity.
- Always disconnect power before performing any maintenance.

## 7. TROUBLESHOOTING

---

If you encounter issues with your submersible pump system after installing this accessory, consider the following common troubleshooting steps:

- **Pump Not Operating:**
  - Check power supply to the pump.
  - Ensure all accessory connections are secure and correctly installed.
  - Refer to the SHIMGE pump's manual for pump-specific troubleshooting.
- **Unusual Noises or Vibrations:**
  - Verify the accessory is securely mounted and not loose.
  - Inspect for any obstructions or foreign objects.
- **Leaks:**
  - Check all connection points for proper sealing and tightness.
  - Ensure O-rings or gaskets (if applicable) are correctly seated and undamaged.

If problems persist, contact a qualified technician or the seller for assistance.

## 8. SPECIFICATIONS

---

Feature	Detail
Brand	ZHRCLY

<b>Model Number</b>	100GA22-67/4-5.5
<b>Compatibility</b>	SHIMGE Submersible Pumps (100GA15-91/6-5.5, 100GA15-125/8-7.5, 100GA15-148/10-11, 100GA22-23/2-2.2, 100GA22-52/3-4.0, 100GA22-67/4-5.5)
<b>Item Weight</b>	20 pounds
<b>Product Dimensions</b>	1 x 1 x 1 inches
<b>Manufacturer</b>	Original factory
<b>ASIN</b>	B0FD7JHY45
<b>Date First Available</b>	June 14, 2025

## 9. WARRANTY AND SUPPORT

For warranty information and customer support regarding the ZHRCLY 100GA22-67/4-5.5 Submersible Pump Accessory, please contact the original seller or manufacturer directly. Retain your proof of purchase for any warranty claims.