

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [CROSSIO](#) /

› [CROSSIO 36-inch Tiffany Fandelier Ceiling Fan User Manual](#)

CROSSIO D36

CROSSIO 36-inch Tiffany Fandelier Ceiling Fan User Manual

1. INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your CROSSIO 36-inch Tiffany Fandelier Ceiling Fan. This product combines the functionality of a ceiling fan with the aesthetic appeal of a Tiffany-style chandelier, featuring retractable blades and smart control options. Please read this manual thoroughly before installation and use to ensure safe and efficient operation.

2. SAFETY INFORMATION

Always adhere to basic safety precautions when installing and operating electrical appliances to reduce the risk of fire, electric shock, and personal injury.

- Ensure the power is disconnected at the circuit breaker before installation or servicing.
- All wiring must be in accordance with national and local electrical codes. If you are unsure, consult a qualified electrician.
- The mounting structure must be capable of supporting the weight of the fan (approximately 17.61 pounds).
- Do not operate the fan with damaged wiring or if the product is malfunctioning.
- Keep hands, clothing, and other objects clear of the fan blades during operation.
- This fan is designed for indoor use only.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Fandelier unit with retractable blades
- Tiffany-style lampshade
- Mounting bracket
- Downrods (4.92" and 7.87")

- Remote control (batteries not included)
- Light Kit
- Hardware pack (screws, wire nuts, etc.)
- Instruction manual

4. SETUP AND INSTALLATION

4.1 Mounting Options

The CROSSIO Fandelier supports two primary mounting configurations: flat ceiling and sloped ceiling. Select the appropriate method based on your ceiling type. Two downrod lengths are provided to accommodate various ceiling heights.




Image 4.1: Mounting options for flat and sloped ceilings.

THREE CONTROL METHODS



Image 4.2: Mounting options for sloped and flat ceilings, with downrod examples.

4.2 Assembly Steps

While specific steps are detailed in the included installation guide, the general process involves:

1. Secure the mounting bracket to the ceiling junction box.
2. Assemble the downrod with the canopy and hang the fan motor assembly.
3. Complete electrical wiring connections (ensure power is off).
4. Attach the Tiffany lampshade to the fan body.
5. Install the light bulbs (if not pre-installed).
6. Restore power and test functionality.

Refer to the detailed diagram and instructions provided in the separate installation sheet for precise steps and safety warnings.

5. OPERATION

5.1 Control Methods

Your CROSSIO Fandelier can be controlled via the included remote control or a dedicated smartphone application. The remote allows for direct control of fan speeds, light settings, and other features. The app provides additional smart functionalities, including timer settings.



Image 5.1: Fandelier with remote and app control options.



Image 5.2: Overview of mobile app, remote, and wall switch control methods.

5.2 Fan Speed Settings

The fan features six adjustable speed settings to suit your comfort needs. Lower settings (1-2) provide a gentle breeze, medium settings (3-4) offer a cool wind, and higher settings (5-6) deliver a strong airflow.



Image 5.3: Fan speed recommendations for various comfort levels.

5.3 Lighting Control

The integrated LED light offers versatile illumination. You can adjust the brightness (stepless dimming) and switch between three color temperatures: warm white (3000K), natural light (4500K), and cool white (6500K) to match your ambiance preferences.

DIMMABLE LED




Image 5.4: Dimmable LED light with adjustable color temperatures.

5.4 Retractable Blades

The fan features four retractable blades that extend when the fan is in use and retract discreetly into the housing when turned off, maintaining the chandelier's aesthetic.

RETRACTABLE BLADES




Image 5.5: Retractable blades in off and on positions.

5.5 Airflow Management (Forward/Reverse Mode)

The fan includes a dual rotation mode, allowing you to switch between downdraft (forward) and updraft (reverse) settings. The downdraft mode is ideal for cooling during warmer months, while the updraft mode helps circulate warm air during colder seasons.



LIVING ROOM



BEDROOM



KITCHEN ISLAND



DINING ROOM

Image 5.6: Forward and reverse airflow modes.

6. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your Fandelier.

- **Cleaning:** Dust the fan blades and lampshade periodically with a soft, dry cloth. For the stained glass, use a mild glass cleaner if necessary, applied to the cloth, not directly to the glass.
- **Inspection:** Annually check all connections and mounting hardware for tightness. Ensure no wires are frayed or damaged.
- **Light Bulbs:** Replace LED bulbs as needed. Ensure power is off before replacing.
- Do not use abrasive cleaners or solvents, as these can damage the finish or glass.

7. TROUBLESHOOTING

Refer to the table below for common issues and their solutions.


Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Fan does not start	No power supply; Loose wiring; Remote control battery low/dead.	Check circuit breaker; Verify all wire connections; Replace remote control batteries.
Light does not turn on	Loose wiring; Faulty LED bulb; Remote control battery low/dead.	Check wiring; Replace LED bulb; Replace remote control batteries.
Excessive wobbling	Loose mounting bracket; Unbalanced blades.	Ensure mounting bracket is securely fastened; Check blade balance and tighten screws.
Remote control not working	Batteries dead/incorrectly inserted; Remote not paired.	Replace batteries; Refer to pairing instructions in the full manual.

8. SPECIFICATIONS

Detailed technical specifications for the CROSSIO 36-inch Tiffany Fandelier Ceiling Fan:

DIMENSION



2 MOUNTING OPTIONS



DOWNRODS MOUNTING

4.92" & 7.87" Downrods For Low/High Ceilings



Image 8.1: Product dimensions and mounting details.

Feature	Detail
Brand	CROSSIO
Model Name	D36 (Item model number: 727376377511)
Size	36 inches (diameter when blades extended)
Product Dimensions	36 x 36 x 17 inches (approximate)
Adjustable Height	17.7 inches or 20.7 inches (with included downrods)
Item Weight	17.61 pounds
Material	Glass, Iron, Metal, Plastic, Stainless Steel
Color	Brown
Power Source	AC
Control Method	App, Remote
Special Features	Adjustable Height, App Operable, LED Light (Dimmable, 3000K/4500K/6500K), Retractable Blades, Silent DC Motor, Forward/Reverse Airflow
Room Type	Bedroom, Dining Room, Kids Room, Living Room, Study Room
UPC	727376377511

9. WARRANTY AND CUSTOMER SUPPORT

CROSSIO offers a satisfaction guarantee for this product. For any technical assistance, questions regarding installation, operation, or warranty claims, please contact our customer support team. Support is available 24/7 to assist you.

Please refer to your purchase documentation or the official CROSSIO website for specific warranty terms and contact information.