

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [ARENTI](#) /

> [ARENTI Baby Monitor with 2 Cameras \(Model Baby 3TM*2+3M\) - Instruction Manual](#)

ARENTI Baby 3TM*2+3M

ARENTI Baby Monitor with 2 Cameras (Model Baby 3TM*2+3M)

Instruction Manual

INTRODUCTION

This manual provides detailed instructions for the safe and effective use of your ARENTI Baby Monitor with 2 Cameras. This system is designed to help you monitor your baby with advanced features such as 2K video resolution, cry and motion detection, two-way audio, super night vision, lullabies, breathing light, and temperature and humidity sensing. Please read this manual thoroughly before operating the device and retain it for future reference.

WHAT'S IN THE BOX

Verify that all components are present in your package:

- 2 x Baby Cameras (with optional bunny ears)
- 1 x 5-inch Wireless Display Monitor
- 3 x Power Adapters
- 3 x USB-C Power Cables
- 2 x Camera Mounting Brackets
- Mounting Screws and Wall Anchors
- 1 x Reset Pin
- User Manual (this document)

No-WiFi Connection with the Screen

Protect Your Baby's Privacy



Image: Overview of the ARENTI Baby Monitor system, showing two cameras and the handheld monitor.

SETUP

1. Camera Placement

Position the baby cameras in locations that provide a clear view of your baby's crib or play area. Ensure the cameras are placed at a safe distance from the baby, out of reach, and with cables securely fastened to prevent entanglement hazards. The cameras offer a 360° pan and 60° tilt view for comprehensive coverage.

Multiple-Devices Connection

Love Should Be Shared

(WiFi is required for the app)



Image: A single ARENTI baby camera with optional bunny ears, illustrating its compact design suitable for various placements.

2. Power Connection

Connect each camera and the monitor to a power outlet using the provided USB-C cables and power adapters. The monitor has a built-in rechargeable battery for portable use.

3. Initial Pairing (No Wi-Fi Required for Direct Use)

The cameras and monitor are pre-paired at the factory for direct plug-and-play use. Simply power on both devices, and the video feed should appear automatically on the monitor. The system uses hopping and digital encryption technology for secure, local connection up to 1000ft.



"As a mom of twins, I love the split-screen view! 🥰 I can watch both babies at once and never miss a moment."

@_emma__ma



Image: The ARENTI baby monitor and camera, highlighting the secure, direct connection without requiring Wi-Fi for local monitoring.

4. Mobile App Connection (Optional)

For remote monitoring and additional features, download the free ARENTI mobile app. The camera needs to be connected to a 2.4G Wi-Fi network during the first-time setup with the app. This allows you to view and control the cameras from your smartphone or other compatible devices.



Multiple-Devices Connection

We understand your need to stay connected with your child's activities with different devices from anywhere.

Image: Illustration of the ARENTI system's multi-device connectivity, showing the monitor, mobile app, computer interface, and smart home integration.

Setup Video: How to Distribute Two Cameras

Your browser does not support the video tag.

Video: This video demonstrates the process of setting up and positioning two ARENTI baby cameras for optimal monitoring.

OPERATING INSTRUCTIONS

1. Monitor Navigation

Use the buttons on the 5-inch wireless display to navigate menus, adjust settings, and control camera functions. The intuitive interface allows for easy access to all features.

2. Camera Control (Pan, Tilt, Zoom)

Remotely adjust the camera's viewing angle using the monitor or mobile app. The cameras offer 355° horizontal rotation and 60° vertical rotation, along with a 4x magnification function on the monitor and 2K resolution via the app.

3. Split Screen View

When using two cameras, activate the split-screen mode on the monitor to view both camera feeds simultaneously. This is ideal for monitoring multiple children or different areas of a room.



Image: The 5-inch monitor displaying a split-screen view, allowing simultaneous monitoring of two separate camera feeds.

4. Two-Way Audio

Utilize the built-in microphone and speaker to communicate with your baby. Press and hold the microphone button on the monitor to speak, and release to listen.

Built-in *2-Way* Audio

Provide Comfort to Your Baby Anytime



Image: A parent using the two-way audio feature of the ARENTI monitor to speak to their baby, providing comfort from another room.

5. Night Vision

The cameras automatically switch to super night vision mode in low-light conditions, providing clear black and white video of your baby.

6. Lullabies and Breathing Light

Select from a variety of soothing lullabies to help your baby sleep. The integrated breathing light can be activated and customized for a calming ambiance in the nursery.

Colorful Night Light & 14 Lullabies



Image: The ARENTI baby camera providing a colorful night light and playing lullabies in a baby's room, creating a peaceful environment.

7. Temperature and Humidity Monitoring

The monitor displays real-time temperature and humidity readings from the nursery, helping you maintain a comfortable environment for your baby. Alerts can be set for abnormal readings.

Keep An Eye On The *Temp & Humidity*

Alerts You If It's Not Comfy



Image: The ARENTI monitor screen showing current temperature and humidity, indicating whether conditions are comfortable for the baby.

8. Cry and Motion Detection (AINanny)

The AINanny feature detects crying and motion, sending alerts to your mobile app. Sensitivity levels can be adjusted to suit your preferences. It also supports danger zone detection.

9. VOX Mode (Voice Activated)


Activate VOX mode to conserve battery life. The monitor screen will turn off when it's quiet and automatically reactivate when sound or motion is detected, ensuring you don't miss anything important.

VOX Mode (Voice Activated Mode)

Save Battery And Eliminate Unnecessary Noise



Screen Off



Screen On

Image: A visual representation of VOX mode, demonstrating how the monitor screen activates upon detecting a baby's cry and remains off during quiet periods.

10. Feeding Reminders

Set up nursing reminders on the monitor to help maintain your baby's feeding schedule.

Feeding *Reminder Alarm*

Keep Your Baby's Schedule on Track



Image: The ARENTI monitor screen showing a feeding reminder alarm, assisting parents in keeping track of their baby's feeding times.

Operating Videos

Your browser does not support the video tag.

Video: This video provides an introduction to the various functions of the ARENTI Baby Monitor and includes user feedback on its performance.

Your browser does not support the video tag.

Video: Learn how to use the split-screen feature to monitor two babies simultaneously with this instructional video.

Your browser does not support the video tag.

Video: A demonstration of the key features and functionalities of the ARENTI Baby Monitor.

MAINTENANCE

1. Cleaning

Wipe the camera lenses and monitor screen with a soft, dry cloth. Avoid using abrasive cleaners or solvents that could damage the surfaces. Ensure devices are powered off before cleaning.

2. Battery Care

To prolong the life of the monitor's rechargeable battery, avoid extreme temperatures and fully charge it before extended periods of non-use. Do not attempt to replace the internal battery yourself.

3. Storage

Store the baby monitor system in a cool, dry place away from direct sunlight and moisture when not in use. Keep all components and cables neatly organized.

TROUBLESHOOTING

No Video/Audio on Monitor

- Ensure both the camera(s) and monitor are powered on and fully charged or connected to power.
- Check that the camera(s) and monitor are within range (up to 1000ft in open space).
- Verify that the monitor's volume is not muted or set too low.
- If using the mobile app, ensure your phone is connected to the internet and the camera is connected to a 2.4G Wi-Fi network.

Poor Video Quality

- Move the camera closer to the monitor or Wi-Fi router (if using the app).
- Remove any obstructions between the camera and monitor that might interfere with the signal.
- Clean the camera lens with a soft cloth.

Monitor Freezes or Becomes Unresponsive

- Power off the monitor, then power it back on.
- If the issue persists, use the provided reset pin to perform a factory reset (refer to the monitor's menu for the reset option).

SPECIFICATIONS

Feature	Detail
Model Number	Baby 3TM*2+3M

Display Size	5-inch LCD
Camera Resolution	2K (via mobile app) / 720p (on monitor)
Connectivity	Wireless (direct to monitor), Wi-Fi (2.4G for app)
Pan/Tilt Range	355° Horizontal, 60° Vertical
Special Features	Cry & Motion Detection, Two-Way Audio, Super Night Vision, Lullabies, Breathing Light, Temperature & Humidity Sensor, Feeding Reminders, VOX Mode, Split Screen
Power Source	Corded Electric (cameras), Rechargeable Battery (monitor)
Item Weight	2.55 pounds
Dimensions (L x W x H)	2.76 x 2.48 x 4.72 inches

WARRANTY AND SUPPORT

Your ARENTI Baby Monitor comes with a **2-Year Quality Warranty**. For technical support, warranty claims, or any questions regarding your product, please contact ARENTI customer service.

- **Customer Service:** Refer to the contact information provided in your product packaging or visit the official ARENTI website.
- **Operating Hours:** Monday - Friday, 9 AM - 5 PM (PT)
- **Response Time:** Replies typically within 24 hours.

Professional *Support Team*



Mon-Fri
9AM - 5PM (PT)



Reply within
24 hours

Image: Information about ARENTI's professional support team, including operating hours and response time.

© 2026 ARENTI. All rights reserved.

For the latest information and updates, please visit [ARENTI Store](#).