

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Statik](#) /

› [Statik HyperMount® Vacuum Phone Mount \(Model: PUP-0660\) - Instruction Manual](#)

## Statik PUP-0660

# Statik HyperMount® Vacuum Phone Mount

Model: PUP-0660

Brand: Statik

## INTRODUCTION

The Statik HyperMount® is a versatile magnetic phone mount designed for secure attachment to various surfaces. Featuring an ultra-strong vacuum seal and MagSafe compatibility, it provides a stable platform for your smartphone in your car, home, or office. This manual provides detailed instructions for setup, operation, and maintenance to ensure optimal performance.

## WHAT'S IN THE BOX

- Statik HyperMount® Vacuum Phone Mount
- Magnetic ring adapter (2 included for non-MagSafe devices)
- Adhesive mat for textured surfaces
- Surface cleaning wipes

## PRODUCT OVERVIEW

The HyperMount features a compact design with a foldable arm and a powerful suction base. The magnetic head securely holds your phone, while the adjustable arm allows for various viewing angles.

# Easily Adheres to Smooth Surfaces

Quick and easy setup with strong vacuum suction.



Figure 1: Statik HyperMount with a smartphone attached, showcasing its compact design.

## SETUP INSTRUCTIONS

### 1. Preparing the Surface

Ensure the chosen surface is clean and dry. Use the provided cleaning wipes to remove any dust or debris. For optimal suction, smooth, non-textured surfaces like glass, mirrors, polished stone, or metal are recommended.



## Record or Watch Videos Anywhere Hands-Free

Whether you are a content creator, watching a cooking tutorial, or filming reps at the gym, Hypermount is the perfect way to use your phone hands-free.

Figure 2: The HyperMount securely adheres to various smooth surfaces such as glass, polished stone, countertops, and mirrors.

### 2. Attaching to Smooth Surfaces

1. Ensure the suction lever on the HyperMount base is in the 'UNLOCK' position.
2. Press the suction cup firmly against the clean, smooth surface.
3. Rotate the lever to the 'LOCK' position until you hear a click. This creates the vacuum seal.

### 3. Attaching to Textured Surfaces

For textured or uneven surfaces (e.g., wood, concrete, plaster), use the included adhesive mat:

1. Clean the textured surface thoroughly.
2. Peel off the protective film from one side of the adhesive mat and firmly press it onto the desired textured surface.
3. Allow the adhesive mat to set for a few minutes.
4. Attach the HyperMount's suction cup to the smooth surface of the adhesive mat, following the steps for smooth surfaces (Step 2).

## Mounting Instructions

For the best mounting experience, review the recommended surface types according to the chart and follow the designated mounting method.

Surface Type	How to Mount
<p style="font-weight: bold; margin: 0;">Smooth, Flat Surfaces</p> <div style="display: flex; justify-content: space-around; margin: 5px 0;"> <div style="text-align: center;"> <p style="font-size: 0.7em; margin: 0;">Glass/Acrylic</p> </div> <div style="text-align: center;"> <p style="font-size: 0.7em; margin: 0;">Polished Stone</p> </div> </div>	<p style="font-size: 0.8em; margin-top: 5px;">Mount Directly on the Surface</p>
<p style="font-weight: bold; margin: 0;">Textured Surfaces</p> <div style="display: flex; justify-content: space-around; margin: 5px 0;"> <div style="text-align: center;"> <p style="font-size: 0.7em; margin: 0;">Wood</p> </div> <div style="text-align: center;"> <p style="font-size: 0.7em; margin: 0;">Stone</p> </div> <div style="text-align: center;"> <p style="font-size: 0.7em; margin: 0;">Brick</p> </div> <div style="text-align: center;"> <p style="font-size: 0.7em; margin: 0;">Pebble</p> </div> </div>	<p style="font-size: 0.8em; margin-top: 5px;">Use the Included Adhesive Pad</p>


Figure 3: Instructions for applying the adhesive pad to textured surfaces before mounting the HyperMount.

### 4. Preparing Your Phone for Magnetic Attachment

The HyperMount is compatible with Apple MagSafe devices. For Android phones or other devices without MagSafe, use the included magnetic rings:


1. Clean the back of your phone case.
2. Peel off the protective film from one of the magnetic rings.
3. Carefully center and press the magnetic ring onto the outside of your phone case. Ensure it is firmly attached.

### Stick It On Textured Surfaces with Included Adhesive Base




1

Clean surface and stick on the adhesive pad.



2

Lock the HyperMount to the adhesive.



3

Adjust your angle and mount your phone.

Figure 4: Applying a magnetic ring to an Android phone case to enable magnetic attachment with the HyperMount.

## OPERATING INSTRUCTIONS

### 1. Attaching Your Phone

Once the HyperMount is securely installed, simply bring your MagSafe-compatible phone (or phone with an attached magnetic ring) close to the magnetic head. The magnets will automatically align and secure your phone.

### 2. Adjusting Viewing Angles

The HyperMount features a 360-degree rotating magnetic head and a 210-degree dual-axis folding metal arm. This allows for extensive adjustability:

- **Rotate:** Swivel your phone horizontally or vertically (portrait or landscape mode) by rotating the magnetic head.
- **Tilt:** Adjust the tilt angle of your phone using the folding arm to find your preferred viewing position.
- **Fold:** The arm can be folded down to reduce the mount's profile when not in use.

## Vacuum Suction with 66 lbs of Resistance.

Never falls off on bumpy roads. A reliable, powerful vacuum mount that won't stress you out while you're driv-

Figure 5: The HyperMount offers infinite viewing angles for navigation, video, or music control.

### 3. Detaching Your Phone

To remove your phone, simply pull it away from the magnetic head. The strong magnets ensure a secure hold but allow for easy detachment when needed.

### 4. Removing the Mount

To remove the entire mount from a surface, rotate the suction lever to the 'UNLOCK' position and gently lift the mount. If an adhesive mat was used, carefully peel it off the surface.

Your browser does not support the video tag.

Video 1: Official demonstration of the HyperMount Vacuum Phone Holder, showing its features and ease of use.

## MAINTENANCE

- **Cleaning the Suction Cup:** If the suction cup loses its grip, rinse it with warm water and let it air dry. Avoid using harsh chemicals or abrasive materials.
- **General Cleaning:** Wipe the mount with a soft, damp cloth to remove dust and fingerprints.
- **Storage:** When not in use, fold the arm down and store the mount in a cool, dry place away from direct sunlight.

## TROUBLESHOOTING

- **Mount not sticking:** Ensure the surface is clean, dry, and smooth. The suction lever must be in the 'LOCK' position. For textured surfaces, ensure the adhesive mat is properly applied.
- **Phone not attaching magnetically:** Verify your phone is MagSafe compatible or has a magnetic ring correctly attached to its case. Ensure no obstructions are between the phone and the mount's magnetic head.
- **Mount feels loose:** Re-engage the suction by rotating the lever to 'UNLOCK', pressing firmly, and then rotating back to 'LOCK'. If using an adhesive mat, check its adhesion to the surface.

## SPECIFICATIONS

Feature	Detail
Product Dimensions	1.97 x 1.97 x 1.97 inches
Item Weight	1.06 ounces
Item Model Number	PUP-0660
Mounting Type	Vacuum Seal
Special Features	Tilt Head, 360-degree Rotation, Foldable Arm, Magnetic Attraction
Compatible Devices	Smartphones (MagSafe compatible, Android with magnetic ring)

## WARRANTY & SUPPORT

For any questions, troubleshooting assistance, or warranty information, please refer to the product packaging or contact Statik customer support directly. Keep your purchase receipt for warranty claims.

© 2026 Statik. All rights reserved.