VOOPOO Argus Klyc Kit

VOOPOO Argus Klyc Kit User Manual

Brand: VOOPOO | Model: Argus Klyc Kit

1. PRODUCT OVERVIEW

The VOOPOO Argus Klyc Kit is a compact and stylish pod system designed for both Mouth-to-Lung (MTL) and Restricted Direct-to-Lung (RDL) vaping. It features a built-in 1350mAh battery, offering up to 30W of adjustable power output. The device incorporates precise airflow adjustment and adaptive power for a customized vaping experience. Equipped with iCOSM CODE 2.0 flavor technology, it ensures a clean and consistent taste. A magnetic protective cap is included to maintain hygiene and prevent dust intrusion.

ARGUSシリーズ初の保護キャップ付きスタイリッシュPOD

ARGUS Klycは、衛生的な保護キャップを備えた、洗練されたコンパクトなPODです。1350mAhの
バッテリーを搭載し、最大30Wの出力と、スマートな吸引強度アダプティブパワーにより、ベイピングの
強さに合わせて出力を調整し、自分に合ったベイピングを実現します。iCOSM CODE 2.0を搭載した
ARGUSトップフィルカートリッジV2は、30日間のクリーンなパフォーマンスと、100mlの豊かで安定
したフレーバーを保証します。

| マグネット式保護キャップ 衛生的、トップ/ベース 取り付け可能 | iCOSM CODE 2.0 30日間の清潔感、 100mlの耐久性 | 1350mAhバッテリー 信頼性の高い拡張サポート | 最大30Wのドロー ストレングス適応力 すべてのパフを調整する |

Image: The VOOPOO Argus Klyc Kit, showcasing its sleek design and magnetic protective cap.

Key Features:

- **Magnetic Protective Cap:** Ensures hygiene and prevents dust from entering the mouthpiece.

- **Adjustable Airflow:** Customize your draw from loose to tight for various vaping preferences.

- **1350mAh Built-in Battery:** Provides long-lasting vaping sessions with approximately 40-minute Type-C fast charging.

- **5-30W Variable Output:** Supports both MTL and RDL vaping styles, compatible with all Argus replaceable pods.

- **iCOSM CODE 2.0 Flavor Technology:** Delivers a clean and stable flavor experience over extended use.

- **RGB Indicator Light:** Clearly displays battery level (Red ≤20%, White >20%) and device status.

Your browser does not support the video tag.

Video: An overview of the iCOSM CODE 2.0 technology, highlighting its flavor and performance benefits.

2. WHAT'S IN THE BOX

Upon unboxing your VOOPOO Argus Klyc Kit, you will find the following components:

- 1 x ARGUS Klyc Device

- 1 x ARGUS Top Fill Cartridge V2 0.7Ω (3mL capacity)

- 1 x Type-C USB Cable

- 1 x User Manual

- 1 x ARGUS Pod Family Compatibility Guide

セットの内容

・ARGUS Klyc ×1
・ARGUS Top Fill Cartridge V2 0.7Ω（3mL）×1
・Type-C ケーブル ×1
・ユーザーマニュアル ×1
・ARGUS ポッドファミリー互換性ガイド ×1

Image: All items included in the VOOPOO Argus Klyc Kit package.

Your browser does not support the video tag.

Video: Unboxing the VOOPOO Argus Klyc Kit, showing the device, pod, cable, and documentation.

3. SETUP

3.1. Install the Pod

1. Remove the magnetic protective cap from the device.

2. Insert the ARGUS Top Fill Cartridge V2 into the device. It will securely attach magnetically.

シンプルな表示
ステータスが一目でわかる

出力レベル（電子タバコ使用中および使用後）

低レベル出力　　　中レベル出力　　　高レベル出力

バッテリー表示（電子タバコ使用中および使用後）　　　　カートリッジ検出

赤: ≤20%　　　白: >20%　　　充電中　　　検出

Image: The Argus Klyc device with the pod cartridge securely installed.

3.2. Fill with E-liquid

1. Locate the top-fill port on the ARGUS Top Fill Cartridge V2.

2. Open the silicone plug.

3. Carefully fill the pod with your desired e-liquid through the filling port. Avoid overfilling.

4. Close the silicone plug firmly to prevent leaks.

5. After filling, wait at least 5-10 minutes before first use to allow the coil to saturate with e-liquid. This prevents dry hits and extends coil life.

Your browser does not support the video tag.
Video: Demonstrates how to fill the ARGUS Top Fill Cartridge V2 with e-liquid.

3.3. Charging the Device

1. Connect the provided Type-C USB cable to the charging port on the device.

2. Connect the other end of the cable to a suitable USB power source (e.g., wall adapter, computer USB port).

3. The RGB indicator light will show the charging status. A full charge typically takes approximately 40 minutes.

Your browser does not support the video tag.

4. OPERATING INSTRUCTIONS

4.1. Power On/Off

The Argus Klyc Kit is an auto-draw device, meaning it activates automatically when you inhale. There is no manual power button for turning the device on or off.

4.2. Vaping

Simply inhale from the mouthpiece to activate the device and begin vaping. The device will automatically adjust the power output based on the pod's resistance and your draw strength.

Your browser does not support the video tag.
Video: A user demonstrating the auto-draw vaping function of the Argus Klyc.

4.3. Airflow Adjustment

The device features a side-mounted airflow adjustment slider. Move the slider to increase or decrease the airflow to achieve your preferred draw tightness.

Your browser does not support the video tag.
Video: Illustrates how to adjust the airflow slider on the Argus Klyc device.

4.4. Indicator Light Meanings

The RGB indicator light provides visual feedback on the device's status:

- **White Light:** Battery level is above 20%.
- **Red Light:** Battery level is 20% or below, indicating a need for charging.
- **Charging:** The light will indicate charging status and turn off when fully charged.
- **Pod Insertion:** Light may briefly illuminate upon successful pod insertion.
- **Vaping:** The light will illuminate during a puff, with color variations indicating power output levels (Low, Mid, High).

シンプルな表示
ステータスが一目でわかる

出力レベル（電子タバコ使用中および使用後）

| 低レベル出力 | 中レベル出力 | 高レベル出力 |

バッテリー表示（電子タバコ使用中および使用後）　　　　カートリッジ検出

| 赤: ≤20% | 白: >20% | 充電中 | 検出 |

Image: The Argus Klyc device showing the indicator light during operation.

5. MAINTENANCE

5.1. Cleaning the Device

- Regularly wipe the device with a soft, dry cloth to remove dust and fingerprints.
- Clean the pod connection area on the device and the bottom of the pod with a cotton swab to ensure good contact.
- Use the magnetic protective cap when not in use to keep the mouthpiece clean.

5.2. Replacing the Pod

The ARGUS Top Fill Cartridge V2 has a built-in coil. When the e-liquid flavor diminishes or a burnt taste occurs, it indicates that the coil needs replacement. Replace the entire pod cartridge with a new one.

1. Remove the old pod from the device.
2. Dispose of the old pod responsibly.
3. Insert a new, filled ARGUS Top Fill Cartridge V2 into the device.

6. TROUBLESHOOTING

- **No Vapor Production:**
  - Check if the battery is charged.
  - Ensure the pod is correctly inserted and making contact.
  - Verify the pod contains e-liquid.

- Replace the pod if the coil is burnt or old.

- **Leaking:**

  - Ensure the silicone plug on the top-fill port is securely closed.
  - Avoid overfilling the pod.
  - Check for condensation in the pod connection area and clean if necessary.
  - If leaking persists, replace the pod.

- **Device Not Charging:**

  - Ensure the Type-C cable is properly connected to both the device and the power source.
  - Try a different charging cable or power adapter.
  - Clean the charging port on the device.

7. SPECIFICATIONS

VOOPOO Argus Klyc Kit Specifications

Feature	Detail
Device Dimensions	100.6 x 29.7 x 17.2 mm
Device Material	Aluminum Alloy
Output Power	5-30W
Output Voltage	3.2-4.2V
Resistance Range	0.3Ω-3.0Ω
Battery Capacity	1350mAh (Built-in)
Charging	Type-C 5V/1.2A (Approx. 40 minutes)
Pod Capacity	3mL
Pod Material	PCTG
Pod Resistance (Included)	0.7Ω
Filling Method	Top-fill System
Special Features	Magnetic Protective Cap, Adjustable Airflow, iCOSM CODE 2.0, RGB Indicator Light

Dusty Pink	Mystick Gray	Black Gold	Red Gold	Dreamy Blue	Moss Green

仕様

ARGUS Top Fill Cartridge V2
容量：3mL
材質：PCTG
抵抗値：0.7Ω

ARGUS Klyc
サイズ：100.6*29.7*17.2 mm
材質：アルミニウム合金
出力電力：5-30W
出力電圧：3.2-4.2V
抵抗値：0.3Ω-3.0Ω
バッテリー容量：1350mAh
充電：Type-C 5V/1.2A

100.6 mm
29.7 mm *17.2 mm*

Image: Visual representation of the Argus Klyc Kit's dimensions and pod specifications.

8. WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the official VOOPOO website or contact your retailer. Keep your purchase receipt as proof of purchase for any warranty claims.