

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Fretta](#) /

› [Fretta F6000 Cold Press Masticating Juicer Instruction Manual](#)

## Fretta F6000

# Fretta F6000 Cold Press Masticating Juicer Instruction Manual

Model: F6000

## 1. INTRODUCTION

Thank you for choosing the Fretta F6000 Cold Press Masticating Juicer. This appliance is designed to extract maximum juice from fruits and vegetables while preserving essential nutrients and enzymes through its slow masticating technology. Its large feed chute accommodates whole produce, simplifying your juicing experience. Enjoy fresh, healthy, and delicious juices with ease.



*The Fretta F6000 Cold Press Juicer, ready for use.*

## **2. SAFETY PRECAUTIONS**

- Always ensure the juicer is fully and correctly assembled before operation. The built-in safety lock system prevents the motor from starting if components are not properly aligned.
- Do not insert fingers or other objects into the feed chute while the juicer is operating. Use the provided food pusher only.
- Unplug the appliance from the power outlet before assembling, disassembling, or cleaning.

- Keep the appliance away from water and other liquids to prevent electric shock.
- This juicer is made with BPA-free PCTG materials, ensuring safe contact with food.
- If the motor overheats during prolonged use, the juicer will automatically shut off. Allow it to cool down for 20-30 minutes before restarting.
- Do not operate the juicer for more than 20 minutes continuously.

### 3. PRODUCT OVERVIEW AND PARTS

Familiarize yourself with the components of your Fretta F6000 juicer:

Part	Description
Main Body	Houses the 250W motor and control dial. Features a durable stainless steel exterior.
Juicing Bowl	Collects the extracted juice.
Auger (Masticating Screw)	Slowly presses and squeezes produce to extract juice.
Filter	Separates juice from pulp.
Feed Chute (5.3")	Large opening for inserting whole or large pieces of fruits and vegetables. Includes a smaller flip-top slot for herbs.
Pulp Container	Collects the dry pulp.
Juice Container	Collects the fresh juice.
Food Pusher	Used to gently guide produce into the auger.
Cleaning Brush	Aids in cleaning the filter and other components.



*The Fretta F6000 features a premium stainless steel body design for durability and easy cleaning.*

## 4. SETUP AND ASSEMBLY

Follow these steps to assemble your Fretta F6000 juicer:

1. Place the main body on a stable, flat surface.
2. Insert the juicing bowl onto the main body, aligning the pulp and juice outlets.
3. Place the filter into the juicing bowl, followed by the auger.
4. Attach the feed chute assembly to the juicing bowl. Ensure the lid is open to properly lock it into place. You will hear a "click" when it's securely locked.
5. Position the pulp container under the pulp outlet and the juice container under the juice outlet.

*This video demonstrates the easy assembly process of the Fretta F6000 Cold Press Juicer, including how to properly lock the components.*

## 5. OPERATING INSTRUCTIONS

### 5.1. Preparing Produce

- Wash all fruits and vegetables thoroughly.
- For best results, peel fruits with thick skins (e.g., oranges, grapefruit) before juicing.
- The 5.3-inch large feed chute can accommodate whole fruits and vegetables like apples, oranges, carrots, and cucumbers without chopping.
- For leafy greens or smaller items, use the smaller flip-top slot.



Time Saving



Safe for Child



## 5.3-inch Large Feed Chute

Juices whole fruits and vegetables

*The 5.3-inch large feed chute allows for juicing whole fruits and vegetables, saving preparation time.*

### 5.2. Juicing Process

1. Ensure the juicer is properly assembled and plugged into a grounded outlet.
2. Turn the control dial to the "ON" position to start the juicer.
3. Slowly feed the prepared fruits and vegetables into the feed chute. Use the food pusher to gently guide the produce if needed.
4. The juice will flow into the juice container, and the pulp will be expelled into the pulp container.
5. If the juicer becomes clogged, turn the dial to "REV" (Reverse) for a few seconds to dislodge the blockage, then return to "ON".
6. After juicing, turn the dial to "OFF" and unplug the appliance.

### 5.3. Multi-Functionality: Sorbet and Nut Milk

The Fretta F6000 can also be used to make delicious frozen fruit sorbets and fresh nut milks.

#### Making Sorbet:


- Freeze desired fruits (e.g., bananas, mangoes, berries) until solid.
- Ensure the juicer is clean and assembled.
- Feed the frozen fruit pieces into the juicer. The slow masticating action will transform them into a smooth, creamy sorbet.

*This video demonstrates how to prepare and make delicious frozen fruit sorbet using the Fretta F6000 juicer.*

#### Making Nut Milk:

- Soak nuts (e.g., almonds, cashews) in water for 4-6 hours or overnight.
- Rinse the soaked nuts and add them to the juicer along with fresh water.
- The juicer will extract creamy nut milk, separating the pulp.

*This video illustrates the process of making fresh nut milk with the Fretta F6000 juicer, highlighting the cold pressing method.*



## Easy to clean and assemble

*The Fretta F6000 offers versatile functionality beyond just juicing, including making sorbets and nut milks.*

## 6. MAINTENANCE AND CLEANING

---

Regular cleaning ensures optimal performance and longevity of your juicer.

### 6.1. Disassembly

1. Ensure the juicer is turned "OFF" and unplugged.
2. Open the lid of the feed chute.
3. Rotate the feed chute assembly counter-clockwise to unlock and lift it off.
4. Remove the auger and filter from the juicing bowl.
5. Lift the juicing bowl off the main body.

### 6.2. Cleaning

- Rinse all detachable parts (feed chute, auger, filter, juicing bowl, containers) under running water immediately after use.
- Use the provided cleaning brush to remove any pulp residue from the filter and other hard-to-reach areas.
- All parts are rinse-friendly. Avoid using abrasive cleaners or scrubbers that could damage the surfaces.
- Wipe the main body with a damp cloth. Do not immerse the main body in water.
- Allow all parts to dry completely before reassembling or storing.

*This video demonstrates the quick disassembly and easy cleaning process of the Fretta F6000 juicer.*



*Visual guide for disassembling and cleaning the juicer components.*

## 7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Juicer does not turn on.	Not properly assembled; safety lock engaged.	Ensure all parts are correctly aligned and locked into place. Check if the lid is securely closed.
Juicer stops during operation.	Overheat protection activated.	Turn off the juicer and unplug it. Allow it to cool down for 20-30 minutes before restarting.
Produce is stuck or juicer is clogged.	Too much produce inserted at once or hard produce.	Turn the dial to "REV" (Reverse) for a few seconds to clear the blockage, then return to "ON". Feed produce slowly.
Excessive pulp in juice.	Filter may be clogged or damaged.	Clean the filter thoroughly. Ensure the filter is correctly installed.

## 8. SPECIFICATIONS

- **Brand:** Fretta
- **Model:** F6000
- **Power:** 250W DC Quiet Motor
- **Feed Chute Size:** 5.3 inches
- **Hopper Capacity:** 54 ounces
- **Material:** BPA-Free PCTG, Durable Stainless Steel Body
- **Dimensions:** 5.9"D x 13.8"W x 15.5"H
- **Special Features:** Quiet Operation, Reverse Function, Auto Shut-off, Easy to Clean & Assemble



## **250W** Copper Quiet Motor

Smart Overheat Protection, Crushes Hard Fruits & Veg

*The 250W copper quiet motor ensures efficient and low-noise operation.*

### **9. WARRANTY AND SUPPORT**

For warranty information, technical support, or any inquiries regarding your Fretta F6000 Cold Press Masticating Juicer, please refer to the contact details provided in your product packaging or visit the official Fretta website. Keep your purchase receipt as proof of purchase for warranty claims.

