



[Manuals.plus](#) /

› [SOLIDEE](#) /

› SOLIDEE 24-inch Barn Door Bathroom Vanity with Brown Round Glass Sink (Model BA012) - Instruction Manual

SOLIDEE BA012

SOLIDEE 24-inch Barn Door Bathroom Vanity with Brown Round Glass Sink (Model BA012) - Instruction Manual

INTRODUCTION

This manual provides detailed instructions for the assembly, installation, operation, and maintenance of your SOLIDEE 24-inch Barn Door Bathroom Vanity, Model BA012. Please read all instructions carefully before beginning installation and retain this manual for future reference.



Image: The SOLIDEE 24-inch Barn Door Bathroom Vanity with a brown round glass sink, showcasing its farmhouse style and compact design.

The SOLIDEE Bathroom Vanity is constructed from MDF wood, designed with a farmhouse aesthetic featuring a brownish-gray color and a barn door style. It offers ample interior storage with built-in dividers for organization. This vanity set includes the cabinet, sink, faucet, pop-up drain, hot/cold lines, and all necessary mounting hardware.

SETUP AND INSTALLATION

Self-assembly is required for this product. The vanity is shipped in two separate packages, which may arrive at different times. Ensure all components are present before beginning assembly.

Package Contents:

- **Package 1:** Main cabinet, all hardware for cabinet assembly, Installation Manual.
- **Package 2:** Vessel sink, faucet, pop-up drain, all hardware for sink/faucet installation.

Shipped in Two Boxes



Package 1

- 1 x Main cabinet
- 1 x All hardware includes
- 1 x Installation Manual



Package 2

- 1 x Vessel sink
- 1 x Faucet and Drain
- 1 x All hardware includes

Need to be assembled

Image: Diagram illustrating the contents of Package 1 (Main cabinet, hardware, manual) and Package 2 (Vessel sink, faucet, drain, hardware).

Cabinet Assembly:

1. Unpack all components from Package 1 and verify against the parts list in the included manual.
2. Follow the step-by-step instructions in the cabinet assembly manual to construct the main vanity cabinet.
3. Ensure all screws and fasteners are securely tightened.

Sink and Drain Installation:

Before installing the sink, ensure the cabinet is in its final position and level.



\$20value (Included With Your Purchase)



Image: A detailed view of the sink components, including the faucet, pop-up drain, and hot/cold water supply lines.

1. Place the vessel sink onto the vanity top, aligning the drain hole with the pre-drilled opening.
2. Install the pop-up drain assembly. Refer to the video below for a visual guide on drain installation.
3. Ensure all seals are properly seated to prevent leaks.

Your browser does not support the video tag.

Video: This video demonstrates the process of installing a pop-up drain into a vessel sink, showing the correct order of components and tightening procedures.

Faucet and Water Line Connection:

1. Install the faucet into the pre-drilled hole on the vanity top, securing it according to the faucet manufacturer's instructions.
2. Connect the hot and cold water supply lines to the faucet and your home's water supply.
3. Turn on the water supply and check for any leaks.



Image: Technical drawing showing the dimensions of the vanity: 19" (Depth) x 24" (Width) x 31.5" (Height), with sink hole measurements.

OPERATING INSTRUCTIONS

Sliding Barn Door:

The vanity features a unique sliding barn door mechanism. To access the storage compartments, gently slide the door along its track. The smooth rail ensures easy movement.

Hidden Wheels Design



Image: Close-up view of the hidden wheels design, which allows the barn door to slide smoothly along its track for easy access to storage.

Storage Space:

The interior of the vanity offers generous storage space with built-in dividers. These dividers help organize various bathroom items efficiently. Arrange items to suit your needs, utilizing the full depth and height of the compartments.

MAINTENANCE

Cabinet Care:

- Clean the engineered wood surfaces with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals, as these can damage the finish.
- Wipe up spills immediately to prevent water damage or staining.
- Periodically check all hardware (hinges, door slides, handles) for tightness and tighten if necessary.

Sink Care:

- Clean the glass sink with a non-abrasive glass cleaner and a soft cloth.
- Avoid dropping heavy or sharp objects into the sink to prevent chipping or cracking.
- Regularly clean the pop-up drain to prevent clogs and maintain hygiene.

TROUBLESHOOTING

Common Issues and Solutions:

- **Loose Hardware:** If any part of the cabinet or door feels loose, use appropriate tools to gently tighten screws or fasteners. Do not overtighten.
- **Sliding Door Sticking:** Check the barn door track for any obstructions or debris. Clean the track and wheels if necessary. Ensure the track is level.
- **Water Leaks:** If you notice any leaks around the sink or faucet, first turn off the water supply. Check all connections for tightness and ensure all seals and gaskets are correctly positioned. If leaks persist, consult a qualified plumber.
- **Sink Drainage Issues:** Remove the pop-up drain and clean any accumulated hair or debris. Ensure the drain stopper operates freely.

SPECIFICATIONS

Feature	Detail
Brand	SOLIDEE
Model Number	BA012
Colour	Brown Round Glass Sink
Product Dimensions (D x W x H)	48.3 cm x 61 cm x 80 cm (19" x 24" x 31.5")
Material	Engineered Wood
Item Weight	26 kg
Special Features	Heavy Duty
Mounting Type	Floor Mount
Style	Farmhouse
Door Style	Barn Door
Included Components	Bathroom vanity, sink, faucet, pop-up drain, hot/cold lines, mounting hardware

Sink Dimensions:

- Sink dimension: 16.5"W x 5.5"H
- Bowl thickness: 0.5"

Unit:inch

Basin

16-1/2



5-1/2

Material:

low Lead Tempered Glass

Style:

Top Mounted Vessel Bowl

Package

Integrated Foam /pp bag

Artifact:

Artificial Casting, Glossy Glaze

Size:

16.5-Inch Diameter 5.5-Inch Deep



0.5"thick tempered glass



scratch resistant
curving edge



2912 ° F firing



windshield tempered glass



oil-free

Image: Diagram detailing the basin specifications, including material (low lead tempered glass), style (top mounted vessel bowl), and size (16.5-inch diameter, 5.5-inch deep).

WARRANTY INFORMATION

This SOLIDEE product is covered by the manufacturer's standard warranty. Please refer to the warranty card included with your purchase for specific terms, conditions, and duration. Keep your proof of purchase for any warranty claims.

SUPPORT

For technical assistance, missing parts, or any questions regarding your SOLIDEE Bathroom Vanity, please contact the manufacturer's customer support. Contact information can typically be found on the product packaging or the official SOLIDEE website.