

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [BRITA](#) /

› [BRITA P1000 3-Way Integrated Water Filtration System Instruction Manual](#)

BRITA 1043450

BRITA P1000 3-Way Integrated Water Filtration System

Brand: BRITA | Model: 1043450

INTRODUCTION

The BRITA P1000 3-Way Integrated Water Filtration System offers a convenient and sustainable solution for accessing filtered, cold, and hot water directly from a single tap. This system features high-quality BRITA filtration, capable of processing up to 1,200 liters, effectively reducing chlorine, limescale, and other impurities to enhance water taste and protect your appliances. Its premium stainless steel design provides both functionality and an elegant aesthetic for any modern kitchen.



Image: The BRITA P1000 3-Way Integrated Water Filtration System, showcasing the sleek stainless steel tap and the compact P1000 filter unit.

SAFETY INFORMATION

Please read all safety instructions carefully before installation and use. Failure to follow these instructions may result in property damage or personal injury.

- Always turn off the main water supply before beginning any installation or maintenance.
- Ensure all connections are tight to prevent leaks. Check for leaks periodically after installation.
- This system is designed for use with high-pressure boilers (2-8.6 bar). Do not use with low-pressure systems.
- Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system.
- Keep the filter unit away from direct heat sources and freezing temperatures.
- Only use genuine BRITA replacement filters to ensure optimal performance and safety.

PACKAGE CONTENTS

Verify that all components are present before starting the installation:

- BRITA 3-Way Tap (Square Style, Stainless Steel)
- BRITA P1000 Filter Cartridge
- Filter Head with Smart Filter Change Indicator (LED)
- Mounting Accessories (hoses, connectors, seals, etc.)



**Kit de instalación completo incluido,
para una colocación rápida y sin complicaciones**

Image: A selection of tools and components typically included or required for the installation of the BRITA 3-Way Integrated Water Filtration System.

SETUP AND INSTALLATION

The BRITA P1000 3-Way Integrated Water Filtration System is designed for easy installation under the sink, fitting most kitchens without the need for countertop drilling or electrical connection. Follow these

steps for a successful setup:

- 1. Prepare the Installation Area:** Ensure you have sufficient space under your sink. The system requires a mounting hole of ø 35 mm and a minimum distance of 60 mm to the rear wall.
- 2. Turn Off Water Supply:** Locate and turn off the main water supply to your kitchen sink.
- 3. Mount the Tap:** Insert the 3-way tap into the designated hole on your countertop. Secure it from underneath using the provided mounting accessories.
- 4. Connect Water Hoses:** Connect the hot and cold water supply lines to the corresponding inlets on the tap. Connect the filtered water line from the tap to the filter head.
- 5. Install the Filter Head:** Secure the filter head to the cabinet wall under the sink. Ensure it is easily accessible for filter changes.
- 6. Insert the P1000 Filter:** Insert the BRITA P1000 filter cartridge into the filter head.
- 7. Turn On Water Supply & Flush:** Slowly turn the main water supply back on. Open the filtered water tap and let the water run for at least 3 minutes to flush the system and remove any air or carbon fines. Check all connections for leaks.

For a visual guide, please refer to the installation video below:

Your browser does not support the video tag.

Video: Detailed installation guide for the BRITA My Pure water filter tap system, demonstrating step-by-step setup.

Visual aids for installation:



Image: An illustration showing the BRITA P1000 filter unit installed neatly under a kitchen sink, connected to the tap and water supply lines.



Image: A diagram illustrating the connection points of the BRITA filter head and cartridge to the water supply and the 3-way tap under the sink.





Image: A technical drawing showing the dimensions of the BRITA 3-Way Tap, including height, width, base ring diameter, and mounting hole size, crucial for planning installation.

OPERATING INSTRUCTIONS

Your BRITA 3-Way Integrated Water Filtration System provides three types of water: filtered, cold, and hot. The tap features separate levers or controls for each function.

- **Filtered Water:** Use the dedicated lever (often marked or with a blue indicator) to dispense filtered water.
- **Cold & Hot Water:** Use the standard mixer lever to dispense unfiltered cold or hot water, just like a conventional kitchen tap.
- **Smart Filter Change Indicator:** The filter head includes an LED indicator that signals when it's time to replace the filter cartridge. Refer to the maintenance section for details on interpreting the indicator.



Agua filtrada BRITA®

Agua fría y caliente sin filtrar

Image: The BRITA 3-Way Tap demonstrating the simultaneous dispensing of filtered water from one spout and unfiltered cold/hot water from another, highlighting its versatility.




Image: A close-up view of the BRITA tap's smart filter change indicator, showing the LED light that signals filter status.

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your BRITA P1000 system.

Filter Cartridge Replacement

The BRITA P1000 filter cartridge should be replaced periodically, typically every 6-12 months, or when the smart filter change indicator signals. The indicator light will change color (e.g., green to yellow to red) to prompt replacement.

1. Turn off the water supply to the filter unit.
2. Twist the old filter cartridge counter-clockwise to remove it from the filter head.
3. Insert the new BRITA P1000 filter cartridge into the filter head and twist clockwise until it clicks into place.
4. Turn the water supply back on and flush the new filter for 3 minutes.
5. Reset the smart filter change indicator according to its specific instructions (usually by pressing and

holding a button).

Cleaning

Clean the exterior of the tap and filter unit regularly with a soft, damp cloth and mild detergent. Avoid abrasive cleaners or solvents that could damage the finish.

TROUBLESHOOTING

If you encounter any issues with your BRITA P1000 system, refer to the table below for common problems and solutions:

Problem	Possible Cause	Solution
Low water flow from filtered tap	Clogged filter cartridge	Replace the filter cartridge.
Water leaks from connections	Loose connections or damaged seals	Turn off water supply, check and tighten all connections. Replace seals if damaged.
Unpleasant taste/odor in filtered water	Expired filter cartridge or improper flushing	Replace filter cartridge and flush thoroughly. Ensure proper installation.
No water from filtered tap	Water supply off or filter incorrectly installed	Check main water supply and filter unit connections. Reinstall filter if necessary.

SPECIFICATIONS

Feature	Detail
Manufacturer	BRITA
Model Number	1043450
Product Weight	5.74 kg
Product Dimensions (L x W x H)	22.7 x 18.1 x 40 cm
Color	Stainless Steel
Style	Square
Power Source	Manual
Installation Method	DIY (Do It Yourself)

Feature	Detail
Number of Holes Required	1
Handle Position	Center
Number of Handles	2
Handle Material	Stainless Steel
Mounting Type	Deck Mount
Special Features	Integrated Water Filter
Batteries Required	No
Capacity	1.2 Liters (Filter)
Purification Method	Carbon Block
Country of Origin	Germany

WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation included with your product or visit the official BRITA website. Keep your proof of purchase for warranty claims.

You can also visit the [BRITA Store on Amazon](#) for more products and information.