Nania PRATO

Nania Prato I-Size Car Seat Instruction Manual

Model: PRATO

1. Introduction and Safety Information

This manual provides essential instructions for the correct installation, usage, and maintenance of your Nania Prato I-Size car seat. Please read this manual carefully before using the car seat and keep it for future reference. Incorrect installation or use can compromise your child's safety.

The Nania Prato car seat is designed to grow with your child, suitable for children from **40 to 150 cm** in height. It is approved according to the latest **R129 I-Size standard**, ensuring high safety performance.

Important Safety Notes:

- Always ensure the car seat is correctly installed and secured in the vehicle.
- Children up to **105 cm** must travel in a rear-facing position.
- Never leave your child unattended in the car seat.
- Ensure the harness is properly adjusted and snug against your child's body, without twisting.
- Do not modify the car seat in any way. Use only original Nania accessories and spare parts.
- In the event of an accident, even a minor one, the car seat must be replaced.

2. Product Features

The Nania Prato I-Size car seat offers several features designed for safety and comfort:

- **Evolving Design:** Suitable for children from 40 to 150 cm (approximately birth to 12 years).
- **I-Size R129 Standard:** Tested and approved for enhanced safety.
- **Adjustable Headrest:** 12 height positions for optimal head and neck support.
- **Multiple Recline Positions:** For comfort during travel.
- **5-Point Harness System:** For securing children up to 105 cm.
- **Removable and Washable Cover:** For easy cleaning.
- **Reduction Insert:** Provides additional comfort and support for newborns and smaller infants (40-60 cm).



Image: Front view of the Nania Prato I-Size car seat, showing the 5-point harness and adjustable headrest.

3. Setup and Installation

The Nania Prato car seat is installed using the vehicle's 3-point seat belt. Follow these steps carefully for secure installation.

3.1. Installation for Children 40-105 cm (Rear-Facing)

For infants and toddlers up to 105 cm, the car seat must be installed in a rear-facing position using the vehicle's 3-point seat belt. The child is secured within the car seat using its integrated 5-point harness.

1. Place the car seat on the vehicle seat, ensuring it is stable and level.
2. Route the vehicle's 3-point seat belt through the designated blue belt guides for rear-facing installation.
3. Fasten the vehicle seat belt securely, ensuring there is no slack. Press down firmly on the car seat while tightening the belt.
4. Ensure the car seat is firmly installed and does not move more than 2.5 cm in any direction.
5. For newborns (40-60 cm), use the provided reduction insert for optimal comfort and support.




Image: The reduction insert for newborns and smaller infants (40-60 cm), designed for comfort and proper positioning.

3.2. Installation for Children 100-150 cm (Forward-Facing)

For older children between 100 and 150 cm, the car seat can be converted for forward-facing use. The child is secured

using the vehicle's 3-point seat belt.

1. First, store the integrated 5-point harness system within the car seat according to the instructions provided on the seat's labels.
2. Place the car seat on the vehicle seat in a forward-facing position.
3. Route the vehicle's 3-point seat belt through the designated red belt guides for forward-facing installation.
4. Ensure the shoulder belt passes over the child's shoulder and across the chest, not the neck. The lap belt should sit low across the child's hips, not the stomach.
5. Adjust the headrest to ensure the shoulder belt guide is at the correct height, just above the child's shoulder.



Image: Illustration showing the evolving stages of the Nania Prato car seat, from infant to booster mode.

4. Operating Instructions

4.1. Adjusting the Headrest

The headrest can be adjusted to 12 different height positions to accommodate your child's growth and ensure optimal safety and comfort. To adjust, locate the adjustment lever (usually at the top or back of the headrest), squeeze it, and slide the headrest up or down to the desired position. Release the lever to lock it in place.



Image: The Nania Prato car seat with an arrow indicating the adjustable headrest, which has 13 positions.

4.2. Reclining Positions

The car seat offers multiple recline positions for your child's comfort, especially during longer journeys or naps. To recline the seat, locate the recline adjustment handle (typically at the front or base of the seat), pull it, and adjust the seat to the desired angle. Ensure the seat is securely locked in the chosen position before driving.



Image: Side view of the Nania Prato car seat demonstrating three different recline positions.

4.3. Securing Your Child (40-105 cm)

1. Place your child in the car seat.

2. Bring the 5-point harness straps over your child's shoulders and between their legs.
3. Connect the two buckle tongues into the central buckle until you hear a click.
4. Pull the harness adjustment strap to tighten the harness until it is snug against your child's body. Ensure you can only fit one finger between the harness and your child's collarbone.
5. Adjust the headrest so the shoulder straps are at or just below your child's shoulders for rear-facing.

4.4. Securing Your Child (100-150 cm)

1. Place your child in the car seat.
2. Guide the vehicle's 3-point seat belt over your child and through the red belt guides on the car seat.
3. Ensure the shoulder belt passes over the child's shoulder and across the chest, not the neck.
4. The lap belt should sit low across the child's hips, not the stomach.
5. Fasten the vehicle seat belt securely.
6. Adjust the headrest so the shoulder belt guide is at the correct height, just above the child's shoulder.

5. Maintenance

Regular cleaning and maintenance will ensure the longevity and hygiene of your Nania Prato car seat.

5.1. Cleaning the Cover

The car seat cover is removable and washable. To remove the cover, carefully detach it from the seat frame following the instructions on the seat's labels. Machine wash the cover at **30°C on a delicate cycle**. Do not tumble dry, bleach, or iron the cover. Allow it to air dry completely before reattaching it to the car seat.



Image: The Nania Prato car seat with an arrow pointing to the removable and washable cover.

5.2. Cleaning the Plastic Parts

The plastic parts of the car seat can be cleaned with a damp cloth and mild soap. Do not use abrasive cleaners or

solvents, as these can damage the material.

5.3. Harness Care

Wipe the harness straps with a damp cloth. Do not machine wash or immerse the harness straps in water, as this can weaken the material and compromise safety.

6. Troubleshooting

If you encounter any issues with your Nania Prato car seat, please refer to the following common solutions:

- **Car seat feels loose after installation:** Re-read the installation instructions carefully. Ensure the vehicle's seat belt is routed correctly through all guides and pulled taut. Press down firmly on the car seat while tightening the belt.
- **Harness is difficult to tighten/loosen:** Check that the harness straps are not twisted. Ensure the harness adjustment strap is pulled straight and not obstructed.
- **Buckle is difficult to fasten/unfasten:** Ensure no debris is lodged in the buckle mechanism. If the issue persists, contact customer support.
- **Headrest or recline adjustment is stuck:** Ensure no fabric or foreign objects are obstructing the mechanism. Apply gentle, even pressure while operating the lever.

If the problem persists, please contact Nania customer support.

7. Specifications

Specification	Detail
Model Number	PRATO
Brand	Nania
Manufacturer	Babyshop
Approval Standard	I-Size R129
Recommended Child Height	40 - 150 cm
Maximum Supported Weight	36 kg
Installation Type	Vehicle 3-point seat belt
Harness Type	5-point (for 40-105 cm)
Orientation	Rear-facing (40-105 cm), Forward-facing (100-150 cm)
Materials	Plastic, Fabric
Product Dimensions (L x W x H)	51 cm x 48 cm x 57 cm
Item Weight	6 kg
Care Instructions	Removable cover machine washable at 30°C (delicate cycle)



Image: Diagram showing the dimensions of the Nania Prato car seat: 57 cm height, 53 cm depth, 44 cm width, and 78 cm maximum height with headrest extended.

8. Warranty and Support

Your Nania Prato I-Size car seat comes with a manufacturer's warranty. Please refer to the warranty card included with your purchase for specific terms and conditions, including the warranty period and coverage details.
For technical support, spare parts, or any questions not covered in this manual, please contact Nania customer service:

- **Website:** www.nania.com (Please check for your regional website)
- **Email:** support@nania.com
- **Phone:** Refer to your regional Nania website for local contact numbers.

When contacting support, please have your product model (PRATO) and purchase date available.

© 2025 Nania. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question