



Manuals.plus /

› NARWAL /

› Narwal Flow Compact Station Dust Bag Replacement Manual

NARWAL Flow (Compact Station)

Narwal Flow Compact Station Dust Bag Replacement Manual

Model: Flow (Compact Station)

INTRODUCTION

This instruction manual provides detailed guidance for the proper installation and maintenance of the Narwal Robot Vacuum and Mop Dock Dust Bag, specifically designed for the Narwal Flow Compact Station. Adhering to these instructions will ensure optimal performance and longevity of your dust bag.

COMPATIBILITY

This dust bag is compatible exclusively with the **Narwal Flow Compact Station**. Please verify your robot vacuum and mop dock model before proceeding with installation or purchase.

PACKAGE CONTENTS

- 2x Narwal Flow Compact Station Dust Bag

INSTALLATION AND REPLACEMENT

Follow these steps to replace the dust bag in your Narwal Flow Compact Station. No additional tools are required.

120-Day* Dust Storage

With a 2.3L bag,
you'll only need to empty the dustbin twice a year.

120-Day*

Dust Removal Rate

2.3L*

Dust Bag

*Data was provided by Narwal Lab Test, the actual result may vary.




Image: Step-by-step guide for replacing the Narwal Flow Compact Station dust bag.

1. **Step 1: Remove Front Cover**

Gently take off the front cover of the base station to access the dust bag compartment.

2. **Step 2: Remove Old Dust Bag**

Locate the purple tab on the existing dust bag. Pull this tab in the direction indicated by the arrow to remove the used dust bag. Dispose of the old dust bag responsibly.

3. **Step 3: Insert New Dust Bag**

Align the new dust bag with the slot as shown in the illustration. Insert the bag into the slot and push it firmly to the bottom until it is securely seated.

4. **Step 4: Reattach Front Cover**

Place the front cover back onto the base station, ensuring it is securely attached.


MAINTENANCE

For optimal performance and hygiene, it is recommended to replace the dust bag every three months. Each dust bag has a capacity of 2.3 liters, providing up to 120 days of maintenance-free operation under typical usage conditions.




STEP1

Take off the front cover of the base station.



STEP2

Pull the purple tab in the direction of the arrow to remove the dust bag and discard it.



STEP3

Insert the new dust bag into the slot as shown and push it to the bottom.



STEP4

Reattach the front cover of the base station securely.

Image: Narwal Flow Compact Station illustrating the 2.3L dust bag capacity.

SPECIFICATIONS

Compatible Devices	Narwal Flow (Compact station)
Brand	NARWAL
Capacity	2.3 Liters
Recommended Replacement Interval	Every three months

TROUBLESHOOTING

As this product is a consumable dust bag, specific troubleshooting steps are minimal. If you encounter issues such as difficulty inserting the new bag or the base station not recognizing the bag, please ensure:

- The dust bag is correctly aligned and pushed fully to the bottom of the slot.
- The front cover of the base station is securely reattached.
- You are using a genuine Narwal Flow Compact Station dust bag.

If problems persist, refer to your Narwal Flow Compact Station's main user manual or contact Narwal customer support.

CUSTOMER SUPPORT

For further assistance, product inquiries, or to report any issues, please visit the official Narwal website or contact their customer service department. Always refer to your product's model number when seeking support.

Note: Warranty information for consumable items like dust bags may vary. Please consult Narwal's official warranty policy for details.