

Shimbol CP5 Mini 2

SHIMBOL CP5 Mini 2 Vlog Selfie Monitor User Manual

Model: CP5 Mini 2

INTRODUCTION

The SHIMBOL CP5 Mini 2 is a compact and lightweight vlog selfie monitor designed for use with iPhones, iPads, and iPod touch devices. It enables real-time screen mirroring from your device's rear camera, providing a clear view for self-recording and content creation. This manual provides detailed instructions for setup, operation, and maintenance of your CP5 Mini 2 monitor.

PACKAGE CONTENTS

Please verify that all items listed below are included in your package:

- SHIMBOL CP5 Mini 2 Monitor Unit x 1
- USB-C Cable x 1
- User Manual x 1
- After-sales Service Card x 1
- Strap x 1

Compact & Portable Create Anywhere

Ultra-lightweight design fits right in your pocket, ready for any shoot.



Weight

60g

Length

65_{mm}

Width

47_{mm}

Height

20_{mm}

Image: The SHIMBOL CP5 Mini 2 monitor, shown alongside its included USB-C charging cable and a branded lanyard.

PRODUCT OVERVIEW

The CP5 Mini 2 is designed for portability and ease of use. Its ultra-lightweight design allows it to fit conveniently in a pocket, making it suitable for various shooting scenarios.

Real-Time Phone Screen Mirroring

See exactly what your rear camera sees in crystal-clear detail.



Image: The SHIMBOL CP5 Mini 2 monitor held in a hand, illustrating its compact size. Key dimensions and weight are displayed: Weight 60g, Length 65mm, Width 47mm, Height 20mm.

SETUP

1. Charging the Device

Before initial use, fully charge the CP5 Mini 2 using the provided USB-C cable. Connect the USB-C cable to the monitor's Type-C port and the other end to a 5V power adapter (not included) or a computer's USB port. The built-in 1200mAh battery provides up to 4 hours of continuous use when fully charged.

2. Powering On/Off

- To power on: Press and hold the power button located on the side of the device until the screen illuminates.
- To power off: Press and hold the power button until the screen turns off.

3. Connecting to Your Smartphone (iPhone/iPad/iPod touch)

The CP5 Mini 2 connects to your device via screen mirroring/casting and Bluetooth for seamless synchronization and control.

1. Enable Screen Mirroring:

- On your iPhone/iPad/iPod touch, open the Control Center.
- Tap on "Screen Mirroring" or "AirPlay Mirroring".
- Select the SHIMBOL CP5 Mini 2 from the list of available devices.
- Ensure your phone is connected to the CP5 Mini 2's Wi-Fi network if prompted.

2. Pair Bluetooth for Shutter Control:

- On your iPhone/iPad/iPod touch, go to **Settings > Bluetooth**.
- Turn on Bluetooth.
- Select "SHIMBOL" or "CP5 Mini 2" from the list of available devices to pair.
- Once paired, the monitor's shutter button will control your phone's camera.

Proportional Zoom without Black Bars

Four levels of true-to-scale zoom. Full screen, no distortion.




Image: A visual representation of the SHIMBOL CP5 Mini 2 connecting wirelessly to a smartphone, demonstrating instant connection and seamless synchronization for photo and video capture.

1. Real-Time Monitoring

Once connected, the CP5 Mini 2 displays a real-time feed from your smartphone's rear camera. This allows you to accurately frame your shots and monitor your recording without needing to look at your phone's screen.



Image: A user holding the SHIMBOL CP5 Mini 2, which displays a real-time mirrored image from a smartphone's rear camera mounted on a tripod.

2. Wireless Shutter Control

With Bluetooth paired, the monitor's integrated shutter button allows you to capture photos or start/stop video recording on your smartphone remotely. This feature is particularly useful for self-portraits or group shots where you need to be in the frame.

Long-Lasting Battery, Worry-Free Creation

Up to 4 hours of continuous use.



Image: A person using the SHIMBOL CP5 Mini 2 for wireless shooting, demonstrating the Bluetooth camera control feature within a 30-meter range.

3. Zoom Functionality

The CP5 Mini 2 features a 4-level proportional zoom function. This allows you to magnify the mirrored image on the monitor without distortion or black bars, ensuring a full-screen view for detailed framing.

Wireless Shooting with Ultra-Low Latency

Enjoy smooth control and synced display within a 30- meter range.



Image: A comparison showing the SHIMBOL CP5 Mini 2 display "Before" and "After" applying the proportional zoom, illustrating a full-screen view without black bars.

MAINTENANCE

- **Cleaning:** Use a soft, dry cloth to clean the monitor's screen and body. Avoid using liquid cleaners or abrasive materials.
- **Storage:** Store the device in a cool, dry place away from direct sunlight and extreme temperatures.
- **Battery Care:** To prolong battery life, avoid fully discharging the battery frequently. Charge the device regularly, even if not in use for extended periods.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Monitor does not power on.	Low battery or device malfunction.	Charge the device for at least 30 minutes. If the issue persists, contact customer support.

Problem	Possible Cause	Solution
No screen mirroring.	Incorrect connection steps, Wi-Fi interference, or device compatibility.	<ul style="list-style-type: none">◦ Ensure both devices are on the same Wi-Fi network (the CP5 Mini 2's network).◦ Restart both the monitor and your smartphone.◦ Verify screen mirroring settings on your smartphone.
Bluetooth shutter not working.	Bluetooth not paired or connection lost.	<ul style="list-style-type: none">◦ Ensure Bluetooth is enabled on your smartphone.◦ Go to Bluetooth settings and re-pair with "SHIMBOL" or "CP5 Mini 2".◦ Check if your camera app supports external shutter control.
Poor image quality or lag.	Weak signal, distance from phone, or environmental interference.	<ul style="list-style-type: none">◦ Reduce the distance between the monitor and your smartphone.◦ Avoid environments with strong wireless interference.◦ Ensure your smartphone's camera settings are optimized for streaming.

SPECIFICATIONS







Model	CP5 Mini 2
Screen Resolution	240x320
Screen Size	2.4 inches
Port	Type-C
Power Input	Type-C 5V / Built-in Battery
Power Consumption	<1.2W (Standard)
Weight	60g
Dimensions (LxWxH)	64.86 x 47.32 x 19.55 mm
Bluetooth Shutter Control	Supported
Transmission Frequency	2.4G/5G
Transmission Latency	60ms
Reception Sensitivity	-85dBm
Battery Capacity	1200mAh (Up to 4 hours continuous use)

WARRANTY AND SUPPORT

SHIMBOL products are manufactured to high quality standards. For warranty information, please refer to the After-sales Service Card included in your package. If you encounter any issues or require technical assistance, please contact SHIMBOL customer support through their official website or the contact information provided on the service card.

For further assistance, visit the [Shimbol Store on Amazon](#).

Related Documents - CP5 Mini 2

	<p>SHIMBOL CP5 Wireless Video System User Manual</p> <p>This user manual provides detailed information on the SHIMBOL CP5 wireless video system, covering product highlights, design, specifications, safety guidelines, and connection methods for optimal use.</p>
	<p>Shimbol CP5 Wireless Video Transmitter User Manual</p> <p>User manual for the Shimbol CP5 wireless video transmitter, covering product highlights, design, package contents, technical specifications, safety precautions, and connection modes.</p>
	<p>SHIMBOL TP MAX Wireless Video Transmission System User Manual</p> <p>User manual for the SHIMBOL TP MAX Wireless Video Transmission System, detailing features, technical parameters, and product description.</p>
	<p>Shimbol Memory I PRO Video Recording Monitor Instruction Manual</p> <p>This manual provides detailed instructions for the Shimbol Memory I PRO Video Recording Monitor, covering its features, operation, and technical specifications. Learn about its interface, recording functions, and various assist icons.</p>
	<p>Shimbol ZO600S Wireless Video Transmission System ZOLink Series</p> <p>Explore the Shimbol ZO600S, a wireless video transmission system from the ZOLink series. This manual details features, packing list, usage instructions, product description, and technical specifications for professional video production.</p>
	<p>SHIMBOL M5 Camera Monitor Instruction Manual</p> <p>Comprehensive instruction manual for the SHIMBOL M5 5.5-inch camera monitor, covering setup, features, user interface, functions, and technical specifications. Learn how to use LUTs, adjust settings, and more.</p>