Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Quictent QT1802W-1

Quictent 10x30 Party Tent (Model QT1802W-1) Instruction Manual

Brand: Quictent | Model: QT1802W-1

1. Introduction

Thank you for choosing the Quictent 10x30 Heavy Duty Outdoor Canopy Tent. This manual provides essential information for the safe assembly, operation, and maintenance of your party tent. Please read these instructions carefully before setup and retain them for future reference.

2. Safety Information

Important Safety Precautions:

- Always secure the tent to the ground using the provided ground nails or expansion screws to prevent it from being blown away by wind.
- Take preventative measures to avoid wind damage when wind speed reaches 25 mph or higher.
- Use wind ropes for additional stability in windy conditions.
- Do not use open flames or heating appliances inside or near the tent.
- Ensure proper ventilation if using any equipment that produces fumes.
- Keep children and pets away from the tent during assembly and disassembly.
- Do not hang heavy objects from the tent frame.

3. Package Contents

Your Quictent 10x30 Party Tent is delivered in two boxes. Please verify all components are present before beginning assembly.

- 1 x Top Cover (160g imported PE fabric)
- 2 x Sidewalls with windows
- 2 x Zipper Doors
- 1 x Frame Set (Durable iron metal frame with 1.5-inch diameter poles, 1.2 mm thickness)
- 1 x Oxford Storage Bag

- Ground Nails
- Wind Ropes
- Connectors, Pegs, Elastic Ropes (various quantities)



Image: The Quictent 10x30 Party Tent fully assembled, alongside its black Oxford storage bag.

4. Assembly Instructions

Professional installation is highly recommended. A minimum of 2-4 adults are required for safe and efficient assembly. Refer to the included instructions within the box for detailed diagrams.

4.1. Basic Setup Steps

1. **Assemble the Top Frame:** Connect the roof poles and connectors to form the upper structure of the tent.
2. **Install the Cover:** Drape the top cover over the assembled top frame. Ensure it is centered and aligned correctly.
3. **Attach the Legs:** Connect the leg poles to the top frame. Secure all connections.
4. **Secure to Ground:** Use ground nails for grassy surfaces or expansion screws for cement surfaces to anchor the tent firmly. Utilize wind ropes for added stability.



Image: A visual guide showing the three main steps for tent assembly: 1. Assemble the top frame, 2. Install the cover, 3. Attach the legs.

4.2. Sidewall and Door Installation

The tent includes 2 removable sidewalls and 2 zippered doors with chapel-designed windows. These can be installed or removed as needed for ventilation or enclosure.



Image: Demonstrates the versatility of the removable sidewalls, showing configurations for complete dismantling (open canopy), partial dismantling, and fully enclosed setup.



Image: Compares the height of the Quictent door (9.9 ft peak, 6.5 ft side clearance) with a shorter alternative, highlighting ease of passage.

5. Usage Guidelines

This tent is designed for commercial and recreational uses, suitable for various outdoor events.

- **Capacity:** Accommodates 25-35 people. Specifically, it can seat approximately 30 people at 5ft round tables, 40-45 people at trestle tables, or 50 people standing.
- **Ventilation:** The removable sidewalls and zippered doors with chapel windows provide excellent cross-ventilation and airflow.
- **Weather Conditions:** The tent offers waterproof and UV protection. However, it is crucial to take preventative measures and secure the tent properly in windy conditions (above 25 mph).

Hot-Dip Galvanizing Technology



Image: Interior view of the tent showcasing the elegant church-style windows, providing natural light and scenic views.



Image: Diagram illustrating the tent's dimensions (10ft x 30ft, 9.9ft peak height, 6.5ft side height) and seating capacities for round tables, trestle tables, and standing.

6. Maintenance and Care

- **Cleaning:** Clean the PE fabric cover and sidewalls with mild soap and water. Avoid harsh chemicals or abrasive cleaners.
- **Frame Care:** The iron frame features hot-dip galvanizing technology for rust resistance and anti-corrosion performance, offering a lifespan of over 3 years. Regularly inspect the frame for any signs of damage or wear.
- **Storage:** Ensure the tent fabric and frame components are completely dry before packing them into the Oxford storage bag to prevent mold and mildew. Store in a cool, dry place.
- **Inspection:** Periodically check all connections, ground anchors, and ropes for tightness and integrity, especially before and after use.

Quictent SHELTERS FOR ALL

Party Tent Size & Installation Guide

Size(ft)	Waterproof (IPX4 1500mm)	Anti-UV (UPF 30+)	Wind Rating (mph)	Capacity		People Needed (Aldult)	Setup Time (Hours)
				Seat only	Round Table		
10x30	√	√	30+	40	30	2	1h
13x20	√	√	30+	35	25	2	1h
13x26	√	√	30+	50	40	3	1.5h
16x20	√	√	30+	45	35	3	1.5h
16x32	√	√	30+	70	60	4	2h
20x20	√	√	30+	50	40	3	1.5h
20x30	√	√	35+	80	70	4	2.5h
20x40	√	√	35+	100	80	5	2.5h
20x50	√	√	40+	120	100	6	3h
20x60	√	√	40+	140	120	6	3.5h

Image: A comparison chart highlighting the benefits of hot-dip galvanizing for the tent frame (rust resistance >3 years, excellent anti-corrosion) versus white spray painting (6 months rust resistance, poor anti-corrosion).



Image: Close-up of the Oxford fabric carry bag, emphasizing its waterproof properties with a water droplet illustration.

7. Troubleshooting

This section addresses common issues you might encounter.

- **Tent Instability:** Ensure all poles are fully connected and secured. Verify that ground nails or expansion screws are properly installed and tightened. Add wind ropes for extra stability, especially in windy conditions.
- **Water Leakage:** Check that the top cover is correctly installed and taut, preventing water pooling. Inspect the fabric for any tears or damage.
- **Difficulty Assembling Poles:** If poles are difficult to fit, check for any paint buildup at the ends or slight bending in connectors. Gentle sanding or bending with pliers may resolve minor issues.
- **Missing Parts:** If any parts are missing upon delivery, contact customer service immediately.

8. Specifications

Feature	Detail
Brand	Quictent
Model Number	QT1802W-1
Product Dimensions	360"L x 120"W x 118"H (10ft x 30ft x 9.8ft)
Item Weight	157 Pounds
Material	Iron (Frame), Polyethylene (PE) (Cover)
Frame Material	Metal (1.5-inch diameter poles, 1.2 mm thickness)
Water Resistance Level	Waterproof (IPX4 1500mm)
Ultraviolet Light Protection	Yes (UPF 30+)
Color	White
Assembly Required	Yes
Wind Rating	30+ mph (with proper anchoring)
Capacity (Standing)	Up to 50 people
Capacity (Seated, Round Tables)	Up to 30 people
Capacity (Seated, Trestle Tables)	Up to 40-45 people



Image: A table detailing various Quictent party tent sizes, their waterproof and UV ratings, wind ratings, seating capacities, number of adults needed for setup, and estimated setup time.

9. Warranty and Support

Quictent offers comprehensive after-sale service for your peace of mind.

- **Warranty:** Enjoy 1 year of protection for canopy frames and covers.
- **Lifetime Replacement:** Lifetime replacement is provided for connectors, pegs, ropes, elastic ropes, and other small components.
- **Customer Service:** If you encounter any issues with your party tent, contact the dedicated customer service team. They aim to provide professional technical support and solutions within 12 hours.

© 2025 Quictent. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0FFTJDJHZ

More documents and user manuals: **https://manuals.plus/**