

[Manuals.plus](#) /

› [EasyAcc](#) /

› EasyAcc Dehumidifier Q22 Instruction Manual

EasyAcc Q22

EasyAcc Dehumidifier Q22 User Manual

Model: Q22

1. IMPORTANT SAFETY INSTRUCTIONS

Please read all instructions carefully before using the EasyAcc Dehumidifier Q22. Retain this manual for future reference.

- Ensure the dehumidifier is placed on a stable, level surface to prevent water spillage.
- Do not block the air inlet or outlet. Maintain at least 20 cm (8 inches) clearance from walls or furniture.
- Use only the specified power voltage. Do not use with extension cords or adapters unless absolutely necessary and rated for the appliance.
- Do not immerse the unit, power cord, or plug in water or other liquids.
- Unplug the dehumidifier before cleaning, maintenance, or when not in use for extended periods.
- Keep out of reach of children and pets.
- Do not operate the unit if the power cord or plug is damaged, or if the unit malfunctions or has been dropped.
- This appliance is intended for residential use only.

2. PRODUCT OVERVIEW

The EasyAcc Dehumidifier Q22 is designed to efficiently remove excess moisture from your indoor environment, improving air quality and comfort. It features advanced cold-climate dehumidification technology and an intuitive control panel.

The EasyAcc Difference

Breakthrough Cold-Climate Dehumidification
Works Below 15°C When Others Can't!




Image: Internal view of the EasyAcc Q22 Dehumidifier, highlighting its dual heatsink technology and internal structure designed for efficient moisture removal, even in cooler temperatures.

Key components include:

- Air Inlet Grille
- Air Outlet Grille
- Control Panel

- Water Tank
- Power Cord

3. SETUP

1. **Unpacking:** Carefully remove the dehumidifier from its packaging. Retain packaging materials for future storage or transport.
2. **Placement:** Place the dehumidifier upright on a firm, level surface in the desired room. Ensure there is at least 20 cm (8 inches) of clear space around the air inlets and outlets for optimal airflow. Avoid placing it near heat sources or in direct sunlight.
3. **Power Connection:** Plug the power cord into a grounded electrical outlet. Ensure the voltage matches the specifications of the unit.

100% Faster Moisture Removal

+100%
Intake air volume



Image: The dehumidifier positioned in a room, illustrating the direction of air intake and output for efficient moisture removal, emphasizing its large air inlets.

4. OPERATING INSTRUCTIONS

The EasyAcc Q22 Dehumidifier features an intuitive control panel for easy operation.

Easy Control Panel



Image: Close-up of the EasyAcc Q22 Dehumidifier's control panel, showing the touch-sensitive buttons for 'Colorful Light', 'On/Off', and 'Powerful/Sleep Mode'.

1. **Power On/Off:** Press the **On/Off** button (power symbol) to turn the unit on or off.
2. **Mode Selection:** Press the **Powerful / Sleep Mode** button (fan/moon symbol) to switch between operating modes.
 - **Powerful Mode:** Operates at a higher fan speed for faster dehumidification (30-45dB).
 - **Sleep Mode:** Operates quietly (below 30dB) for undisturbed rest, often with reduced fan speed and light intensity.

3. **Colorful Light:** Press the **Colorful Light** button (light bulb symbol) to activate or cycle through the ambient lighting options. This feature can also serve as a night light.
4. **Automatic Shut-off:** The unit will automatically shut off when the water tank is full to prevent overflow. The indicator light will illuminate.



Image: A visual comparison demonstrating the noise levels and features of Powerful Mode (30-45dB) and Sleep Mode (below 30dB), along with the colorful night light function.

Energy Saving

ECO



0.85
kW.H /Day



Image: The dehumidifier in a living space, illustrating its energy-saving operation with an estimated consumption of 0.85 kWh per day.

5. MAINTENANCE

Regular maintenance ensures optimal performance and extends the lifespan of your dehumidifier.

1. Emptying the Water Tank:

- When the water tank is full, the dehumidifier will stop operating and an indicator light will illuminate.
- Carefully pull out the water tank from the unit.
- Empty the collected water.
- Slide the empty water tank back into the unit until it clicks into place. The dehumidifier will resume operation.

2. Cleaning the Air Filter: *(If applicable, consult product diagram for filter location)*

- It is recommended to clean the air filter every two weeks or more frequently depending on usage and air quality.
- Turn off and unplug the dehumidifier.
- Remove the air filter (typically located at the back or side).
- Clean the filter with a vacuum cleaner or wash it gently with warm, soapy water. Rinse thoroughly and allow it to air dry completely before reinserting.

3. Cleaning the Exterior:

- Wipe the exterior of the unit with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- Ensure no water enters the internal components.

4. Storage:

- If storing the unit for an extended period, ensure the water tank is empty and clean, and the unit is dry.
- Store in a cool, dry place, preferably in its original packaging.

Say Goodbye To Humidity

Keeps Wall paper Fresh

Dries Furniture

Fresh Air

Wet Wall

Furniture Damage

Damaged Picture Frame

2L

Effectively Eliminate Damp Odor and Improve Human Comfort.

Image: The dehumidifier with its 2-liter water tank visible, demonstrating its function in collecting moisture and contributing to a healthier indoor environment by preventing issues like wet walls and furniture damage.

6. TROUBLESHOOTING

Before contacting customer support, please refer to the following troubleshooting guide:

Problem	Possible Cause	Solution
Dehumidifier does not turn on.	No power supply. Power button not pressed.	Ensure the unit is properly plugged into a working outlet. Press the On/Off button.
Unit is running but not collecting water.	Room humidity is too low. Air filter is clogged. Room temperature is too low.	Dehumidifier will only collect water if humidity is above a certain level. Clean the air filter. The unit's efficiency decreases in very cold conditions (below 5°C/41°F).
Water tank full indicator is on, but tank is not full.	Water tank not properly seated.	Remove and reinsert the water tank, ensuring it is correctly positioned.
Unusual noise during operation.	Unit not on a level surface. Obstruction in fan.	Place the unit on a flat, stable surface. Turn off and unplug the unit, then check for any obstructions.

7. SPECIFICATIONS

Feature	Specification
Brand	EasyAcc
Model Name	Q22
Floor Area Coverage	Up to 1500 Square Feet
Dehumidification Capacity	1.3 L/day (at 86°F, 80% RH)
Product Dimensions (D x W x H)	15" x 5" x 10" (approx.)
Wattage	85 watts
Special Feature	Adjustable Humidity Control, Cold-Climate Dehumidification, Powerful/Sleep Mode, Colorful Light
Recommended Uses	Residential

Instant Dampness Relief

True **1000ml/Day** at 86°F,80% RH
Lab-Verified, No Exaggeration!

1100 Sq.Ft
Max Coverage

1000 ml
at 86°F,80% RH

**150%
+UP**



1



EasyAcc Q22
Dehumidifier



600



600 packs of Moisture Absorbers

Image: The dehumidifier in a bedroom setting, highlighting its maximum coverage area of 1100 sq.ft. and its moisture removal capacity of 1000ml per day at 86°F, 80% RH.

8. WARRANTY AND SUPPORT

EasyAcc products are manufactured to high-quality standards. For information regarding warranty coverage, please refer to the warranty card included with your purchase or visit the official EasyAcc website.

If you encounter any issues or have questions not covered in this manual, please contact EasyAcc customer support. Contact details can typically be found on the product packaging, the official EasyAcc website, or through your retailer.

© 2023 EasyAcc. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question