

[Manuals.plus](#) /

› [SISESOL](#) /

› SISESOL 6000LBS Heavy Duty Garage Shelving Unit, 79"W x 24"D x 79"H Instruction Manual

SISESOL YSZXEHHJ

SISESOL 6000LBS Heavy Duty Garage Shelving Unit Instruction Manual

Model: YSZXEHHJ

INTRODUCTION

This manual provides comprehensive instructions for the assembly, operation, and maintenance of your SISESOL 6000LBS Heavy Duty Garage Shelving Unit. Please read all instructions carefully before assembly and use to ensure safe and efficient operation. Keep this manual for future reference.

SAFETY INFORMATION

Your safety is paramount. Please observe the following safety guidelines:

- Safety instructions are included with the product. Always follow them.
- Ensure the shelving unit is assembled on a flat, stable surface.
- Do not exceed the maximum weight capacity of 6000 pounds for the entire unit, or the individual shelf capacity.
- Secure the unit to a wall if necessary to prevent tipping, especially in areas with heavy traffic or uneven floors.
- Distribute weight evenly across shelves.
- Keep children and pets away from the assembly area.
- Wear appropriate safety gear during assembly, such as gloves.

PACKAGE CONTENTS

Verify that all components are present before beginning assembly. Note: Each item ships in two boxes and may arrive at different times.

- Uprights (one-piece construction)
- Reinforced Beams
- 8PC Reinforced Stable Lateral Bars
- All Steel Shelf Panels
- Locking Shelf Pins

- Foot Mats
- Rubber Mallet (Included Component)
- Assembly Hardware
- Instruction Manual



Image: Overview of the SISESOL 6000LBS Heavy Duty Garage Shelving Unit, showing its dimensions (79"W x 24"D x 79"H) and a person doing push-ups underneath, emphasizing its heavy-duty nature. This image represents the assembled product and its robust design.

SETUP AND ASSEMBLY

The SISESOL shelving unit is designed for quick and hassle-free assembly. Clear, step-by-step instructions are provided. A rubber mallet is included to aid in assembly.

1. **Prepare the Area:** Choose a flat, clear area for assembly. Ensure sufficient space around the unit.
2. **Unpack Components:** Carefully unpack all parts and verify against the package contents list.
3. **Assemble Uprights:** The unit features one-piece upright construction for enhanced strength.
4. **Attach Beams:** Connect the reinforced beams to the uprights. Ensure all four tabs of each horizontal shelf support

are inserted into the upright support. Use the included rubber mallet for secure fitting.

5. **Install Lateral Bars:** Attach the 8PC Reinforced Stable Lateral Bars to prevent lateral sway and enhance rigidity.
6. **Place Shelf Panels:** Insert the all-steel shelf panels onto the beams.
7. **Secure with Locking Pins:** Use the special locking pins to enhance stability of the connection parts and secure the shelves in place.
8. **Attach Foot Mats:** Place the durable foot mats on the bottom of the uprights to protect your floors.

Assembly Visual Aids



Image: Close-up view demonstrating the installation of a locking shelf pin into the upright, ensuring shelf stability.



GARAGE



TOOL HOUSE



SHOP



FISH ROOM



WAREHOUSE

Image: Detailed view highlighting the wider and thicker uprights and beams, which contribute to the shelving unit's heavy-duty capacity.



Be Safe with Locking Shelf Pin



Wider & Thicker Uprights and Beams



8PC Reinforced Stable Lateral Bars



Durable Foot Mats

Image: Illustration of the 8PC reinforced stable lateral bars, showing how they connect to the uprights to enhance structural rigidity.

OTHERS

SMALL & LIGHT DUTY



OURS

**Thicker & Wider
& Deeper & Heavy Duty**



Image: Close-up of the durable foot mats attached to the base of the uprights, designed to protect flooring.

Assembly Video Guide

Your browser does not support the video tag.

Video: Official SISESOL video demonstrating the assembly process and key features of the heavy-duty garage shelving unit. This video highlights the stability and ease of assembly.

OPERATING INSTRUCTIONS

Adjusting Shelf Height

The shelves are fully adjustable, allowing customization to fit various item sizes. To adjust a shelf:

1. Remove all items from the shelf you wish to adjust.
2. Carefully lift the shelf panel and detach it from the beams.
3. Remove the locking pins and beams from the uprights.
4. Reposition the beams to the desired height on the uprights, ensuring they are level.

5. Secure the beams with the locking pins.
6. Place the shelf panel back onto the adjusted beams.



Image: Visual representation of how the shelves can be adjusted to different heights to accommodate various storage needs.

Interconnectivity Feature

Multiple SISESOL shelving units can be connected seamlessly to create a larger storage system. This feature provides flexibility and scalability for your storage needs. Refer to the specific instructions provided with additional units for connecting them securely.

MAINTENANCE

To ensure the longevity and optimal performance of your SISESOL shelving unit, follow these maintenance guidelines:

- **Cleaning:** Wipe the surfaces with a dry cloth to remove dust and debris. Avoid using harsh chemicals or abrasive cleaners that could damage the finish.
- **Environmental Conditions:** Avoid exposure to extreme temperatures and keep the unit dry to prevent rust and corrosion.

- **Anti-corrosion Coating:** The metal storage shelves are coated with an advanced anti-corrosion material, enhancing resistance to scratches and wear. Regular cleaning helps maintain this protective layer.
- **Regular Inspection:** Periodically check all connections, especially the locking pins and lateral bars, to ensure they remain secure. Tighten any loose components.

TROUBLESHOOTING

If you encounter any issues with your shelving unit, refer to the following common solutions:

Problem	Possible Cause	Solution
Unit is wobbly or unstable.	Uneven floor; loose connections; missing lateral bars.	Ensure the unit is on a level surface. Check all beams and lateral bars are securely fastened with locking pins. Consider anchoring the unit to a wall for added stability.
Shelf panels do not sit flush.	Beams not properly seated; debris in connection points.	Re-check that all four tabs of the horizontal shelf supports are fully inserted into the uprights. Clear any obstructions from the connection points.
Missing parts upon delivery.	Packages may arrive separately; shipping error.	Wait for all packages to arrive (ships in two boxes). If parts are still missing, contact SISESOL customer support.
Difficulty adjusting shelf height.	Shelf is loaded; pins are stuck.	Ensure the shelf is empty before attempting to adjust. Wiggle pins gently or use the rubber mallet to loosen if stuck.

SPECIFICATIONS

Feature	Detail
Brand	SISESOL
Model Name	YSZXEHHJ
Material	Metal
Mounting Type	Free Standing
Product Dimensions (D x W x H)	24"D x 79"W x 79"H
Number of Shelves	4
Weight Capacity (Maximum)	6000 pounds
Special Features	Adjustable, Expandable, Heavy Duty, Removable Shelf, Scratch Resistant
Finish Type	Powder Coated
Color	Matte Black
Item Weight	100 pounds
Included Components	Foot Mats, Locking Shelf Pins, Rubber Mallet

Feature	Detail
Recommended Uses	Basement, Garage, Retail, Warehouse

WARRANTY AND CUSTOMER SUPPORT

SISESOL is committed to customer satisfaction. For any questions, concerns, or assistance with assembly or usage, please contact our dedicated customer support team. Information regarding specific warranty details may be available through your point of purchase or on the official SISESOL website.

Return Policy: This product typically includes a 30-day easy return policy. Please refer to your purchase receipt or retailer's policy for exact terms.

Contact: For support, please visit the [SISESOL Store on Amazon](#) or refer to the contact information provided in your packaging.

© 2026 SISESOL. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question